Tennant Contract No. GS-07F-098CA

FEDERAL SUPPLY SCHEDULE PRICELIST

Authorized Price List for the period March 1, 2020 through February 28th, 2026.

Price list current thru modification PS-0115 Effective 08-26-2025

Prices shown are Net (discount deducted)

Cleaning Equipment and Supplies FSC Group 79, PART 1, SECTION B, CLASS 7910

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!

https://www.gsaglobalsupply.gsa.gov/

For more information on ordering from Federal Supply Schedules, check on the FSS Schedules Button at *fss.gsa.gov*.

Tennant floor cleaning solutions help you keep your government facilities clean, safe and attractive

Keeping your facilities and environments clean and professional presents several unique challenges. Tennant understands and offer's complete solutions to help you get the job done and serve others.

Tennant's indoor and outdoor products are perfect for almost any government facility

- Improve indoor air quality and operator experience with sweepers equipped with superior dust control
- Clean in congested spaces without public disruption with highly maneuverable machines



For Federal Government Use Only



SALES CONTACT: Jonathan Stevens 800-553-8033

JSS24@tennantco.com

Based on Tennant Sales & Service Co. Pricing dated 01/01/2025. All prices include IFF

TABLE OF CONTENTS GS-07F-098CA

S6

Information for Ordering	Activities		<u>Page</u> I-II
Warranty	7 1011 111100		III-IV
Product Safety Labels &	Approvals		V
ec-H2O™, FaST® and I		formation	VI
SCRUBBERS T600 T600e T600ee T500 T500e T581 T350	1 4 7 8 10 12 12	UPRIGHT, PORTABLE, & CANISTER VACUUMS V-WA-30 V-CAN-16 Premium V-CAN-12 Standard WET/DRY VACUUMS	30
T391	14		31
T390	14	V-WD-24P 24-gal.	
T300	15	V-WD-24 24-gal.	
T300e	18	V-WD-9 9-gal.	
T290	20 21		
T2	21 22	CARPET EXTRACTORS & C	<u>LEANERS</u>
X4Rovr	22	1610	32
CS5	22	1510	33
CS16	23	1530	33
T1 & T1B	23	EX-SC-1020	34
BUDNIEUEDE		R3	34
BURNISHERS	00	E5	34
B10	23		
B7	24 25		
B5 BR-2000-DC	26		
BR-1600-NDC	26	SPECIALTY PRODUCTS	
BIX-1000-NDC	20	ASC-15	34
		3 Speed Blower	34
FLOOR MACHINES FM-20-SS FM-20-DS	26		01
<u>SWEEPERS</u>			
S10	27		
3640	28		
S7	29		
S6	29		

TABLE OF CONTENTS Rider Contract

Scrubbers	Page
Model T7 Scrubber, Rider	35
Model T7AMR Scrubber	37
Model X6Rovr	37
Model T380AMR Scrubber	38
T681 Scrubber, Ride On	38
T981 Scrubber, Ride On	39
Model T12 Scrubber, Rider	40
Model T1581 Scrubber, Rider	43
Model T16 Scrubber,Rider	43
Model T16AMR Scrubber, Rider	47
Model T17 Scrubber, Rider	48
Model T20 Scrubber, Rider	51
Sweepers	
Model 6100 Sweeper, Rider	53
S680 Sweeper, Rider	54
S880 Sweeper, Rider	55
S16L Sweeper Rider	56
S16H Sweeper Rider	58
Model S20 Sweeper, Rider	60
Model S30 Sweeper, Rider	66
Model 800 Sweeper, Rider	68
Scrubber-Sweepers	
Model M20 Scrubber-Sweeper, Rider	72
Model M17 Scrubber-Sweeper, Rider	74
Model M30 Scrubber-Sweeper, Rider	78
Dual Technology Carpet Maintainer, Rider	
Model R14 Dual Technology Carpet Maintainer, Rider	80

INFORMATION FOR ORDERING ACTIVITIES Walk Behinds

- 1. Hourly Rates: Not applicable
- 2. Maximum Order: \$150,000.00 per SIN on walk behinds and \$2,000,000 on Riders
- 3. **Minimum Order:** \$100.00
- 4. <u>Geographic Coverage:</u> 48 Contiguous States and Washington, D.C. (For AK, HI and PR, trans portation charges from the embarkation point to destination are to be paid by the U.S. Government).
- 5. **Production Point:** Minneapolis (Hennepin County), Minnesota; Holland (Ottawa County), Michigan.
- 6. **Discount:** All prices in this catalog are net (discount deducted).
- 7. **Quantity Discounts:** As shown on the specific pricing pages.
- 8. **Prompt Payment Terms:** Net 30 Days
- 9. Government Purchase Cards: Government Purchase Cards are accepted at or below the micropurchase threshold (Visa, Master Card and American Express). No additional discounts are offered for payment by government Credit Card.
- 10 **Time of Delivery:** 30 Days ARO.
- 11. Expedited Delivery: 5-7 days ARO for stock items. All items are dependent upon stock availability.
- 11a. Overnight and Second Day Delivery: Are available for some items at an extra charge. Please contact Tennant Customer Service at 800-553-8033 for determination.
- 11b. <u>Urgent Requirements</u>: Contact Tennant Customer Service to effect an expedited delivery.

INFORMATION FOR ORDERING ACTIVITIES (Continued)

- 12. **F.O.B Points:** Destination—for the 48 Contiguous States and Washington, D.C. (For AK, HI and PR, the transportation charges from the embarkation point to the destination are to be paid by the U.S. Government).
- 13. Ordering Address: Tennant Sales and Service Company, 10400 Clean St, Eden Prairie, MN 55344. Tennant Customer Service Desk: 800-553-8033, Fax: 763-513-2116, e-Mail: tennantbid@tennantco.com.
- 14. Payment Address: Tennant Sales and Service Company, P.O. Box 71414, Chicago, IL 60694-1414.
- 15. Warranty Provisions: Standard Industrial and Commercial Warranty as shown in this pricing catalog.
- 16. **Export Packing Charges:** Vary with the weight, size and model. Please contact Tennant Customer Service, 800-553-8033 for a quotation.
- 17. Terms and Conditions for Acceptance of Government Purchase Card: See the response to number Wo additional discount offered for use of purchase card.
- 18. Ma intenance and Repair: Contact Customer Service, 800-553-8033,
- 19. <u>Machine Installation:</u> Machine installation will be done by the Contractor's Direct Representative or by a Factory-Trained Distributor Representative.
- 20. **Replacement Parts:** Replacement parts are list price, no discounts given.
- 21. <u>Service and Distribution Points:</u> Contact our Customer Service, 800-553-8033, for service. Service is performed on-site by our direct factory-trained service representatives.
- 22. Participating Dealers: None
- 23. <u>Preventative Maintenance:</u> See Operator's Manual and Parts Manual.
- 24a. **Special Attributes:** See individual machine information pages.
- 24b. Not Applicable
- 25. Data Universal Number System (DUNS): 78-598-5198
- 26. Notification Regarding Registration in System for Award Management (SAM): SAM registration is current and complete.



United States and Canada Commercial Limited Warranty

<u>Model</u>	Rotationally- Molded Components	<u>Parts</u>	Battery	<u>Labor</u>	<u>Travel</u>	Hour meter
All non-rider machines except those listed below	10 Years	36 Months	12 Months pro-rated	36 Months	3 Months (No travel on cord-electric models)	2500
T7 ⁶ , R14 ⁶	10 Years	36 Months	12 Months pro-rated	36 Months	3 Months	1500
T7AMR ^{4, 5 & 6} , T380AMR ^{4 & 5}	10 Years	36 Months	12 Months pro-rated	24 Months	3 Months	1500
B5 ⁶ , B7 ⁶ , B10 ⁶ , T290, T300 ^{3,5&6} , T300e ^{3,5&6} , T350 ⁶ , T390, T500 ^{3,5&6} , T500e ^{3,5&6} , T581, T600 ^{3&6} , T600e ^{3&6}	10 Years	36 Months	12 Months pro-rated	24 Months	6 Months	2000
6100, S680, S880	10 Years	24 Months	12 Months pro-rated	6 Months	6 Months	1000
T391	10 Years	36 Months	12 Months pro-rated	24 Months	6 Months	1500
T260	10 Years	36 Months	12 Months pro-rated	12 Months	3 Months	1000
S6 ⁹ , S7 ⁹	N/A	12 Months	12 Months pro-rated	12 Months	3 Months	N/A
EC2, EH5, Q12	2 Years	24 Months	N/A	12 Months	3 Months	N/A
CS5	N/A	12 Months	12 Months	N/A	N/A	N/A
CS16, i-mop XL/XXL Plus / Lite	1 Year	12 Months	12 Months	12 Months	3 Months	N/A
T1 Battery Micro Scrubber	10 Years	36 Months	AGM 6 Months pro-rated ² Lithium-ion 24 Months	36 Months	3 Months	2500
Blower, V-BP-6 ¹ , V-BP-6B ¹ , V-LW U-13B ¹ , V-SMU-14 ¹ , V-DMU-14 ¹ , V-CAN-10 ⁷ , V-CAN-12 ⁷ , V-CAN-16 ⁷ , V-WD-9 ⁷ , V-WD-24 ⁷ , V-WD-24P ⁷ , V-WA-30 ^{1 & 8} (material 1068029)	N/A	12 Months	12 Months pro-rated	12 Months	None	N/A

¹ Two (2) year limited warranty on electric motors ² Maximum 1 replacement under Warranty ³ Orbital isolators covered under 3-year parts warranty

NEW MACHINEW ARRANTY

Tennant Company warrants to the original purchaser, for the above-stated periods (whichever occurs first), that machines will be free from defects in workmanship and material, provided that machines are installed, operated, and maintained in accordance with Tennant written manuals or other instructions.

This warranty does not apply to damage or failure caused by accident, freight damage, misuse, negligence, abuse, improper repair, or maintenance of the machines. Please refer to the Operator Manual for proper machine operation and maintenance instructions.

The warranty period begins on the installation date at the end-user site. A Machine Installation/Warranty Report form included with the Operator Manual must be completed and returned immediately at the time of purchase. If proof of purchase is unavailable, the warranty begins ninety (90) days after original sale to an Authorized Tennant dealer. Demonstrator machines purchased from Tennant carry the same warranty as a new machine.

LABOR AND TRAVEL WARRANTY

Tennant will, at its option, provide labor and travel or pay for outside repair for the above-stated periods.

PARTS WARRANTY

Parts replaced or repaired under this warranty are guaranteed for the remainder of the warranty period. The parts warranty on batteries is pro-rated from the Tennant Company shipping date. Consumable parts, expected to wear from normal use, are not covered under the parts warranty. Items that are covered on a prorated basis includes tires (1 year) on rider machines. Battery chargers and accessories are warranted for one (1) year.

REPAIR PARTSWARRANTY

After the warranty period expires, repair parts supplied by Tennant are warranted against defects for the period of ninety (90) days, with the exception of batteries. Lithium-ion and Lead acid batteries are pro-rated for twelve (12) months. TPPL batteries are non-pro-rated for eighteen (18) months. T300, T300e, T500, T500e, T380AMR, T7AMR lithium-ion batteries are warranted for five (5) years non-pro-rated or 2000 charge cycles (whichever comes first). All AGM and Gel batteries are pro-rated for ninety (90) days. All batteries must be used with the appropriate charger. The repair parts warranty only covers parts, not labor or travel (see service labor section for terms).

SERVICEL ABORWARRANTY

Labor and travel performed by a Tennant service representative are warranted for thirty (30) days from the date the repairs are completed. This policy does not cover work performed by any service company other than Tennant and is restricted to the specific repair operation or component for which a claim is made.

DISCLAIMER

TENNANT COMPANY EXPRESSLY DISCLAIMS ANY AND ALL OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. TENNANT SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER DIRECT OR INDIRECT, INCLUDING, BUT NOT LIMITED TO, BUYER'S LOSS OF MATERIAL OR PROFITS, INCREASED EXPENSE OF OPERATION, BODILY INJURY, LOSS OF USE OF PROPERTY OR DOWNTIME.

⁴ T7AMR & T380AMR Sold date before Feb. 9, 2022: AMR related autonomy kit, electronics, & sensors: 1yr parts or 1500 hrs, no labor, & no travel coverage.

⁴ T7AMR & T380AMR Sold date on/post Feb. 9, 2022: AMR related autonomy kit, electronics, and sensors: covered for same terms as machine.

⁵ Lithium-ion batteries are warranted for five (5) years non-pro-rated or 2000 charge cycles (whichever comes first).

⁶ TPPL batteries are non-pro-rated for eighteen (18) months, ⁷ 10 years polyethylene tank, ⁸ 1 year on rotationally-molded components, ⁹ 1year polyethylene parts.

United States and Canada Industrial Limited Warranty



Machine Type	Model	Parts	Labor	Travel	Hour Meter
Scrubbers	T12, T16, T17, T20 ²	36 Months	24 Months	6 Months	2000
	T16 AMR ¹	36 Months ¹	24 Months ¹	6 Months ¹	2000
Sweepers	S20 ³ , 6200	24 Months	6 Months	6 Months	2000
	S30 ² , 800 ²	48 Months	6 Months	6 Months	2800
	Sentinel ⁴	24 Months	6 Months	6 Months	2400
	S10, S16	36 Months	6 Months	6 Months	2000
Scrubber / Sweeper	M17, M20 ² , M30 ²	36 Months	24 Months	6 Months	2000
Litter Vac	ATLV4300	24 Months	6 Months	6 Months	2000

¹ Serial 10099 and below: AMR related autonomy kit, electronics, and sensors: 1 year parts, no labor, and no travel coverage.

NEW MACHINE WARRANTY

Tennant Company warrants to the original purchaser, for the above-stated periods (whichever occurs first), that machines will be free from defects in workmanship and material, provided that machines are installed, operated, and maintained in accordance with Tennant written manuals or other instructions.

The warranty period begins on the installation date at the end-user site. This warranty does not apply to damage or failure caused by accident, misuse, negligence, abuse, improper repair, or maintenance of the machines. Please refer to the Operator Manual for proper machine operation and maintenance instructions.

Demonstrator machines purchased from Tennant carry the same warranty as a new machine.

LABOR AND TRAVEL WARRANTY

Tennant will, at its option, provide labor and travel or pay for outside repair for the above-stated periods.

PARTS WARRANTY

Parts replaced or repaired under this warranty are guaranteed for the remainder of the warranty period. Consumable parts, expected to wear from normal use, are not covered under the parts warranty. Items that are covered on a prorated basis include tires (1 year) and lead acid, gel and AGM batteries (2 years). Lithium-ion batteries are warranted for five (5) years or 2000 charge cycles, whichever comes first. Industrial steel tray batteries are warranted through the manufacturer for five (5) years. Brushes that fail due to defect within one (1) year will be covered based on percentage of remaining bristle length. Fiber reinforced composite shrouds and Duramer™ shrouds, hoppers, solution, and recovery tanks are warranted for ten (10) years.

REPAIR PARTS WARRANTY

After the warranty period expires, all repair parts supplied by Tennant except batteries are warranted against defects for the period of ninety (90) days. Lead acid, gel and AGM batteries are covered on a prorated basis for twelve (12) months. Lithium-ion batteries are warranted for five (5) years or 2000 charge cycles, whichever comes first. Industrial steel tray batteries are warranted through the manufacturer for five (5) years. The repair parts warranty only covers parts, not labor or travel (see service labor section for terms).

SERVICE LABOR WARRANTY

Labor and travel performed by a Tennant service representative are warranted for thirty (30) days from the date the repairs are completed. This policy does not cover work performed by any service company other than Tennant Company, and is restricted to the specific repair operation or component for which a claim is made.

DISCLAIMER

TENNANT COMPANY EXPRESSLY DISCLAIMS ANY AND ALL OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. TENNANT SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAM AGES, WHETHER DIRECT OR INDIRECT, INCLUDING, BUT NOT LIMITED TO, BUYER'S LOSS OF MATERIAL OR PROFITS, INCREASED EXPENSE OF OPERATION, BODILY INJURY, LOSS OF USE OF PROPERTY OR DOWNTIME.

Tennant Company reserves the right to change its warranty policy without notice.

¹ Serial 10100 and above: AMR related autonomy kit, electronics, and sensors: covered for same terms as machine coverage

² See EPA Emission Control Warranty Statement for details on the PSI Gasoline or LPG engine emission control system coverage

³ See Evaporative Emission Control Warranty Statement for details on the evaporative emission control system coverage for machines equipped with the Kubota gasoline engine.

⁴ Hopper and water tank carry a 5-year or 5,000 hour (whichever occurs first) parts warranty.

AUTOMATIC SCRUBBERS

BUILT-IN "TENNANT VALUE" INCLUDES:

121L/32 gal Solution Tank & 37 L/140 gal Recovery Tank Rugged Duramer™ Rotomold Tank Construction Fully Sprayable Hygenic® Recovery Tank Three Down Pressure Settings- up to 200 lbs/90 kg

Adjustable Solution Flow
Variable Speed Control Knob
Pro-Membrane™ Control Panel w/ 3 Zone Settings™ (Standard)
LCD Pro-Panel™ Touch Screen Control Panel (Option)
On-Demand Tutorial Videos & 4 Customizable Zone Settings
Supervisor QA ControlsTM settings (Lock Out Features)
On Board Dispression Supervisor OA ControlsTM settings (Lock Out Features)
On Board Diagnostics
Standard Low Noise Level (≤70 dBa)
Quiet-Mode™ Sound Reduction all models (≤62.5dBa)
Standard (6) 6v. 240AH battery pack
(Optional 360AH batteries available)
(Optional 360AH batteries available)
(Optional Thin Plate Pure Lead batteries available)
Smart-Fill™ Automatic Battery Watering (Option)
Auto Fill (Solution Tank)
Quick Release Battery Harness
Standard Contolled Battery Compartment Drain
On-board Charger with 3m/15 ft power cord
Closed Machine Venting for Battery Charging
Breakaway Squeegee Design
Factory Set Squeegee Assembly for Maximium Recovery
Cast Aluminum Squeegee Frame

Optional ec-H2O NanoClean™ Equipped Models Include: Electrically Converted Water Technology System
Two Scrubbing Modes: ec-H2O NanoCleanTM & Conventional Scrub

T600 Standard Configuration (Note 1)

Cast Aluminum Squeegee & Scrub Deck (Disk, Clyndrical)
11 Gauge Steel Scrub Deck (Orbital Only)
Automatic: Water On / Off
Brush Shutoff at 80% Discharge
Linatex/Linard Squeegee Blades with Tool-less Replacement
Emergency Stop
Free Floating Head Skirt (disk machines)
Fill Port w/ Hose Fins
Integrated Heat Sink for Electronics Protection
Sealed Electrical Connectors
Anti-Static Strap Anti-Static Strap 1 HP brush motor/ 0.75 kW (disk) 300 RPM (disk) and 760 RPM (cylindrical) 2200 RPM orbital scrub head 2200 RPM orbital scrub head
Recovery Tank Debris Tray
Excellent Ergonomic Controls Design
Non-Marking Polyurethane Tires
Includes Standard Pad Drivers or Scrubbing Brushes (Select One)
Key Switch for Safety
Hour Meter
Jacking Points/Shipping Tie Downs
Yellow Maintenance Touch Points
Auto Fill for Solution Tank
Integrated Accessory Rails Integrated Accessory Rails
Drain hose with pinch-cuff to control water flow

Reference Number

GSA Price Including IFF

1000 Standard Configurati	on (Note 1)	Reference Number	GOA Frice including in I		
	T600 Walk-Behind - Disk Scrubber, 800mm / 32", Pro Membrane Control Panel, 240AH C/20				
	Battery, Smart-Fill Battery Watering System, Conventional Cleaning, 25A 100-240V 50/60Hz 1Ph On-Board Charger, Standard Down Pressure, Auto Fill, Black Pneumatic Tires (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T600-2001D	\$16,794.68	646 220 46	¢45.045.00
	T600 Walk-Behind - Disk Scrubber, 900mm / 36", Pro Membrane Control Panel, 240AH C/20 Battery, Smart-Fill Battery Watering System, Conventional Cleaning, 25A 100-240V 50/60Hz 1Ph	1600-2001D	\$10,794.00	\$16,328.16	\$15,045.23
	On-Board Charger, Auto Fill, Black Pneumatic Tires (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T600-2002D	\$19,004.37	\$18,476.47	\$17,024.75
	T600 Walk-Behind - Disk Scrubber, 800mm / 32", Pro Membrane Control Panel, 360AH C/20 Battery, Smart-Fill Battery Watering System, ec-H20 NanoClean, 25A 100-240V 50/60Hz 1Ph On-Board Charger, Auto Fill, Black Pneumatic Tires				
	(Pad Driver and Pad Wrap Packaging will default unless otherwise specified) T600 Walk-Behind - Disk Scrubber, 900mm / 36", Pro Membrane Control Panel, 360AH C/20 Battery, Smart-Fill Battery Watering System, ec-H20 NanoClean, 25A 100-240V 50/60Hz 1Ph On- Board Charger, Auto Fill, Black Pneumatic Tires	T600-3001D	\$19,385.23	\$18,846.75	\$17,365.93
	(Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T600-3002D	\$21,594.92	\$20,995.06	\$19,345.45
Γ600 Base Configuration		Reference Number	GSA P	rice Including	IFF
	Cleaning Type		<u>1-5 units</u>	6-11 units	12+ units
	T600 Walk-Behind Scrubber 700 mm / 28" Disk	T600-700D	\$15,417.07	\$14,988.82	\$13,811.12
	T600 Walk-Behind Scrubber 800 mm / 32" Disk	T600-800D	\$15,994.52	\$15,550.23	\$14,328.42
	T600 Walk-Behind Scrubber 900 mm / 36" Disk	T600-900D	\$18,204.21		\$16,307.94
	T600 Walk-Behind Scrubber 700 mm / 28" Cylindrical	T600-700C	\$16,571.24		\$14,845.07
	T600 Walk-Behind Scrubber 800 mm / 32" Cylindrical	T600-800C	\$17,150.15	\$16,673.75	\$15,363.67
	Trim Level Pro-Panel™ Control Panel (In lieu of standard)	PPC-T600	\$644.19	\$626.30	\$577.09
	FIG-Failer Control Failer (iii lied of Standard)	FFC-1000	Ф044.19	\$020.30	φ3/1.09
	Cleaning Technology: (conventional is standard, ec-H2O can also operate in conventional mode)				
	ec-H2O NanoClean (In lieu of standard)	ec-H2O-T600	\$2,060.98	\$2,003.73	\$1,846.29
	Severe Environment Switch (Note 2)	9042152	\$414.95	\$403.43	\$371.73
	Severe Environment™ Switch Lockout (Note 2)	9017886	\$42.80	\$41.61	\$38.34
	Squeegee Width				
	Narrow Aisle Squeegee Width (Note 3)	NR-T600	N/C	N/C	N/C
	Battery Type (Note 4) Wet 360AH C/20 (In lieu of standard)	9042058	\$529.57	\$514.86	\$474.41
	·	3042030	Ψ329.51	ψ314.00	ψ4/4.41
	Sealed/MF Fast Charge 210AH C/20 (TPPL Battery) (Note 5) (In lieu of standard)	9042061	\$1,643.12	\$1,597.48	\$1,471.96
	Smart-Fill Automatic Battery Watering (Note 7) Manual Battery Watering (Note 7)	9042063 9042064	\$800.16 \$515.79	\$777.93 \$501.46	\$716.81 \$462.06
	Charger (Note 8)				
	25A 100-240V AC 50/60Hz 1Ph - On-Board Charger (for Wet / Lead Acid Batteries Only) (IRIS Battery Metric Compatible)	9042250	N/C	N/C	N/C
	33A 100-240V AC 50/60Hz 1Ph - On-Board Charger (for Wet / Lead Acid Batteries Only) (Mandatory with 186AH TPPL Battery)	9042252	\$126.95	\$123.43	\$113.73
	UL/ETL Rating				
	UL Type E (Note 10)	9000817	N/C	N/C	N/C

Machine Protection & Safety		Reference Number			
	Black Pneumatic Rubber (In lieu of standard) (Non-Marking)	9042071	N/C	N/C	N/C
	Black Foam Filled Rubber (In lieu of standard) (Non-Marking)	9042099	N/C	N/C	N/C
	Parking Brake	9042068	\$132.03	\$128.36	\$118.28
	Trailer Transport Kit	9042165	\$186.44	\$181.26	\$167.02
Brushes and Pads (Note 12)		Reference Number			
•	700mm/28" Disk Scrubbing Brushes/Pads (2 Required - 14" each)				
	Polypropylene Brush (2 Required)	1234464	N/C	N/C	N/C
	Nylon Brush (2 Required)	1234463	N/C	N/C	N/C
	Pad Driver	1234467	N/C	N/C	N/C
	Pads	1254401	14/0	14/0	14/0
	Pad - Blue Scrubbing - 3M (2 Required)	222326	\$12.33	\$11.99	\$11.05
	Pad - Red Cleaning - 3M (2 Required)	222325	\$12.33	\$11.99	\$11.05
	Pad - White Polishing - 3M (2 Required)	222324	\$12.33	\$11.99	\$11.05
	800mm/32" Disk Scrubbing Brushes/Pads (2 Required - 16" each)				
	Polypropylene Brush (2 Required)	1234524	N/C	N/C	N/C
	Heavy Duty Polypropylene Brush (2 Required)	1234525	N/C	N/C	N/C
	Nylon Brush (2 Required)	1234523	N/C	N/C	N/C
	Pad Driver	1234527	N/C	N/C	N/C
	Pads	1254521	N/C	IV/C	14/0
	Pad - Blue Scrubbing - 3M (2 Required)	63248-2	\$14.51	\$14.11	\$13.00
	Pad - Red Cleaning - 3M (2 Required)	63248-3	\$14.51	\$14.11	\$13.00
	Pad - White Polishing - 3M (2 Required)	63248-4	\$14.51	\$14.11	\$13.00
	900mm/36" Disk Scrubbing Brushes/Pads (2 Required - 18" each)				
	Polypropylene Brush (2 Required)	1230859	N/C	N/C	N/C
	Nylon Brush (2 Required)	1230858	N/C	N/C	N/C
	Pad Driver	1230881	N/C	N/C	N/C
	Pads				
	Pad - Blue Scrubbing - 3M (2 Required)	11778	\$15.23	\$14.81	\$13.65
	Pad - Red Cleaning - 3M (2 Required)	11780	\$15.23	\$14.81	\$13.65
	Pad - White Polishing - 3M (2 Required)	11781	\$15.23	\$14.81	\$13.65
	700mm/28" Cylindrical Scrubbing Brushes (2 Required)				
	Polypropylene Brush (2 Required)	222304	N/C	N/C	N/C
	Heavy Duty Polypropylene Brush (2 Required)	374041	N/C	N/C	N/C
	Nylon Brush (2 Required)	222305	N/C	N/C	N/C
	800mm/32" Cylindrical Scrubbing Brushes (2 Required)				
	Polypropylene Brush (2 Required)	222307	N/C	N/C	N/C
	Heavy Duty Polypropylene Brush (2 Required)	374042	N/C	N/C	N/C
	Nylon Brush (2 Required)	222308	N/C	N/C	N/C
Support (Note 13)		Reference Number			
-	Ultimate Performance Guarantee	50619	N/C	N/C	N/C
	Olimate i enormance Guarantee	30019	14/0	IN/C	N/C
	Machine Communication (Note IRIS)				
	IRIS Telemetry Module	9042075	\$991.68	\$964.13	\$888.38
	•				
	Packaging (Note 14)				
	Skid w/Carton, Stackable (In lieu of standard)	9001553	\$319.92	\$311.03	\$286.59
	•				

Notes

- 1 One set of pad drivers come standard. A different brush may be chosen as an option at no additional charge. One English manual comes standard. A manual in a different language may be chosen as an option.

 All machines come standard with Pad Wrap packaging. Skid with carton packaging may be chosen as an option.

 Pad wrap packaging is only available in the continental US. For shipments outside of the continental US, please select skid with carton packaging.
- 2 Severe Environment Switch is only available on units equipped with ec-H2O NanoClean cleaning Technology. Severe Environment™ Switch Lockout is only available with ec-H2O NanoClean AND the Severe Environment Switch.
- 3 Narrow Aisle Squeegee is not available on 700mm/28" units.
- 4 In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied, non-lithium-ion batteries is required.
- 5 The Sealed/MF Fast Charge 210AH (TPPL) battery requires the 33A 100-240V AC 50/60Hz 1Ph on-board charger
- 6 Lithium-Ion batteries require the use of an approved Lithium-Ion compatible charger. Use of an unproved charger may damage battery and void warranty.

 Lithium-lon batteries are compatible with IRIS but are not supported by IRIS Battery Metrics
- 7 Battery Watering is not available with Sealed/MF Fast Charge 186AH Battery or Li-Ion Battery options. Smart-Fill Automatic Battery Watering only available with on-board charge
- 8 The 25A 100-240V AC 50/60Hz 1Ph On-Board Charger is required to receive IRIS Battery Metrics.
- 10 UL Type E is not available with 900mm/36" units, Orbital units, ec-H2O NanoClean, Smart-Fill, or Spray Nozzle w/ Hose.
- 12 One set of brushes or pad drivers come standard with Disk or Cylindrical units. Orbital units will come standard with
- 13 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.
 IRIS Module is required and NOT included in the price of the IRIS Information Service:

\$250.00

3 Year Pre-Paid IRIS Information Service
5 Year Pre-Paid IRIS Information Service
A monthly contract can be set up at \$11 per month w/ 12 month minimum commitment.

IRIS Telemetry Module only covers the price of the hardware.
IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.
An On-Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.
IRIS Battery Metrics are not guaranteed with third party supplied batteries.

IRIS Battery Metrics are not compatible with Li-Ion Batteries

14 Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations

Shipping Weights and Dimensions	Pad Wrap	Skid w/Carton
700 mm / 28" Disk		
Weight	463 lbs / 210 Kg	733 lbs / 333 Kg
Length	64 in / 1626 mm	75" / 1905 mm
Width	30 in / 762 mm	45" / 1143 mm
Height	44 in / 1118 mm	52" / 1321 mm
800 mm / 32" Disk		
Weight	466 lbs / 212 Kg	736 lbs / 334 Kg
Length	66 in / 1677 mm	75" / 1905 mm
Vidth	34 in / 864 mm	45" / 1143 mm
Height	44 in / 1118 mm	52" / 1321 mm
900 mm / 36" Disk		
Weight	470 lbs / 214 Kg	740 lbs / 336 Kg
veigni Length	70 in / 1778 mm	75" / 1905 mm
Vidth	38 in / 965 mm	45" / 1143 mm
Width Height	36 III / 965 IIIIII 44 in / 1118 mm	52" / 1321 mm
neight	44 in / 1118 mm	52 / 1321 11111
700 mm / 28" Cylindrical		
Weight	479 lbs / 218 Kg	749 lbs / 340 Kg
Length	65 in / 1651 mm	75" / 1905 mm
Width	31 in / 788 mm	45" / 1143 mm
Height	44 in / 1118 mm	52" / 1321 mm
800 mm / 32" Cylindrical		
Weight	482 lbs / 219 Kg	752 lbs / 341 Kg
Length	64 in / 1626 mm	75" / 1905 mm
Width	35 in / 889 mm	45" / 1143 mm
Height	44 in / 1118 mm	52" / 1321 mm
		1021 11111
700 mm / 28" Orbital		
Weight	489 lbs / 222 Kg	759 lbs / 345 Kg
Length	63 in / 1601 mm	75" / 1905 mm

T600e

BUILT-IN "TENNANT VALUE" INCLUDES:

121L/32 gal Solution Tank & 37 L/140 gal Recovery Tank Rugged Duramer Tank Rotomold Tank Construction Fully Sprayable Hygenic® Recovery Tank Two Down Pressure Settings- up to 200 lbs/90 kg Adjustable Solution Flow Variable Speed Control Knob Membrane Control Panel Wembrane Control Nanio

Supervisor Limiting Controls (Lock Out Feature)

On Board Diagnostics

Standard (6) 6V. 240AH battery pack

(Optional 360AH batteries available)

(Optional 360AH batteries available)

(Optional Thin Plate Pure Lead batteries available)

Smart-Fill™ Automatic Battery Watering (Option)

Quick Release Battery Harness

Standard Contolled Battery Compartment Drain

On-board Charger with 3m/15 ft power cord

Closed Machine Venting for Battery Charging

Breakaway Squeegee Design

Factory Set Squeegee Assembly for Maximium Recovery

Cast Aluminum Squeegee Frame

Drain hose with pinch-cuff to control water flow

Cast Aluminum Squeegee & Scrub Deck (Disk, Clyndrical) 11 Gauge Steel Scrub Deck (Orbital Only) Automatic: Water On / Off Brush On / Off
Brush Shutoff at 80% Discharge
Linatex/Linard Squeegee Blades with Tool-less Replacement Linatex/Linard Squeegee Blades with Tool-less Emergency Stop Free Floating Head Skirt (disk machines) Fill Port w/ Hose Fins Auto Fill for Solution Tank (option) Integrated Heat Sink for Electronics Protection Sealed Electrical Connectors Anti-Static Strap 3/4 HP brush motor/ .56 kW (Disk) 200 RPM (disk) and 760 RPM (cylindrical) 2200 RPM orbital scrub head Recovery Tank Debris Tray 2200 RPM orbital scrub head
Recovery Tank Debris Tray
Excellent Ergonomic Controls Design
Non-Marking Polyurethane Tires
Includes Standard Pad Drivers or Scrubbing Brushes (Select One)
Key Switch for Safety
Hour Meter
Jacking Points/Shipping Tie Downs
Yellow Maintenance Touch Points
Integrated Accessory Rails

Optional ec-H2O NanoClean™ Equipped Models Include: Electrically Converted Water Technology System Two Scrubbing Modes: ec-H2O NanoCleanTM & Conventional Scrub

Standard Configurations		Reference Number	Bases GS	A Price Includ	ling IFF
	T600e Walk-Behind - Disk Scrubber, 800mm / 32", 240AH C/20 Battery, Conventional Cleaning, 25A 100-240V AC 50/60Hz 1Ph On-Board Charger, Standard Down Pressure, UL Type E, Black Pneumatic Tires (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)				
	(Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T600E-1001D	\$14,045.26	\$13,655.11	\$12,582.21
	T600e Walk-Behind - Disk Scrubber, 800mm / 32", 360AH C/20 Battery, Conventional Cleaning, 25A 100-240V AC 50/60Hz 1Ph On-Board Charger, Standard Down Pressure, UL Type E, Black Pneumatic Tries				
	(Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T600E-1002D	\$14,574.83	\$14,169.97	\$13,056.62
Base Configuration		Reference Number	Bases GS	ling IFF	
	Cleaning Type				
	T600e Walk-Behind Scrubber 700 mm / 28" Disk	T600e-700D	\$13,449.67	\$13,076.07	\$12,048.66
	T600e Walk-Behind Scrubber 800 mm / 32" Disk	T600e-800D	\$14,045.26	\$13,655.11	
	T600e Walk-Behind Scrubber 900 mm / 36" Disk	T600e-900D	\$15,234.98	\$14,811.79	
	T600e Walk-Behind Scrubber 700 mm / 28" Cylindrical	T600e-700C	\$14,640.85	\$14,234.16	\$13,115.76
	T600e Walk-Behind Scrubber 800 mm / 32" Cylindrical	T600e-800C	\$15,233.53	\$14,810.38	\$13,646.71
	Cleaning Technology: (conventional is standard, ec-H2O can also operate in conventional mode)				
	ec-H2O NanoClean	ec-H2O-T600e	\$2,060.98	\$2,003.73	\$1,846.29
	Squeegee Width (Note 2)				
	Narrow Aisle (In lieu of standard)	NR-T600e	N/C	N/C	N/C
	Battery Type (Note 3)				
	Wet 360AH C/20 (In lieu of standard)	9042058	\$529.57	\$514.86	\$474.41
	Sealed/MF Fast Charge 210AH C/20 (TPPL Battery) (Note 4) (In				
	lieu of standard)	9042061	\$1,643.12	\$1,597.48	\$1,471.96
	Smart-Fill Automatic Battery Watering (Note 5)	9042063	\$800.16	\$777.93	\$716.81
	Manual Battery Watering (Note 5)	9042064	\$515.79	\$501.46	\$462.06
	Charger (Note 6)				
	25A 100-240V AC 50/60Hz 1Ph - On-Board Charger				
	(IRIS Battery Metric Compatible)	9042250	N/C	N/C	N/C
	33A 100-240V AC 50/60Hz 1Ph - On-Board Charger				
	(Mandatory with 186AH TPPL Battery)	9042252	\$126.95	\$123.43	\$113.73
	III (FTI Detice				
	UL Type E (Note 7)	9000817	N/C	N/C	N/C
	OL Type E (Note /)	9000817	N/C	N/C	N/C

leaning Performance		Reference Number			
	Auto Fill	9042169	\$150.89	\$146.70	\$135
chine Protection &	Safety				
cimic i rotection a	Black Pneumatic Rubber (In lieu of standard)	9042071	N/C	N/C	
	Black Foam Filled Rubber (In lieu of standard)	9042071	N/C	N/C	
	,				044
	Parking Brake	9042068	\$132.03	\$128.36	\$11
	Trailer Transport Kit	9042165	\$186.44	\$181.26	\$16
shes and Pads (N					
	700mm/28" Disk Scrubbing Brushes/Pads (2 Required - 14" each)				
	Polypropylene Brush (2 Required)	1234464	N/C	N/C	
	Nylon Brush (2 Required)	1234463	N/C	N/C	
	Pad Driver	1234467	N/C	N/C	
	Pads				
	Pad - Blue Scrubbing - 3M (2 Required)	222326	\$12.33	\$11.99	\$
	Pad - Red Cleaning - 3M (2 Required)	222325	\$12.33	\$11.99	\$
	Pad - White Polishing - 3M (2 Required)	222324	\$12.33	\$11.99	\$
	800mm/32" Disk Scrubbing Brushes/Pads (2 Required - 16" each)				
	Polypropylene Brush (2 Required)	1234524	N/C	N/C	
	Heavy Duty Polypropylene Brush (2 Required)	1234525	N/C	N/C	
	Nylon Brush (2 Required)	1234523	N/C	N/C	
	Pad Driver	1234527	N/C	N/C	
	Pads				
	Pad - Blue Scrubbing - 3M (2 Required)	63248-2	\$14.51	\$14.11	\$
	Pad - Red Cleaning - 3M (2 Required)	63248-3	\$14.51	\$14.11	5
	Pad - White Polishing - 3M (2 Required)	63248-4	\$14.51	\$14.11	\$
	900mm/36" Disk Scrubbing Brushes/Pads (2 Required - 18" each)				
	Polypropylene Brush (2 Required)	1230859	N/C	N/C	
	Nylon Brush (2 Required)	1230858	N/C	N/C	
	Pad Driver	1230881	N/C	N/C	N/0
	Pads				
	Pad - Blue Scrubbing - 3M (2 Required)	11778	\$15.23	\$14.81	\$
	Pad - Red Cleaning - 3M (2 Required)	11780	\$15.23	\$14.81	\$
	Pad - White Polishing - 3M (2 Required)	11781	\$15.23	\$14.81	5
	700mm/28" Cylindrical Scrubbing Brushes (2 Required)				
	Polypropylene Brush (2 Required)	222304	N/C	N/C	
	Heavy Duty Polypropylene Brush (2 Required)	374041	N/C	N/C	
	Nylon Brush (2 Required)	222305	N/C	N/C	
	800mm/32" Cylindrical Scrubbing Brushes (2 Required)				
	Polypropylene Brush (2 Required)	222307	N/C	N/C	
	Heavy Duty Polypropylene Brush (2 Required)	374042	N/C	N/C	
	Nylon Brush (2 Required)	222308	N/C	N/C	
port (Note 9)		Reference Number			
port (Note 5)	Ultimate Performance Guarantee	50619	N/C	N/C	
	Marking Communication (Nata IDIC)				
	Machine Communication (Note IRIS) IRIS Telemetry Module	9042203	\$991.68	\$964.13	\$8
	into roomaly module	3042203	ψοσ1.00	ψου10	ψΟ
	Packaging (Note 10)				
	Skid w/Carton, Stackable (In lieu of standard)	9001553	\$319.92	\$311.03	\$2

Notes T600e

- 1 One set of pad drivers come standard. A different brush may be chosen as an option at no additional charge.

- One English manual comes standard. A manual in a different language may be chosen as an option.

 All machines come standard with Pad Wrap packaging. Skid with carton packaging may be chosen as an option

 Pad wrap packaging is only available in the continental US. For shipments outside of the continental US, please select skid with carton packaging
- 2 Narrow Aisle Squeegee is not available on 700mm/28" units.
- 3 Continental USA orders ONLY.
- In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied, non-lithium-ion batteries is required.
- 4 The Sealed/MF Fast Charge 210AH (TPPL) battery requires the 33A 100-240V AC 50/60Hz 1Ph on-board charger.
- 5 Battery Watering is not available with Sealed/MF Fast Charge 186AH Battery or Li-Ion Battery options. Smart-Fill Automatic Battery Watering only available with on-board charger.
- 6 The 25A 100-240V AC 50/60Hz 1Ph On-Board Charger is required to receive IRIS Battery Metrics.
- 8 UL Type E is not available with 900mm/36" units, Orbital units, ec-H2O NanoClean, or Smart-Fill.
- 9 One set of brushes or pad drivers come standard with Disk or Cylindrical units. Orbital units will come standard with a Pad Driver Red Backer Pad.
- 10 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.

IRIS Module is required and NOT included in the price of the IRIS Information Service:

3 Year Pre-Paid IRIS Information Service 5 Year Pre-Paid IRIS Information Service

\$250.00 \$400.00

A monthly contract can be set up at \$11 per month w/ 12 month minimum commitment.

IRIS Telemetry Module only covers the price of the hardware.

IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

An On-Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.

IRIS Battery Metrics are not guaranteed with third party supplied batteries. IRIS Battery Metrics are not compatible with Li-Ion Batteries.

11 Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping

700 mm / 28" Disk		
Veight	463 lbs / 210 Kg	733 lbs / 333 Kg
_ength	64 in / 1626 mm	75" / 1905 mm
Vidth	30 in / 762 mm	45" / 1143 mm
Height	44 in / 1118 mm	52" / 1321 mm
300 mm / 32" Disk		
Veight	466 lbs / 212 Kg	736 lbs / 334 Kg
_ength	66 in / 1677 mm	75" / 1905 mm
Vidth	34 in / 864 mm	45" / 1143 mm
Height	44 in / 1118 mm	52" / 1321 mm
900 mm / 36" Disk		
Veight	470 lbs / 214 Kg	740 lbs / 336 Ka
_ength	70 in / 1778 mm	75" / 1905 mm
Width	38 in / 965 mm	45" / 1143 mm
Height	44 in / 1118 mm	52" / 1321 mm
700 mm / 28" Cylindrical	+	
Veight	479 lbs / 218 Kg	749 lbs / 340 Kg
_ength	65 in / 1651 mm	75" / 1905 mm
Width	31 in / 788 mm	45" / 1143 mm
Height	44 in / 1118 mm	52" / 1321 mm
300 mm / 32" Cylindrical		
Veight	482 lbs / 219 Kg	752 lbs / 341 Kg
_ength	64 in / 1626 mm	75" / 1905 mm
Vidth	35 in / 889 mm	45" / 1143 mm
Height	44 in / 1118 mm	52" / 1321 mm
700 mm / 28" Orbital		
Veight	489 lbs / 222 Kg	759 lbs / 345 Kg
_ength	63 in / 1601 mm	75" / 1905 mm

T600ee

121L/32 gal Solution Tank & 37 L/140 gal Recovery Tank Rugged Duramer™ Rotomold Tank Construction Fully Sprayable Hygenic® Recovery Tank Three Down Pressure Settings- up to 200 lbs/90 kg Adjustable Solution Flow Variable Speed Control Knob Pro-Mermbrane™ Control Panel w/ 3 Zone Settings™ Supervisor QA Controls™ Settings (Lock Out Features) On Roard Diagnostics

Supervisor QA Controls™ settings (Lock Out Features)
On Board Diagnostics
Standard Low Noise Level (≤70 dBa)
Quiet-Mode™ Sound Reduction all models (≤62.5dBa)
Standard (6) 6v. 240AH battery pack
Auto Fill (Solution Tank)
Quick Release Battery Harness
Standard Contolled Battery Compartment Drain
Off Board Charger with 3m/15 ft power cord
Closed Machine Venting for Battery Charging
Breakaway Squeegee Design
Factory Set Squeegee Assembly for Maximium Recovery
Cast Aluminum Squeegee Frame & Scrub Deck
Linatex/Linard Squeegee Blades with Tool-less Replacement
Drain hose with pinch-cuff to control water flow

Automatic: Water On / Off Brush On / Off

Brush Shutoff at 80% Discharge

Emergency Stop Free Floating Head Skirt Fill Port w/ Hose Fins

Fill Port w/ Hose Fins
Integrated Heat Sync for Electronics Protection
Sealed Electrical Connectors
Anti-Static Strap
.6 HP brush motor/ 0.45 kW
300 RPM
Recovery Tank Debris Tray
Excellent Ergonomic Controls Design
Non-Marking Polyurethane Tires
Includes Standard Pad Drivers or Scrubbing Brushes (Select One)
Key Switch for Safety
Hour Meter
Jacking Points/Shipping Tie Downs
Yellow Maintenance Touch Points
Integrated Accessory Rails

Base Configuration			Reference Number	GSA Price Including IFF		
	Cleaning Type					
	T600ee Walk-Behind Scrubber 800 mm / 32" Disk		T600ee-800D	\$26,315.37	\$25,584.38	\$23,574.18
	Squeegee Width					
	Narrow Aisle (In lieu of standard)		NR-T600ee	N/C	N/C	N/C
	Battery Type					
	Manual Battery Watering		9042064	\$663.05	\$644.63	\$593.98
Machine Protection 8						
	Black Pneumatic Rubber (Non Marking) (In lieu of stand	dard)	9042071	N/C	N/C	N/C
	Black Foam Filled Rubber (Non-Marking) (In lieu of star	ndard)	9042099	N/C	N/C	N/C
	Trailer Transport Kit		9042165	\$239.40	\$232.75	\$214.46
Brushes and Pads (N	Note 1)					
	800mm/32" Disk Scrubbing Brushes/Pads (2 Requir	ed - 16" each)				
	Polypropylene Brush (2 Required)		1234524	N/C	N/C	N/C
	Heavy Duty Polypropylene Brush (2 Required)		1234525	N/C	N/C	N/C
	Nylon Brush (2 Required)		1234523	N/C	N/C	N/C
	Pad Driver		1234527	N/C	N/C	N/C
	Pads					
	Pad - Blue Scrubbing - 3M (2 Required)		63248-2	\$15.23	\$14.81	\$13.65
	Pad - Red Cleaning - 3M (2 Required)		63248-3	\$15.23	\$14.81	\$13.65
	Pad - White Polishing - 3M (2 Required)		63248-4	\$15.23	\$14.81	\$13.65
Support (Note 2)			Reference Number			
	Ultimate Performance Guarantee		50619	N/C	N/C	N/C
	Packaging (Note 3)					
	Skid w/Carton, Stackable (In lieu of standard)		9001553	\$357.64	\$347.71	\$320.39
Notes T600ee	One set of brushes or pad drivers come standard with machi	ine.				
	2 Additional hard copy Operator and Parts Manuals can be orc	dered or digital copies can be downloaded from www	.Tennantco.com.			
	3 Skid w/Carton, Stackable is mandatory when shipping to AK to these locations.	and HI. Packaging is added at No Charge when shi	ipping			
	4 Shipping Weights and Dimensions	Pad Wrap	Skid w/Carton			
	Weight	466 lbs / 212 Kg	736 lbs / 334 Kg			
	Length	66 in / 1677 mm	75" / 1905 mm			
	Width	34 in / 864 mm	45" / 1143 mm			
	Height	44 in / 1118 mm	52" / 1321 mm			
		77 III / 11 IO IIIIII	02 / 1021 IIIII			

T500

BUILT-IN "TENNANT VALUE" INCLUDES:

Fully Sprayable Hygenic[®] Recovery Tank
Tanks: 85 L/22.5 gal Solution & 102 L/27 gal Recovery
1-STEP™ Button Memory Controls
Supervisor QA Controls™ settings (Lock Out Features)
Extremely Low Noise Levels Standard (≤67 dBA)
Quiet-Mode™ (Lowers to 62 dBA and extends run-time)
On Board Diagnostics
Recovery Tank Debris Tray
Cast Aluminum Squeegee Frame & Scrub Decks (D/C)
11 Gauge Steel Scrub Deck (Orbital Only)
Three Selectable Down Pressures & Solution Flows
Front Water Fill Port Three Selectable Down Pressures & Solution Flows
Front Water Fill Port
Automatic: Water On / Off
Brush On / Off
Brush Shutoff at 80% Discharge
Integrated Accessory Rails with Bag Hang hooks
Excellent Ergonomic Controls Design
Pro-Membrane™ Control Panel w/ 3 Zone Settings™ (Standard)

Pro-Membrane[™] Control Panel w/ 3 Zone Settings [™] (Standard)
Pro-Panel[™] LCD Touch Screen Control Panel (Option)
On-Demand Tutorial Videos & 4 Customizable Zone Settings
Integrated Heat Sync for Electronics Protection
Optional ec-H2O NanoClean[™] Equipped Models Include:
Electrically Converted Water Technology System

Drain hose with pinch-cuff to control water flow

Yellow Maintenance Touch Points
Emergency Stop Kit
Key Switch for Safety
Rugged Duramer™ Tank Construction
Gray Non-Marking Tires
Standard (4) 6 V 2254H Battery Pack (Optional AGM Batteries)
Battery Tray
On-Board Charger with Power Cord
Closed Machine Venting for Battery Charging
100% Water Recovery in 180° Turns w Standard Squeegee
Insta-Fit™ No-Tool Pad Driver and Brush Attachment (Disk machines)
No-Tool Squeegee Change
Breakaway Squeegee Design w/ Integrated P-Trap
Factory Set Squeegee Assembly for Maximum Recovery
Linard Front/Linatex Rear Squeegee Blades with Tool-less Replacement
Includes Standard Pad Drivers or Scrubbing Brushse (Select One)
Free Floating Head Skirt (disk machines)
Hour Meter
Operators manual Operators manual
Jacking Points/Shipping Tie Downs Sealed Electrical Connectors in key areas

Yellow Maintenance Touch Points

	Electrically Converted water Technology System Two Scrubbing Modes: ec-H2O NanoClean TM & Conventional Scrub				
Standard Configuration	is (Note 1)	Reference Number	Bases GS	SA Price Includ	ling IFF
	T500 Walk-Behind - Disk Scrubber, 650mm / 26", Pro Membrane Control Panel, 225AH C/20 Battery, Smart-Fill Battery Watering System, Conventional Cleaning, 25A 100-240V AC 50/60Hz 1Ph On-Board Charger (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T500-2001D	\$12,014.75	\$11,681.01	\$10,763.21
	T500 Walk-Behind - Disk Scrubber, 700mm / 28", Pro Membrane Control Panel, 225AH C/20 Battery, Smart-Fill Battery Watering System, Conventional Cleaning, 25A 100-240V AC 50/60Hz 1Ph On-Board Charger				
	(Pad Driver and Pad Wrap Packaging will default unless otherwise specified) T500 Walk-Behind - Disk Scrubber, 800mm / 32", Pro Membrane Control Panel, 225AH C/20 Battery, Smart-Fill Battery Watering System, Conventional Cleaning, 25A 100-240V AC 50/60Hz 1Ph On-Board Charger	T500-2002D	\$13,015.13	\$12,653.60	\$11,659.39
	(Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T500-2003D	\$13,685.44	\$13,305.29	\$12,259.87
	T500 Walk-Behind - Disk Scrubber, 650mm / 26", Pro Membrane Control Panel, 225AH C/20 Battery, Smart-Fill Battery Watering System, ec-H20 cleaning, 25A 100-240V AC 50/60Hz 1Ph On- Board Charger (Pad Driver and Pad Wrap Packaging will default unless otherwise specified) T500 Walk-Behind - Disk Scrubber, 70mm / 28", Pro Membrane Control Panel, 225AH C/20 Battery, Smart-Fill Battery Watering System, ec-H20 cleaning, 25A 100-240V AC 50/60Hz 1Ph On-	T500-3001D	\$14,075.73	\$13,684.74	\$12,609.51
	Board Charger (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T500-3002D	\$15,076.11	\$14,657.33	\$13,505.68
	T500 Walk-Behind - Disk Scrubber, 800mm / 32", Pro Membrane Control Panel, 225AH C/20 Battery, Smart-Fill Battery Watering System, ec-H20 cleaning, 25A 100-240V AC 50/60Hz 1Ph On- Board Charger (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T500-3003D	\$15,746.42	\$15,309.02	\$14,106.17
Base Configuration		Reference Number	GSA I	\$15,076.11 \$14,657.33 \$15,746.42 \$15,309.02 GSA Price Including 1 unit 2.5 units \$11,350.25 \$11,034.96 \$12,007.56 \$13,020.94 \$12,259.24 \$12,259.24 \$12,859.24 \$12,859.26 \$12,803.83	IFF
	Cleaning Type				6-8 units
	T500 Walk-Behind Scrubber 650 mm / 26" Disk T500 Walk-Behind Scrubber 700 mm / 28" Disk	T500-650-D T500-700-D		\$13,015.13 \$12,653.60 \$7 \$13,685.44 \$13,305.29 \$7 \$14,075.73 \$13,684.74 \$7 \$15,076.11 \$14,657.33 \$7 \$15,746.42 \$15,309.02 \$7 \$11,350.25 \$11,034.96 \$7 \$11,350.25 \$11,034.96 \$7 \$13,020.94 \$12,659.24 \$7 \$13,020.94 \$12,659.24 \$7 \$13,020.94 \$12,659.24 \$7 \$13,020.94 \$12,659.24 \$7 \$13,020.94 \$12,659.24 \$7 \$13,020.94 \$12,659.24 \$7 \$12,879.7 \$12,471.64 \$7 \$12,471.64 \$7 \$14,95 \$403.43 \$42.80 \$41.61 \$1,000.98 \$2,003.73 \$7 \$414.95 \$403.43 \$42.80 \$41.61 \$1,000.98 \$2,003.73 \$7 \$1,000.98 \$2,003.73 \$7 \$2,060.98 \$2,003.73 \$7 \$2,000.98 \$2,000.98 \$2,000.98 \$2,000.98 \$2,000.98 \$2,000.98 \$2,000.98 \$2,000.98 \$2,	\$10,167.93
	T500 Walk-Behind Scrubber 700 mm / 32" Disk	T500-700-D			
	T500 Walk-Behind Scrubber 700 mm / 28" Cylindrical	T500-700-C			
	T500 Walk-Behind Scrubber 700 mm / 28" Orbital	T500-700-O	\$12,827.97		
	Trim Level				
	Pro-Panel™ Control Panel (in lieu of standard)	PPC-T500	\$644.19	\$626.30	\$577.09
	Cleaning Technology: (conventional is standard, ec-H2O NanoClean can also operate in conventional is	mode)			
	ec-H2O NanoClean™ (in lieu of standard)	ec-H2ONC-T500	\$2,060.98	\$2,003.73	\$1,846.29
	Severe Environment Switch (Note 2)	9015322	\$414.95	\$403.43	\$371.73
	Severe Environment™ Switch Lockout (Note 2)	9017886			\$38.34
	Squeegee Width (Note 3)				
	Narrow Aisle (in lieu of standard)	NR-T500	N/C	N/C	N/C
	Battery Type (Note 4)	0045070	4007.55	4000 01	4075
	Wet 260AH C/20 (in lieu of standard)	9015373			\$275.55
	Sealed/MF AGM 220AH C/20 (in lieu of standard)	9015374			\$1,004.06
	Sealed/MF Fast Charge TPPL 183AH C/20	9021148	\$1,434.92	\$1,395.06	\$1,285.45

Brushes and Pads (Note 7)

Brushes and Pads (N	ote 7) 650 mm / 26" Disk Scrubbing Brushes / Pads (2 Required - 13" each)				
	Polypropylene Brush (2 Required)	1223989	NIC	N/C	N/C
	Nylon Brush (2 Required)	1223969	N/C N/C	N/C N/C	N/C N/C
	Nylon Brush (2 Required)	1223991	N/C	N/C	N/C
	Pad Driver (2 Required)	1220220	N/C	N/C	N/C
	Pads				
	Pad - Blue Scrubbing - 3M (2 Required)	89047	\$11.61	\$11.28	\$10.40
	Pad - Red Cleaning - 3M (2 Required)	89048	\$11.61	\$11.28	\$10.40
	Pad - White Polishing - 3M (2 Required)	89049	\$11.61	\$11.28	\$10.40
	700 mm / 28" Disk Scrubbing Brushes / Pads (2 Required - 14" each)				
	Polypropylene Brush (2 Required)	1220218	N/C	N/C	N/C
	Nylon Brush (2 Required)	1221541	N/C	N/C	N/C
	Tylon Endin (E resigniou)	122.011			
	Pad Driver (2 Required)	1220221	N/C	N/C	N/C
	Pads				
	Pad - Blue Scrubbing - 3M (2 Required)	222326	\$12.33	\$11.99	\$11.05
	Pad - Red Cleaning - 3M (2 Required)	222325	\$12.33	\$11.99	\$11.05
	Pad - White Polishing - 3M (2 Required)	222324	\$12.33	\$11.99	\$11.05
	800 mm / 32" Disk Scrubbing Brushes / Pads (2 Required - 16" each)				
	Polypropylene Brush (2 Required)	1220216	N/C	N/C	N/C
	Nylon Brush (2 Required)	1220215	N/C	N/C	N/C
	Pad Driver (2 Required)	1220222	N/C	N/C	N/C
	Pads	ILLULLE	14/0	14/0	14/0
	Pad - Blue Scrubbing - 3M (2 Required)	63248-2	\$13.78	\$13.40	\$12.35
	Pad - Red Cleaning - 3M (2 Required)	63248-3	\$13.78	\$13.40	\$12.35
	Pad - White Polishing - 3M (2 Required)	63248-4	\$13.78	\$13.40	\$12.35
	1 dd - William o olif (2 Nagaliod)	00240-4	ψ10.70	Ψ10.40	ψ12.00
	700 mm / 28" Cylindrical Scrubbing Brushes (2 Required)				
	Polypropylene Brush (2 Required)	222304	N/C	N/C	N/C
	Nylon Brush (2 Required)	222305	N/C	N/C	N/C
	700 mm / 28" Orbital Pad Driver / Pads (1 Required)				
	Pads				
	Pad - Blue Scrubbing - 3M (1 Required)	1223247	\$41.35	\$40.20	\$37.04
	Pad - Red Cleaning - 3M (1 Required)	1218157	\$41.35	\$40.20	\$37.04
	Pad - White Polishing - 3M (1 Required)	1223246	\$41.35	\$40.20	\$37.04
Support (Note 8)		Reference Number			
	Ultimate Performance Guarantee	50619	N/C	N/C	N/C
		30013	14/0	14/0	14/0
	Machine Communication (Note IRIS)		****	*****	****
	IRIS Telemetry Module	9015421	\$991.68	\$964.13	\$888.38
	Packaging (Note 9)				
	Skid w/Carton, Stackable (in lieu of standard)	9015450	\$319.92	\$311.03	\$286.59

Notes

- One set of pad drivers come standard. A different brush may be chosen as an option at no additional charge.
 One English manual comes standard. A manual in a different language may be chosen as an option.
 All machines come standard with Pad Wrap packaging. Skid with carton packaging may be chosen as an option
 Pad wrap packaging is only available in the continental US. For shipments outside of the continental US, please select skid with carton packaging
- 2 Severe Environment Switch is only available on units equiped with ec-H2O NanoClean cleaning Technology. Severe Environment™ Switch Lockout is only available with ec-H2O NanoClean AND the Severe Environment Switch.
- 3 Standard Squeegee recovers 100% of water in 180° point turns. If customer has a narrow aisle, the machine can be set-up for a narrow aisle squeegee. The narrow-aisle squeegee is the squeegee that comes standard with the next size smaller head and will not recover 100% of the solution in 180° point turns.

Scrub Head Size	Standard	Narrow Aisle
650 mm / 26" - Disk	9015301 = 38.3 in / 973 mm	9015490 = 30.0 in / 772 mm
700 mm / 28" - Disk	9015302 = 41.3 in / 1049 mm	9015301 = 38.3 in / 973 mm
800 mm / 32" - Disk	9015303 = 46.6 in / 1234 mm	9015302 = 41.3 in / 1049 mm
700 mm / 28" - Cylindrical	9015303 = 46.6 in / 1234 mm	9015302 = 41.3 in / 1049 mm
700 mm / 28" - Orbital	9015302 = 41.3 in / 1049 mm	9015301 = 38.3 in / 973 mm

- 4 Continental LISA orders ONLY
- In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied batteries is required.
- 4a Li-lon batteries require a compatible Li-lon Charger. Not available with Iris or ProPanel.
- 5 Smart-Fill Automatic Battery Watering only available with on-board charger. Smart-Fill Automatic Battery Watering and Manual Battery Watering are not compatible with AGM Batteries.
- 6 25A 100-240V AC 50/60Hz 1Ph On-Board Charger is required to receive IRIS Battery Manager
- 7 One set of brushes or pad drivers come standard with a Disk or Cylindrical T500. Orbital units will come standard with a Pad Driver Red Backer Pad.
- 8 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.

RIISI Telemetry Module only covers the price of the hardware.

IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

25A 100-240V AC 50/60Hz 1Ph - On-Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager. IRIS Battery Metrics are not guaranteed with third party supplied batteries.

9 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

T500E

BUILT-IN "TENNANT VALUE" INCLUDES:

Tanks: 85 L/22.5 gal Solution & 102 L/27 gal Recovery
1-STEP™ Button Memory Controls
Extremely Low Noise Levels Standard (≤68.5 dBA)
On Board Diagnostics
Cast Aluminum Squeegee Frame & Scrub Decks (D/C)
11 Gauge Steel Scrub Deck (Dribtal Only)
2 selectable down pressures
4 Selectable water flow settlings
Front Water Fill Port
Automatic: Water On / Off
Drain hose with pinch-cuff to control water flow

Integrated Accessory Rails with Bag Hang hooks
Excellent Ergonomic Controls Design
Optional ec-H2O NanoClean™ Equipped Models Include:
Electrically Converted Water Technology System
Two Scrubbing Modes: ec-H2O NanoClean™ & Conventional Scrub
Rugged Duramer™ Tank Construction
Gray Non-Marking Tires

Yellow maintenance touch points
Emergency Stop Kit
Key Switch for Safety
Standard (4) 6 V 225AH Battery Pack (Optional AGM Batteries)
Battery Tray
On-board Charger with power cord
Closed Machine Venting for Battery Charging
100% Water recovery in 180° turns wi standard squeegee
Insta-Fit™ No-Tool Pad Driver and Brush Attachment (Disk machines)
No-Tool Squeegee Change
Breakaway Squeegee Design wi Integrated P-Trap
Factory Set Squeegee Assembly for Maximum Recovery
Linard Front/Linatex Rear Squeegee Blades with Tool-less Replacement
Includes Standard Pad Drivers or Scrubbing Brushes (Select One)
Free Floating Head Skirt (disk machines)
Hour Meter
Operators manual

Operators manual Jacking Points/Shipping Tie Downs Sealed Electrical Connectors in key areas

Standard Configurations (Note 1a)	Reference Number	Bases GS	A Price Includ	ling IFF
	T500e Walk-Behind - Disk Scrubber, 650mm / 26", 225AH C/20 Battery, Conventional Cleaning, 25A 100-240V AC 50/60Hz 1Ph On-Board Charger				
	(Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T500E-1001D	\$10,526.15	\$10,233.75	\$9,429.67
	T500e Walk-Behind - Disk Scrubber, 700mm / 26*, 225AH C/20 Battery, Conventional Cleaning, 25A 100-240V AC 50/60Hz 1Ph On-Board Charger (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T500E-1002D	\$11,075.30	\$10,767.66	\$9,921.63
	T500e Walk-Behind - Disk Scrubber, 800mm / 32", 225AH C/20 Battery, Conventional Cleaning, 25A 100-240V AC 50/60Hz 1Ph On-Board Charger (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T500E-1003D	<u> </u>	\$11,353.05	\$10,461.02
Dana Configuration		Defenses Number	C04.1	Nice Inches	ıee
Base Configuration	Cleaning Type	Reference Number	GSA I	Price Including	<u>IFF</u>
	T500e Walk-Behind Scrubber 650 mm / 26" Disk T500e Walk-Behind Scrubber 700 mm / 28" Disk T500e Walk-Behind Scrubber 800 mm / 32" Disk T500e Walk-Behind Scrubber 700 mm / 26" Cylindrical	T500e-650-D T500e-700-D T500e-800-D T500e-700-C	\$10,526.15 \$11,075.30 \$11,677.42 \$12,177.97	\$10,233.75 \$10,767.66 \$11,353.05 \$11,839.70	\$9,429.67 \$9,921.63 \$10,461.02 \$10,909.44
	T500e Walk-Behind Scrubber 700 mm / 28* Orbital Cleaning Technology: (conventional is standard, ec-H2O NanoClean can also operate in conventional)	T500e-700-O	\$11,578.04	\$11,256.42	\$10,371.99
	ec-H2O NanoClean™ (in lieu of standard)	ec-H2ONC-T500	\$2,060.98	\$2,003.73	\$1,846.29
	Squeegee Width (Note 1)				
	Narrow Aisle (in lieu of standard)	NR-T500e	N/C	N/C	N/C
	Battery Type (Note 2) Wet 260AH C/20 (in lieu of standard)	9015373	\$307.59	\$299.04	\$275.55
	Sealed/MF AGM 220AH C/20 (in lieu of standard) Sealed/MF Fast Charge TPPL 183AH C/20	9015374 9021148	\$1,120.81 \$1,434.92	\$1,089.67 \$1,395.06	\$1,004.06 \$1,285.45
	Smart-Fill Automatic Battery Watering System (Note 3) Manual Battery Watering System (Note 3)	9015383 9009619	\$664.50 \$388.11	\$646.05 \$377.33	\$595.28 \$347.68
	Charger (Note 4) 25A 100-240V AC 50/60Hz 1Ph - On-Board				
	(IRIS Battery Metric Compatible) (in lieu of standard) 27A 100-240V AC 50/60Hz 1Ph - On-Board Charger (Fast Charge TPPL 183AH Battery)	9015396 9021169	N/C \$126.95	N/C \$123.43	N/C \$113.73
Machine Protection & Safe	ety Parking Brake	9015224	\$132.03	\$128.36	\$118.28
Brushes and Pads (Note 5	·	Reference Number	Ψ102.00	ψ120.00	Ψ110.20
brusiles allu Faus (Note :	650mm / 26" Disk Scrubbing Brushes/Pads (2 Required)	Reference Number			
	Polypropylene Brush (2 Required) Nylon Brush (2 Required)	1223989 1223991	N/C N/C	N/C N/C	N/C N/C
	Pad Driver (2 Required) Pads	1220220	N/C	N/C	N/C
	Pad - Blue Scrubbing - 3M (2 Required) Pad - Red Cleaning - 3M (2 Required) Pad - White Polishing - 3M (2 Required)	89047 89048 89049	\$11.61 \$11.61 \$11.61	\$11.28 \$11.28 \$11.28	\$10.40 \$10.40 \$10.40
	700 mm/28" Disk Scrubbing Brushes/Pads (2 Required)	4000040	N/C	N/C	NIC
	Polypropylene Brush (2 Required) Nylon Brush (2 Required)	1220218 1221541	N/C N/C	N/C N/C	N/C N/C
	Pad Driver (2 Required) Pads	1220221	N/C	N/C	N/C
	Pad - Blue Scrubbing - 3M (2 Required) Pad - Red Cleaning - 3M (2 Required) Pad - White Polishing - 3M (2 Required)	222326 222325 222324	\$12.33 \$12.33 \$12.33	\$11.99 \$11.99 \$11.99	\$11.05 \$11.05 \$11.05
	800 mm/32" Disk Scrubbing Brushes/Pads (2 Required) Polypropylene Brush (2 Required) Nylon Brush (2 Required)	1220216 1220215	N/C N/C	N/C N/C	N/C N/C
	Pad Driver (2 Required)	1220222	N/C	N/C	N/C
	Pads Pad - Blue Scrubbing - 3M (2 Required) Pad - ed Cleaning - 3M (2 Required)	63248-2 63248-3	\$13.78 \$13.78	\$13.40 \$13.40	\$12.35 \$12.35
	Pad - White Polishing - 3M (2 Required)	63248-4	\$13.78	\$13.40	\$12.35

	700mm / 28" Cylindrical Scrubbing Brushes (2 Required) Polypropylene Brush (2 Required) Nylon Brush (2 Required)	222304 222305	N/C N/C	N/C N/C	N/C N/C
	700mm / 28" Orbital Pads Pads Pad - Blue Scrubbing - 3M (1 Required) Pad - Red Cleaning - 3M (1 Required) Pad - White Polishing - 3M (1 Required)	1223247 1218157 1223246	\$41.35 \$41.35 \$41.35	\$40.20 \$40.20 \$40.20	\$37.04 \$37.04 \$37.04
Support (Note 6)		Reference Number			
Support (Note 6)	Ultimate Performance Guarantee	Reference Number 50619	N/C	N/C	N/C
Support (Note 6)	Ultimate Performance Guarantee Machine Communication (Note 7)		N/C	N/C	N/C
Support (Note 6)			N/C \$991.68	N/C \$964.13	N/C \$888.38
Support (Note 6)	Machine Communication (Note 7)	50619			

Notes T500e

1A One set of pad drivers come standard. A different brush may be chosen as an option at no additional charge.

One English manual comes standard. A manual in a different language may be chosen as an option.

All machines come standard with Pad Wrap packaging. Skid with carton packaging may be chosen as an option

Pad wrap packaging is only available in the continental US. For shipments outside of the continental US, please select skid with carton packaging

1 Standard Squeegee recovers 100% of water in 180° point turns. If customer has a narrow aisle, the machine can be set-up for a narrow aisle squeegee. The narrow-aisle squeegee is the squeegee that comes standard with the next size smaller head and will not recover 100% of the solution in 180° point turns.

Scrub Head Size	<u>Standard</u>	Narrow Aisle
650 mm / 26" - Disk	9015301 = 38.3 in / 973 mm	9015490 = 30.0 in / 772 mm
700 mm / 28" - Disk	9015302 = 41.3 in / 1049 mm	9015301 = 38.3 in / 973 mm
800 mm / 32" - Disk	9015303 = 46.6 in / 1234 mm	9015302 = 41.3 in / 1049 mm
700 mm / 28" - Cylindrical	9015303 = 46.6 in / 1234 mm	9015302 = 41.3 in / 1049 mm
700 mm / 28" - Orbital	9015302 = 41.3 in / 1049 mm	9015301 = 38.3 in / 973 mm

- 2 In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied batteries is required.
- 2a Li-Ion batteries require a compatible Li-Ion Charger. Not available with IRIS.
- 3 Smart-Fill Automatic Battery Watering only available with on-board charger. Smart-Fill Automatic Battery Watering and Manual battery watering are not compatible with AGM Batteries.
- 4 25A 100-240V AC 50/60Hz 1Ph On-Board Charger is required to receive IRIS Battery Manager.
- 5 One set of brushes or pad drivers come standard with a Disk or Cylindrical T500e. Orbital units will come standard with a Pad Driver Red Backer Pad.
- 6 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

7 Pre-Paid and Monthly Packages are available for the IRIS Information Service.
IRIS Module is required and NOT included in the price of the IRIS Information Service:
3 Year Pre-Paid IRIS Information Service
5 Year Pre-

A monthly contract can be set up at \$10 per month w/12 month minimum commitment.

IRIS Telemetry Module only covers the price of the hardware.

IRIS Telemetry Module only covers the price of the hardware.

IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

25A 100-240V AC 50/601/£ 1Ph - On-Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.

Availability of IRIS Battery Metrics is not guaranteed with third party supplied batteries.

8 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

9 Shipping Weights and Dimensions	Pad Wrap	Skid w/Carton
26" / 650mm Disk		
Weight	570 lbs / 259 Kg	635 lbs / 289 Kg
Length	59" / 1,499mm	73" / 1,855mm
Width	28" / 712mm	43" / 1,093mm
Height	44" / 1,118mm	52" / 1,321mm
28" / 700mm Disk		
Weight	580 lbs / 263 Kg	645 lbs / 293 Kg
Length	59" / 1,499mm	73" / 1,855mm
Width	30" / 762mm	43" / 1,093mm
Height	44" / 1,118mm	52" / 1,321mm
32" / 800mm Disk		
Weight	705 lbs / 320 Kg	770 lbs / 350 Kg
Length	61" / 1,550mm	73" / 1,855mm
Width	34" / 864mm	43" / 1,093mm
Height	44" / 1,118mm	52" / 1,321mm
28" / 700m Cylindrical		
Weight	620 lbs / 281 Kg	685 lbs / 311 Kg
Length	59" / 1,499mm	73" / 1,855mm
Width	31" / 788mm	43" / 1,093mm
Height	44" / 1,118mm	52" / 1,321mm
28" / 700mm Orbital		
Weight	620 lbs / 281 Kg	685 lbs / 311 Kg
Length	59" / 1,499mm	73" / 1,855mm
Width	28" / 712mm	43" / 1,093mm
Height	44" / 1,118mm	52" / 1,321mm

TENNANT COMPANY WARRANTY 3 YEARS OR 2000 HOURS - PARTS 1 YEAR - BATTERY CHARGERS 2 YEARS - LABOR 6 MONTHS - TRAVEL 10 YEARS ON DURAMER™ ROTOMOLD TANKS

	-	Reference Number	<u>1-11 units</u>	<u>1-11 units</u>	12+ units
T581 - Ride-On Micro-Scrubber - 150AH Wet Batteries 20in (50cm) single disk cleaning path, Linatex squeegee blades. Includes onboard charger, 2-12V batteries, pad driver, and 1 red pad.		9022008	\$8,807.66	\$8,807.66	\$8,115.63
T581 - Ride-On Micro-Scrubber - 140AH Sealed AGM Batteries Shipped on skid.		9022009	\$9,599.70	\$9,599.70	\$8,845.44
T581 - Ride-On Micro-Scrubber - 90AH Li-Ion Battery 20in (50cm) single disk cleaning path, Linatex squeegee blades. Includes onboard charger, 1-24V battery, pad driver, and 1 red pad.		9300510	\$10,570.88	\$10,570.88	\$9,740.31
T581 - Ride-On Micro-Scrubber - 180AH Li-Ion Batteries 20in (50cm) single disk cleaning path, Linatex squeegee blades. Includes onboard charger, 2-24V batteries, pad driver, and 1 red pad.		9300511	\$12,122.52	\$12,122.52	\$11,170.04
T581 - Self-Propel - Shipping Weight and Dimensions Weight Length Width Height	Skid w/Carton 520 lb / 236 kg 57 in / 145 cm 32 in / 82cm 45 in / 114.5 cm				

Stand On Rider Scrubber T350

BUILT-IN "TENNANT VALUE" INCLUDES:

53L/14.1 gal Solution Tank & 70 L/18.4 gal Recovery Tank Rugged Duramer™ Rotomold Tank Construction Insta-Click™ Pad Driver and Brush Attachment Hygienic™ Recovery Tank Multiple Setting Down Pressure Adjustable Solution Flow Variable Speed Control Knob Pro-Membrane™ Control Panel With Multiple Zone Settings™ LCD Pro-Panel™ Full Color Touch Screen (Option) Supervisor QA Controls™ Settings (Lock Out Features) On Board Diagnostics Determetly Low Noise Level (as low as 63.7 dBa) Quiet-Mode™ Sound Reduction Optional (as low as 59.7 dBa) Wet 210AH, Wet 240AH, and Sealed 220AH AGM Available. Smart-Fili™ Automatic Battery Watering Quick Release Battery Harness Drain hose with pinch-cuff to control water flow On-board Charger With 3m/15 ft Power Cord Closed Machine Venting For Battery Charging Breakaway Squeegee Design Factory Set Squeegee Assembly For Maximium Recovery Cast Aluminum Squeegee Frame

Quick Release Squeegee Attachment/Removal
Linatex Squeegee Blades With Tool-less Replacement
Emergency Stop
Free Floating Head Skirt
Fill Port w/ Hose Hook
Integrated Heat Sync For Electronics Protection
Sealed Electrical Connectors
Anti-Static Straps
24 VDC, 0.87 HP / 0.65 kW brush motor
215 RPM (500 mm/20") and 275 RPM (600 mm/24")
Recovery Tank Debris Tray
Unsurpassed Ergonomic Design
Non-Marking Wheels
2.5 cm /1" Edge & Reach Under Cleaning
Key Switch for Safety
Hour Meter
Operators manual
Jacking Points/Shipping Tie Downs
Yellow Maintenance Touch Points
Integrated Accessory Rail
Composite Scrub Deck (Single Disk)
Cast Aluminum Scrub Deck (Dual Disk)

Standard Configurations (Note 1)	Reference Number	GSA F	rice Including	IFF
T350 Rider - Disk Scrubber, 500mm / 20", 210AH C/20 Battery, Conventional Cleaning, 25A 240V AC 50/60Hz 1Ph On-Board Charger (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	100- T350-1001D	\$10,951.89	\$10,513.81	\$10,221.76
T350 Rider - Disk Scrubber, 600mm / 24", 210AH C/20 Battery, Conventional Cleaning, 25A 240V AC 50/60Hz 1Ph On-Board Charger (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	100- T350-1002D	\$12,173.05	\$11,686.13	\$11,361.51
T350 Rider - Disk Scrubber, 500mm / 20°, 240AH C/20 Battery, Smart-Fill Battery Watering, H20 NanoClean, 25A 100-240V AC 50/60Hz 1Ph On-Board Charger, Quiet Mode (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	ec- T350-2001D	\$13,690.43	\$13,142.81	\$12,777.73
T350 Rider - Disk Scrubber, 600mm / 24*, 240AH C/20 Battery, Smart-Fill Battery Watering, H20 NanoClean, 25A 100-240V AC 50/60Hz 1Ph On-Board Charger, Quiet Mode (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	ec- T350-2002D	\$14,911.59	\$14,315.12	\$13,917.48

Base Configuration		Reference Number	GSA P	rice Including	IFF_
	Cleaning Type		1-5 units	6-11 units	12+ units
	T350 Stand-On Scrubber 500mm / 20" Disk	T350-500-D	\$10,668.51	\$10,241.77	\$9,957.28
	T350 Stand-On Scrubber 600mm / 24" Disk	T350-600-D	\$11,808.82	\$11,336.46	\$11,021.56
	Trim Level				
	Pro-Panel [™] Control Panel (in lieu of standard)	PPC-T350	\$730.73	\$701.50	\$682.02
	Cleaning Technology: (conventional is standard, ec-H2O can also operate in conventional mode)				
	ec-H2O NanoClean™ (in lieu of standard)	ec-H2ONC-T350	\$1,676.07	\$1,609.03	\$1,564.33
	Severe Environment™ Switch (Note 2)	9040107	\$470.03	\$451.22	\$438.69
	Severe Environment™ Switch Lockout (Note 2)	9017886	\$49.12	\$47.15	\$45.84

	Battery Type (Note 3)				
	Wet 240AH C/20 (in lieu of standard)	9040051	\$144.33	\$138.56	\$134.71
	Sealed/MF AGM 220AH C/20 (in lieu of standard)	9040052	\$1,090.43	\$1,046.81	\$1,017.73
	Smart-Fill™ Automatic Battery Watering (Note 4)	9040152	\$777.58	\$746.48	\$725.74
	Manual Battery Watering (Note 4)	9040150	\$453.40	\$435.26	\$423.17
Cleaning Performance					
	Quiet-Mode™	9040154	\$140.55	\$134.93	\$131.18
	Reduced Speed (Note 6)	RPS-T350	N/C	N/C	N/C
Machine Protection & Saf	fety				
	Audio Back Up Alarm	BU-T350	N/C	N/C	N/C
Brushes and Pads		Reference Number			
	500mm / 20" Disk Brushes (1 Required) For Insta-Click™ Scrub Head:				
	Polypropylene Brush (1 Required)	1213032	\$283.38	\$272.04	\$264.48
	Nylon Brush (1 Required)	121032	\$283.38	\$272.04	\$264.48
	Pad Driver (1 Required)	1209197	\$283.38	\$272.04	\$264.48
	Pads				
	Blue Scrubbing - 3M	17262	\$20.40	\$19.59	\$19.04
	Red Cleaning - 3M	17261	\$20.40	\$19.59	\$19.04
	White Polishing - 3M	17260	\$20.40	\$19.59	\$19.04
	600mm / 24" Disk Brushes (2 Required)				
	For Insta-Click™ Scrub Head:				
	Polypropylene Brush (2 Required)	1213040	\$182.12	\$174.83	\$169.97
	Nylon Brush (2 Required)	1210136	\$182.12	\$174.83	\$169.97
	Pad Driver (2 Required)	1209160	\$182.12	\$174.83	\$169.97
	Pads				
	Blue Scrubbing - 3M	385942	\$11.34	\$10.88	\$10.58
	Red Cleaning - 3M	385941	\$11.34	\$10.88	\$10.58
	White Polishing - 3M	385940	\$11.34	\$10.88	\$10.58
	IRIS™ Machine Communication (Note 7)				
	IRIS Telemetry Module	9040062	\$1,033.00	\$991.68	\$964.13
	Packaging (Note 8)				
	Skid w/Carton, Stackable (in lieu of standard)	9040253	\$363.48	\$348.94	\$339.24

Notes

One set of pad drivers come standard. A different brush may be chosen as an option at no additional charge.
 One English manual comes standard. A manual in a different language may be chosen as an option.
 All machines come standard with Pad Wrap packaging. Skid with carton packaging may be chosen as an option
 Pad wrap packaging is only available in the continental US. For shipments outside of the continental US, please select skid with carton packaging

- 2 Severe Environment™ Switch is only available with ec-H2O NanoClean Cleaning Technology. Severe Environment™ Switch Lockout is only available with ec-H2O NanoClean AND the Severe Environment Switch.
- 3 Continental USA orders ONLY.
 In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied batteries is required.
- 4 Smart-Fill™ Automatic Battery Watering only available with on-board charger.

 Smart-Fill Automatic Battery Watering and manual Battery Watering are not compatible with AGM Batteries.
- 5 25A 100-240V AC 50/60Hz 1Ph On-Board Charger is required to receive IRIS Battery Manager. 25A 100-240V AC 50/60Hz 1Ph - On-Board Charger is mandatory when ordering Smart-Fill Battery Watering.
- 6 Reduced Propel Speed will reduce the overall Max Scrubbing and Transport Speed from 3.6 mph/5.6 Kph to 2.8 mph/4.5 Kph

IRIS Battery Metrics are not guaranteed with third party supplied batteries.

- 8 Pad wrap available only in the Continental US and is the default packaging method.
 Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping
- to these locations.

9 Shipping Weights and Dimentions Weight: 500mm / 20" Weight: 600mm / 24" Length Width Height

Pad Wrap 725 lbs / 329 Kg 730 lbs / 331 Kg 55" / 1397 mm 26.5" / 673 mm 49" / 1245 mm

Skid w/Carton

			GSA Price Including IF		
			<u>1-5 units</u>	<u>6-11 units</u>	12+ units
T391 - Walk Behind Scrubber 130AH Wet Batteries 28in (70cm) dual disk cleaning path, conventional, pad driver, red pads, Linatex squeegee blades. Includes onboard charger, 2-12V batteries		9022790	\$7,048.16	\$6,939.73	\$6,831.29
T391 - Walk Behind Scrubber 140AH Sealed AGM Batteries 28in (70cm) dual disk cleaning path, conventional, pad driver, red pads, Linatex squeegee blades. Includes onboard charger, 2-12V batteries		9022789	\$7,754.16	\$7,634.86	\$7,515.57
T391 - Walk Behind Scrubber 90 AH Li-Ion Battery 28in (70cm) dual disk cleaning path, conventional, pad driver, red pads, Linatex squeegee blades. Includes onboard charger, 1-24V battery		9300496	\$8,685.44	\$8,551.82	\$8,418.20
T391 - Walk Behind Scrubber 130AH Wet Batteries w/ EcH2O I 28in (70cm) dual disk cleaning path, ecH2O nanoclean with severe environment, pad driver, red pads, Linatex squeegee blades. Includes onboard charger, 2-12V batteries		9022792	\$8,908.77	\$8,771.71	\$8,634.65
T391 - Walk Behind Scrubber 140AH Sealed AGM Batteries w/ 28in (70cm) dual disk cleaning path, ecH2O nanoclean with severe environment, pad driver, red pads, Linatex squeegee blades. Includes onboard charger, 2-12V batteries		9022791	\$9,614.76	\$9,466.84	\$9,318.92
T391 - Walk Behind Scrubber 90AH Li-lon Battery w/ EcH2O na	anoclean	9300497	\$10,546.05	\$10,383.80	\$10,221.55
28in (70cm) dual disk cleaning path, ecH2O nanoclean with severe environment, pad driver, red pads, Linatex squeegee blades. Includes onboard charger, 1-24V battery	9	9022794	\$7,591.74	\$7,474.94	\$7,358.15
T391 - Walk Behind Scrubber 130AH Wet Batteries 32in (80cm) dual disk cleaning path, conventional, pad driver, red pads, Linatex squeegee blades. Includes onboard charger, 2-12V batteries		9022793	\$8,297.73	\$8,170.08	\$8,042.42
T391 - Walk Behind Scrubber 140AH Sealed AGM Batteries 32in (80cm) dual disk cleaning path, conventional, pad driver, red pads, Linatex squeegee blades. Includes onboard charger, 2-12V batteries		9300498	\$9,229.02	\$9,087.03	\$8,945.05
T391 - Walk Behind Scrubber 90AH Li-Ion Battery 32in (80cm) dual disk cleaning path, conventional, pad driver, red pads, Linatex squeegee blades. Includes onboard charger, 1-24V battery		9022796	\$9,452.34	\$9,306.92	\$9,161.50
T391 - Walk Behind Scrubber 130AH Wet Batteries w/ EcH2O I 32in (80cm) dual disk cleaning path, ecH2O nanoclean with severe environment, pad driver, red pads, Linatex squeegee blades. Includes onboard charger, 2-12V batteries		9022795	\$10,158.34	\$10,002.06	\$9,845.77
T391 - Walk Behind Scrubber 140AH Sealed AGM Batteries w/ 32in (80cm) dual disk cleaning path, ecH2O nanoclean with severe environment, pad driver, red pads, Linatex squeegee blades. Includes onboard charger, 2-12V batteries		9300499	\$11,089.62	\$10,919.01	\$10,748.40
T391 - Walk Behind Scrubber 90AH Battery w/ EcH2O nanocle 32in (80cm) dual disk cleaning path, ecH2O nanoclean with severe environment, pad driver, red pads, Linatex squeegee blades. Includes onboard charger, 1-24V battery					
T391 - Shipping Weight and Dimensions Weight (w/ heaviest batteries) Length Width	422.8 lbs 52.55 in / 134 cm 30.70 in / 78 cm 45.11 in / 115 cm				

T390

TENNANT COMPANY WARRANTY
3 YEARS OR 2000 HOURS - PARTS
1 YEAR - BATTERY CHARGERS
2 YEARS - LABOR
6 MONTHS - TRAVEL
10 YEARS ON DURAMERTM ROTOMOLD TANKS

		Reference Number GSA Price		rice Including	<u>IFF</u>
T390 Walk Behind Scrubber - Self-Propel - 150AH Wet Batteries 28in (70cm), dual disk cleaning path, Linatex squeegee blades. Includes onboard charger, 2-12V batteries, pad driver, and 1 red pad.		9022006	\$7,621.78	\$7,621.78	\$7,022.93
T390 Walk Behind Scrubber - Self-Propel - 140AH Sealed AG	M Batteries	9022007	\$8,420.10	\$8,420.10	\$7,758.52
Shipped on skid. T390 - Self-Propel - Shipping Weight and Dimensions Weight Length Width Height	Skid w/Carton 438 lb / 199 kg 50 in / 127 cm 33 in / 84cm 45 in / 114.5 cm				

T300

BUILT-IN "TENNANT VALUE" INCLUDES:

42L/11 gal Solution Tank & 53 L/14 gal Recovery Tank
Rugged Duramer™ Rotomold Tank Construction
Insta-Click™ Pad Driver and Brush Attachment (Disk machines)
Hygienic™ Recovery Tank
Multiple Setting Down Pressure
Adjustable Solution Flow
Variable Speed Control Bail
Membrane™ Control Panel
Pro-Membrane™ Control Panel with Multiple Zone Settings™
Capability (Standard)
Pro-Panel™ Controls with Full Color LCD Touch Screen (Option)
Supervisor OA Controls™ settings (Lock Out Features)
On Board Diagnostics
Extremely Low Noise Level (s65 dBa)
Quiet-Mode™ Standard
Wet 130AH and Wet 150AH Battery options available.
Quick Release Battery Harness
Battery Tray
On-board Charger with 3m/15 ft power cord
Closed Machine Venting for Battery Charging
Cast Aluminum Squeegee Frame
Breakaway Squeegee Design w Integrated P-Trap
Factory Set Squeegee Basembly for Maximium Recovery
Linatex Squeegee Blase with Tool-less Replacement
Drain hose with pinch-cuff to control water flow

Emergency Stop (standard on all drive units)
Free Floating Head Skirt (disk machines)
Yellow Debris Hopper (cylindrical machines)
Front Water Fill Port w/ Hose Hook
Integrated Heat Sync for Electronics Protection
Sealed Electrical Connectors
Anti-Static Straps
0.75 kW/1 HP brush motor, 230 RPM (disk)

0.45 kW/0.6 HP brush motor, 2200 RPM (orbitat)
Recovery Tank Debris Tray with Deflector
Unsurpassed Ergonomic Design
Gray Non-Marking Tires
10cm /4" Edge & Reach Under Cleaning
Key Switch for Safety
Hour Meter
Operators manual
Jacking Points/Shipping Tie Downs
Yellow Maintenance Touch Points
Integrated Accessory Ralls w/Squegee & Bag Hang
Composite Scrub Deck (Single Disk)
Cast Aluminum Scrub Deck (Dual Disk)
11 Gauge Steel Scrub Deck (Orbital Only)

(Note 1a)	Reference Number	GSA F	Price Including	IFF
		1-5 units	6-11 units	12+ uni
T300 Walk-Behind - Disk Scrubber, 500mm / 20", Membrane Control Panel, Insta-Click Cleaning Tool Attachment, 150AH C/20 Battery, Conventional Cleaning, 13A 85-265V AC 50/60Hz 1Ph On-Board Charger, Self-Propel Drive Type, Mechanical Down Pressure, Quiet Mode (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T300-3001D	\$7,680.24	\$7,466.90	\$6,880.2
T300 Walk-Behind - Disk Scrubber, 500mm / 20", Pro Membrane Control Panel, Insta-Click Cleaning Tool Attachment, 150AH C/20 Battery, Conventional Cleaning, 13A 85-265V AC 50/60Hz 1Ph On-Board Charger, Self-Propel Drive Type, Automated Down Pressure, Quiet Mode (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)				
T300 Walk-Behind - Disk Scrubber, 500mm / 20", Pro Membrane Control Panel, Insta-Click Cleaning Tool Attachment, 150AH C/20 Battery, HydroLink Battery Watering System, ec-H20 NanoClean, 13A 85-265V AC 50/60Hz 1Ph On-Board Charger, Self-Propel Drive Type, Automated	T300-3002D	\$7,879.74	\$7,660.86	\$7,058.9
Down Pressure, Quiet Mode (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T300-3003D	\$9,778.94	\$9,507.30	\$8,760.3
		GSA F	Price Including	IFF_
Base Configuration	Reference Number	<u>1-5 units</u>	<u>6-11 units</u>	12+ unit
Cleaning Type T300 Walk-Behind Scrubber 430 mm/17" - Disk "Must be ordered				
with accompanying battery" T300 Walk-Behind Scrubber 500 mm/20" - Disk "Must be ordered	T300-430-D	\$5,015.70	\$4,876.37	\$4,493.23
with accompanying battery" T300 Walk-Behind Scrubber 600 mm/24" - Dual Disk, Self Propel	T300-500-D	\$5,765.08	\$5,604.94	\$5,164.5
"Must be ordered with accompanying battery" T300 Walk-Behind Scrubber 500 mm/20" - Orbital, Self Propel	T300-600-D	\$7,892.07	\$7,672.85	\$7,069.98
"Must be ordered with accompanying battery"	T300-500-O	\$7,636.72	\$7,424.58	\$6,841.22
Trim Level (Note 1) Pro-Membrane™ Control Panel - With automated push button down				
pressure (in lieu of standard)	PMC - T300	\$199.50	\$193.95	\$178.72
Pro-Panel™ Control Panel - With automated push button down pressure (in lieu of standard)	P- T300	\$656.52	\$638.29	\$588.14
Cleaning Technology: (conventional is standard, ec-H2O NanoClean can also operate in convention	nal mode)			
ec-H2O NanoClean™ Technology (In lieu of standard)	ec-H2ONC-T300	\$1,506.02	\$1,464.18	\$1,349.14
Severe Environment Switch - ec-H2O NanoClean only (Note 2)	9013840	\$422.93	\$411.18	\$378.88
Severe Environment™ Switch Lockout (Note 3)	9017886	\$43.53	\$42.32	\$38.99
Drive Type (Note4)				
Self Propel (in lieu of standard)	Self-T300	\$1,085.26	\$1,055.11	\$972.2
Battery Type (Note 5)				
Wet 130AH C/20 (Kit of 2 batteries)	9013852	\$491.12	\$477.48	\$439.96
Wet 150AH C/20 (Kit of 2 batteries)	9013853	\$584.71	\$568.46	\$523.80
Sealed/MF AGM 140AH C/20 (Kit of 2 batteries)	9013854	\$1,382.69	\$1,344.28	\$1,238.66
Manual Battery Watering System - Wet 150AH Battery only (Note 6)	9009619	\$393.19	\$382.27	\$352.23
Charger (Note 7)	Reference Number			
13A 85-265V AC 50/60Hz 1Ph - On Board		1170	N/O	
(IRIS Battery Metric Compatible)	9013847	N/C	N/C	N/C

Machine Protection & Safety				
Parking Brake	9013846	\$134.93	\$131.18	\$120.88
Brushes and Pads (Note 8)				
430mm/17" Disk (1 Required)				
Polypropylene Brush (1 Required)	1213035	\$232.14	\$225.69	\$207.96
Nylon Brush (1 Required)	1213034	\$232.14	\$225.69	\$207.96
Pad Driver	1211869	\$232.14	\$225.69	\$207.96
Pads	1211009	Ψ232.1 4	Ψ225.09	Ψ207.90
Pad - Blue Scrubbing - 3M	1050270	\$14.51	\$14.11	\$13.00
Pad - Red Cleaning - 3M	1050270	\$14.51	\$14.11	\$13.00
Pad - White Polishing - 3M	1050271	\$14.51 \$14.51	\$14.11	\$13.00
Pad - Write Polishing - SW	1050273	\$14.51	\$14.11	\$13.00
500mm/20" Disk (1 Required)				
Polypropylene Brush (1 Required)	1213032	\$245.20	\$238.39	\$219.66
Nylon Brush (1 Required)	1210386	\$245.20	\$238.39	\$219.66
Pad Driver	1209197	\$245.20	\$238.39	\$219.66
Pads			*	
Pad - Blue Scrubbing - 3M	17262	\$18.86	\$18.34	\$16.90
Pad - Red Cleaning - 3M	17261	\$18.86	\$18.34	\$16.90
Pad - White Polishing - 3M	17260	\$18.86	\$18.34	\$16.90
500mm/20" Orbital (Standard) Pads Pad - Blue Scrubbing - 3M Pad - Red Cleaning - 3M Pad - White Polishing - 3M	1205514 1205513 1205512	\$18.86 \$18.86 \$18.86	\$18.34 \$18.34 \$18.34	\$16.90 \$16.90 \$16.90
600mm/24" Disk (2 Required)				
Polypropylene Brush (2 Required)	1213040	\$156.70	\$152.34	\$140.37
Nylon Brush (2 Required)	1210136	\$156.70	\$152.34	\$140.37
Nyion Brush (2 Nequireu)	1210130	φ130.70	ψ132.34	φ140.57
Pad Driver	1209160	\$156.70	\$152.34	\$140.37
Pads	005040	040.00	040.50	00.75
Pad - Blue Scrubbing - 3M	385942	\$10.88	\$10.58	\$9.75
Pad - Red Cleaning - 3M	385941	\$10.88	\$10.58	\$9.75
Pad - White Polishing - 3M	385940	\$10.88	\$10.58	\$9.75
Support (Note 9)	Reference Number			
Machine Communication (Note Iris)				
IRIS Telemetry Module	9013877	\$991.68	\$964.13	\$888.38
Packaging (Note 10)				
Skid w/Carton, Stackable (in lieu of standard)		****	****	*****
	9013859	\$216.91	\$210.88	\$194.31

T300 Notes:

- 1a One set of pad drivers come standard. A different brush may be chosen as an option at no additional charge.

 One English manual comes standard. A manual in a different language may be chosen as an option.

 All machines come standard with Pad Wrap packaging. Skid with carton packaging may be chosen as an option

 Pad wrap packaging is only available in the continental US. For shipments outside of the continental US, please select skid with carton packaging
- Machines with Membrane control panel have mechanical dual down pressure
 Machines with Pro-Membrane and Pro-Panel control panels have actuated push button triple down pressure
 Pro-Panel control panel is not available on pad / brush assist machines
- 2 The Severe Envionment Switch can only be chosen when ec-H20 NanoClean Technolgy has been selected.
- 3 Severe Environment™ Switch Lockout is only available with ec-H2O NanoClean AND the Severe Environment Switch.
- 4 Pad Assist Drive Type is only available on the 430 mm/17" and 500 mm/20" units. Self Propel Drive Type is available on all machine types. The Self Propel price is included in the Cleaning Type section for Dual Disk and Orbital machines Pad Assist Drive Type is not available with the Pro-Panel control panel.
- 5 Continental USA orders ONLY. Must be ordered with accompanying battery. In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied batteries is required.
- 5a Li-Ion batteries require a compatible Li-Ion Charger. Not available with Iris or ProPanel.

To maximize run time, it is recommend that the Wet 150AH Batteries are ordered. Sealed/MF AGM 140AH Battery available on all units.

- 6 Manual Battery Watering System is only available Wet 150AH lead acid batteries.
- 7 13A 85-265V AC 50/60Hz 1Ph On Board Charger is required to receive IRIS Battery Manager.
- 8 One Pad Driver or Brush can be selected with 430 mm/17" and 500 mm/20" Models A Set of two Pad Drivers or Brushes can be selected for 24" Models Pad Driver is included in the base machine price of Orbital Models.
- 9 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.

 IRIS Module is required and NOT included in the price of the IRIS Information Service:

 3 Year Pre-Paid IRIS Information Service \$250.00

 5 Year Pre-Paid IRIS Information Service \$5400.00

 A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.

 IRIS Telemetry Module only covers the price of the hardware.

 IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

 13A 85-265V AC 50/60Hz 1Ph On Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.

 Availability of IRIS Battery Modrics is not guaranteed with third party supplied batteries.
- 10 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

T300E

BUILT-IN "TENNANT VALUE" INCLUDES:

42L/11 gal Solution Tank & 53 L/14 gal Recovery Tank Rugged Duramer™ Rotomold Tank Construction Hygienio™ Recovery Tank Single Setting Down Pressure (Standard) Multiple Setting Down Pressure (Optional) Adjustable Solution Flow

Adjustable Solution Flow
Standard Low Noise Level (s65 dBa)
0.75 kW/1 HP brush motor, 230 RPM (disk)
0.75 kW/1 HP brush motor, 1000 RPM (cylindical)
0.45 kW/0.6 HP brush motor, 2200 RPM (orbital)
Composite Scrub Deck (Single Disk)
Cast Aluminum Scrub Deck (Dual Disk & Cylindrical)
11 Gauge Steel Scrub Deck (Orbital Only)
Three Lug Pad Driver System (Standard Disk Machine)
Insta-ClickTM Pad Driver Attachment (Option Disk machines)
Cast Aluminum Squeegee Frame

Insta-Jick Pad Driver Attachment (Uption Disk machine Cast Aluminum Squeegee Frame Breakaway Squeegee Design w/ Integrated P-Trap Factory Set Squeegee Assembly for Maximium Recovery Linatex Squeegee Blades with Tool-less Replacement Yellow Maintenance Touch Points Integrated Accessory Rails w/ Squeege & Bag Hang

Integrated Heat Sync for Electronics Protection Sealed Electrical Connectors Battery Tray Great With 3m/15 ft power cord Closed Machine Venting for Battery Charging Recovery Tank Debris Tray with deflector Unsurpassed Ergonomic Design Gray Non-Marking Tires 10cm /4* Edge & Reach Under Cleaning Anti-Static Straps Key Switch for Safety Hour Meter Operators manual Jacking Points/Shipping Tie Downs

Wet 130AH and Wet 150AH Battery options available.

Femergency Stop (standard on all drive units)
Free Floating Head Skirt (disk machines)
Yellow Debris Hopper (cylindrical machines)
Front Water Fill Port w Hose Hook
Integrated Heat Sync for Electronics Protection

Operations inflanding
Jacking Points/Shipping Tie Downs
Drain hose with pinch-cuff to control water flow
Available with Optional ec-H2O NanoClean™ Technology

T300E-2001D

\$7,051.28 \$6,855.42 \$6,316.78

Standard Confi	T300e Walk-Behind - Disk Scrubber, 500mm / 20", Conventional 3-Lug Cleaning Tool Attachment, 130AH C/20 Battery, Conventional Cleaning, 13A 85-265V AC 50/60Hz 1Ph On-Board Charger, Pad Assist Drive Type, Single Down Pressure	Reference Number	GSA P	rice Including	IFF
			1-5 units	6-11 units	12+ units
	T300e Walk-Behind - Disk Scrubber, 500mm / 20", Conventional 3-Lug Cleaning Tool				
	Attachment, 130AH C/20 Battery, Conventional Cleaning, 13A 85-265V AC 50/60Hz 1Ph On-Board				
	Charger, Pad Assist Drive Type, Single Down Pressure				
	(Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T300E-1001D	\$5,371.16	\$5,221.96	\$4,811.67
	T300e Walk-Behind - Disk Scrubber, 500mm / 20", Insta-Click Cleaning Tool Attachment,				
	130AH C/20 Battery, Conventional Cleaning, 13A 85-265V AC 50/60Hz 1Ph On-Board Charger,				
	Self-Propel Drive Type, Multiple Down Pressure				
	(Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T200F 2004D	67.054.00		

T300e Walk-Behind - Disk Scrubber, 500mm / 20", Insta-Click Cleaning Tool Attachment, 130AH C/20 Battery, ec-H20 NanoClean, 13A 85-265V AC 50/60Hz 1Ph On-Board Charger, Self-Propel Drive Type, Multiple Down Pressure

	(Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T300E-2002D	\$8,557.30	\$8,319.60	\$7,665.91
Base Configuration		Reference Number	1-5 units	GSA Price 6-11 units	12+ units
	T300e Walk-Behind Scrubber 430 mm/17" - Disk - "Must be ordered with accompanying battery" T300e Walk-Behind Scrubber 500 mm/20" - Disk - "Must be ordered"	T300e-430-D	\$4,117.60	\$4,003.22	\$3,688.69
	with accompanying battery" T300e Walk-Behind Scrubber 600 mm/24" - Dual Disk, Self Propel -	T300e-500-D	\$4,688.52	\$4,558.29	\$4,200.14
	"Must be ordered with accompanying battery" T300e Walk-Behind Scrubber 500 mm/20" - Orbital, Self Propel-	T300e-600-D	\$6,140.13	\$5,969.57	\$5,500.53
	"Must be ordered with accompanying battery"	T300e-500-O	\$6,385.33	\$6,207.96	\$5,720.19
	Cleaning Tool Attachment				
	Insta-Click™ (in lieu of standard)	IC-T300e	\$292.35	\$284.23	\$261.90
	Cleaning Technology: (conventional is standard, ec-H2O NanoClean can also operate in cor	iventional mode)			
	ec-H2O NanoClean™ Technology (in lieu of standard)	ec-H2ONC-T300e	\$1,506.02	\$1,464.18	\$1,349.14
	Drive Type (Note 1)				
	Self Propel	Self-T300e	\$1,085.26	\$1,055.11	\$972.21
	Battery Type (Note 2)				
	Wet 130AH C/20 (Kit of 2 batteries) Wet 150AH C/20 (Kit of 2 batteries)	9013852 9013853	\$491.12 \$584.71	\$477.48 \$568.46	\$439.96 \$523.80
	Sealed/MF AGM 140AH C/20 (Kit of 2 batteries)	9013854	\$1,382.69	\$1,344.28	\$1,238.66
	Manual Battery Watering System - Wet 150AH Battery only (Note 3)	9009619	\$393.19	\$382.27	\$352.23

	Charger	Reference Number			
	13A 85-265V AC 50/60Hz 1Ph - On Board (IRIS Battery Metric Compatible) (in lieu of standard)	9013847	N/C	N/C	N/C
	Down Pressure (Note 4)				
	Multiple (Dual Down Pressure) - Disk and Orbital (in lieu of standard)	9013831	\$248.83	\$241.91	\$222.91
		3010001	Ψ240.00	Ψ2-11.01	Ψ222.51
Machine Protection	Parking Brake	9013846	\$134.93	\$131.18	\$120.88
Brushes and Pads	(Note 5)				
	430mm/17" Disk (1 Required) For Conventional Scrub Head:				
	Polypropylene Brush - Conventional Scrub Head (1 Required)	1016765	\$163.95	\$159.40	\$146.87
	Nylon Brush - Conventional Scrub Head (1 Required)	1016764	\$163.95	\$159.40	\$146.87
	Pad Driver - Conventional Scrub Head (1 Required)	1212965	\$163.95	\$159.40	\$146.87
	For Insta-Click™ Scrub Head:				
	Polypropylene Brush - Insta-Click Scrub Head (1 Required)	1213035	\$232.14	\$225.69	\$207.96
	Nylon Brush - Insta-Click Scrub Head (1 Required)	1213034	\$232.14	\$225.69	\$207.96
	Pad Driver - Insta-Click Scrub Head (1 Required)	1211869	\$232.14	\$225.69	\$207.96
	Pads Pad -Blue Scrubbing - 3M	1050270	\$14.51	\$14.11	\$13.00
	Pad -Red Cleaning - 3M	1050270	\$14.51	\$14.11	\$13.00
	Pad -White Polishing - 3M	1050273	\$14.51	\$14.11	\$13.00
	500mm/20" Disk (1 Required)		1-5 units	6-11 units	12+ units
	For Conventional Scrub Head:				
	Polypropylene Brush - Conventional Scrub Head (1 Required)	1016811	\$191.52	\$186.20	\$171.57
	Nylon Brush - Conventional Scrub Head (1 Required)	1016810	\$191.52	\$186.20	\$171.57
	Pad Driver - Conventional Scrub Head (1 Required)	1212960	\$191.52	\$186.20	\$171.57
	For Insta-Click™ Scrub Head:	40.4000	****	****	****
	Polypropylene Brush - Insta-Click Scrub Head (1 Required) Nylon Brush - Insta-Click Scrub Head (1 Required)	1213032 1210386	\$245.20 \$245.20	\$238.39 \$238.39	\$219.66 \$219.66
	Pad Driver - Insta-Click Scrub Head (1 Required)	1209197	\$245.20	\$238.39	\$219.66
	Pads				
	Pad - Blue Scrubbing - 3M	17262	\$18.86	\$18.34	\$16.90
	Pad - Red Cleaning - 3M	17261	\$18.86	\$18.34	\$16.90
	Pad - White Polishing - 3M	17260	\$18.86	\$18.34	\$16.90
	500mm/20" Orbital (Standard)				
	Pad - Blue Scrubbing - 3M	1205514	\$18.86	\$18.34	\$16.90
	Pad -Red Cleaning - 3M Pad -White Polishing - 3M	1205513 1205512	\$18.86 \$18.86	\$18.34 \$18.34	\$16.90 \$16.90
	600mm/24" Disk (2 Required)				
	For Conventional Scrub Head:				
	Polypropylene Brush - Conventional Scrub Head (2 Required)	1056313	\$156.70	\$152.34	\$140.37
	Nylon Brush - Conventional Scrub Head (2 Required)	1056306	\$156.70	\$152.34	\$140.37
	Pad Driver - Conventional Scrub Head (2 Required)	1213038	\$156.70	\$152.34	\$140.37
	For Insta-Click™ Scrub Head:	4042040	0450.70	¢450.04	6440.07
	Polypropylene Brush - Insta-Click Scrub Head (2 Required) Nylon Brush - Insta-Click Scrub Head (2 Required)	1213040 1210136	\$156.70 \$156.70	\$152.34 \$152.34	\$140.37 \$140.37
	Pad Driver - Insta-Click Scrub Head (2 Required)	1209160	\$156.70	\$152.34	\$140.37
	Pads				
	Pad - Blue Scrubbing - 3M	385942	\$10.88	\$10.58	\$9.75
	Pad - Red Cleaning - 3M	385941	\$10.88	\$10.58	\$9.75
	Pad - White Polishing - 3M	385940	\$10.88	\$10.58	\$9.75

Support (Note 6)		Reference Number			
	Machine Communication (Note 7)				
	IRIS Telemetry Module With Self-Propel	9016990	\$991.68	\$964.13	\$888.38
	IRIS Telemetry Module With Pad Assist	9016989	\$991.68	\$964.13	\$888.38
	Packaging (Note 8)				
	Skid w/Carton, Stackable (in lieu of standard)	9013859	\$216.91	\$210.88	\$194.31

Notes

1a One set of pad drivers come standard. A different brush may be chosen as an option at no additional charge. One English manual comes standard. A manual in a different language may be chosen as an option.

All machines come standard with Pad Wrap packaging. Skid with carton packaging may be chosen as an option.

Pad wrap packaging is only available in the continental US. For shipments outside of the continental US, please select skid with carton packaging.

1 Pad Assist Drive Type is only available on the 430 mm/17" and 500 mm/20" units.

Self Propel Drive Type is available on all machine types.

The Self Propel price is included in the Cleaning Type section for Dual Disk and Orbital machines

2 Must be ordered with accompanying battery. To maximize run time, it is recommend that the Wet 150AH Batteries are ordered. Sealed/MF AGM 140AH Battery available on all units. A battery must be ordered

2a Li-lon batteries require a compatible Li-lon Charger. Not available with IRIS.

3 Manual Battery Watering System is only available Wet 150AH lead acid batteries.

4 Multiple Down Pressure (Dual Down Pressure) 430 mm / 17" Single Disk - 21, 39 kg / 47, 86 lbs 500 mm / 20" Single Disk - 23, 41 kg / 51, 90 lbs 600 mm / 24" Dual Disk - 26, 44 kg / 57, 97 lbs 500 mm / 20" Orbital - 29, 50 kg / 63, 109 lbs

5 One Pad Driver or Brush can be selected with 430 mm/17" and 500 mm/20" Models

A Set of two Pad Drivers or Brushes can be selected for 600 mm/24" Models

Pad Driver is included in the base machine price of Orbital Models.

If Click-Quick Cleaning Tool Attachment is chosen, a Click-Quick pad driver or brush must be selected

If 3-Lug Cleaning Tool Attachment is chosen, a 3-lug pad driver or brush must be selected

6 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

7 Pre-Paid and Monthly Packages are available for the IRIS Information Service. IRIS Module is required and NOT included in the price of the IRIS Information Service:

\$250.00 \$400.00

3 Year Pre-Paid IRIS Information Service 5 Year Pre-Paid IRIS Information Service A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.

Rindhary Contact and be set up a 10 per indivin wit 2 month institution institution.

IRIS Telemetry Module only covers the price of the hardware.

IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

13A 85-265 VA C.50/60Hz 1Ph - On Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Manager.

Availability of IRIS Battery Metrics is not guaranteed with third party supplied batteries.

8 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

T290

TENNANT COMPANY WARRANTY 3 YEARS OR 2000 HOURS - PARTS 1 YEAR - BATTERY CHARGERS 2 YEARS - LABOR 6 MONTHS - TRAVEL 10 YEARS ON DURAMER™ ROTOMOLD TANKS

		Reference Number	GSA P	rice Including	<u>IFF</u>
T290 Walk Behind Scrubber - Pad Assist - 130AH Wet Batteries 20in (50cm) single disk cleaning path, Linatex squeegee blades. Includes on-board charger, 2-12V batteries, pad driver, and 1 red pad.	•	9022000	1-11 units \$4,410.18	1-11 units \$4,410.18	12+ units \$4,063.66
T290 Walk Behind Scrubber - Pad Assist - 150AH Wet Batteries	•	9022001	\$4,503.27	\$4,503.27	\$4,149.45
T290 Walk Behind Scrubber - Pad Assist - 140AH Sealed AGM	Batteries	9022002	\$5,287.56	\$5,287.56	\$4,872.11
T290 Walk Behind Scrubber - Self-Propel - 130AH Wet Batterie: 20in (50cm) single disk cleaning path, Linatex squeegee blades. Includes on-board charger, 2-12V batteries, pad driver, and 1 red pad.	S	9022003	\$5,398.99	\$5,398.99	\$4,974.79
T290 Walk Behind Scrubber - Self Propel - 150AH Wet Batteries	3	9022004	\$5,492.80	\$5,492.80	\$5,061.22
T290 - Walk Behind ScrubberSelf Propel - 140AH Sealed AGM	Batteries	9022005	\$6,277.08	\$6,277.08	\$5,783.88
Shipped on skid. T290 - Pad Assist - Shipping Weight and Dimensions Weight Length Width Height T290 - Self-Propel - Shipping Weight and Dimensions Weight	Skid w/Carton 390 lb / 177 kg 50 in / 127 cm 27 in / 69cm 45 in / 114.5 cm				
vergint Length Width Height	50 in / 127 cm 27 in / 69cm 45 in / 114.5 cm				

BUILT-IN "TENNANT VALUE" INCLUDES:

BUILT-IN

Rugged DuramerTM Tank & 36 I/9.5 gal Recovery Tank
Rugged DuramerTM Tank Construction
Hygienic Recovery Tank
10 I/2.6 gal Demisting Chamber to Protect Vac Fan
Adjustable Solution Flow
Extremely Low Noise Level (s68 dBa)
Pad Assist - less than 2 kg/4.5 lbs of push force requried
.75 kW/1 HP brush motor, 230 RPM
Cast Aluminum Scrueb Deck
Cast Aluminum Squeegee Frame
Breakaway Squeegee Design
Factory Set Squeegee Assembly for Maximium Recovery
100% Recovery in 180° Point Turns
Urethane Squeegee Blades
Squeegee Hanger

to these locations.

Standard (2) 12V 105 AH Batteries

Standard (2) 12V 105 AH Batteries
Battery Tray
On-board Charger
Recovery Tank Debris Tray
Unsurpassed Ergonomic Design
Adjustable Console Height
Trigger Design
Front Bucket Fill Port
On-board Pad Driver Hanger
Gray Solid Urethane Tires
Automotive Triple-Sealed Electrical Connectors
10cm /4" Edge & Reach Under Cleaning
Key Switch for Safety
No Tool Brush / Squeegee Change
Includes Pad Driver

Standard Configuration	ns (Note 1a)	Reference Number	GSA Price Includin		<u>IFF</u>
			<u>1-5 units</u>	6-11 units	12+ unit
	T2 Walk-Behind - Disk Scrubber, 430mm / 17", 105AH C/20 Battery, Conventional Cleaning, 9A 100-240V AC 50/60Hz 1Ph On-Board Charger, Pad Assist Drive Type (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T2-1001D	\$5,635.97	\$5,635.97	\$5,193.1
	T2 Walk-Behind - Disk Scrubber, 430mm / 17", 102AH C/20 Gel Battery, Conventional Cleaning, 9A 100-240V AC 50/60Hz 1Ph On-Board Charger, Pad Assist Drive Type (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T2-1002D	\$5,882.12	\$5,882.12	\$5,419.9
Base Configuration			CSAE	Price Including	ice
Base Comiguration	Cleaning Type		1-5 units	6-11 units	12+ unit
	T2 Walk-Behind Scrubber 430 mm/17" - Disk	T2-430-D	\$5,635.97	\$5,635.97	\$5,193.1
	Battery Type				
	Sealed/MF Gel 102AH C/20 (Kit of 2 batteries) (in leiu of standard)	1071125	\$246.15	\$246.15	\$228.5
	Charger				
	9A 100-240V AC 50/60Hz 1 Ph - on board	1066718	N/C	N/C	N/C
Pad Driver, Pads and E	Brushes (Note 2)	Reference Number			
Brushes, Squeregees,	and Pads (when purchased with machine)				
	430mm/17" Brush (1 Required) Brush, Polyropydene, 17" (1 Required) Brush, Nylon, 17" (1 Required)	1016765 1016764	\$163.63 \$201.01	\$163.63 \$201.01	\$150.7 \$185.2
	Pad Driver, 17", for Model T2 Units Pad, Medium Scrub, Blue, 17"	1016813 1050270	N/C \$14.11	N/C \$14.11	N/0 \$13.0
	Pad, Light Scrubbing and Buffing, Red, 17" Pad, Polishing, White, 17"	1050271 1050273	\$14.11 \$14.11	\$14.11 \$14.11	\$13.0 \$13.0
	Packaging (Note 3)				
	Skid w/Carton, Stackable (in lieu of standard)	9011134	\$218.64	\$218.64	\$201.46
<u>Notes</u>	One set of pad drivers come standard. A different brush may be chosen as an option. All machines come standard with Pad Wrap packaging. Skid with carton packaging may be chosen as a Pad wrap packaging is only available in the continental US. For shipments outside of the continental US,		aging		
	2 One pad driver comes standard with a T2.				
	Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge v	when shipping			

X4ROVR

BUILT-IN "TENNANT VALUE" INCLUDES:

Fully Cleanable Hygenic $^{\rm TM}$ Tanks Unmatched Solution Recovery
One-Button Scrubbing Operation Velocity Controlled Solution Flow Machine Status Indicator Light Interactive User Interface Electronic Screen Automatic: Squeegee Lift

Water Shutoff

Unsurpassed Ergonomic Design Standard Lithium Ion 90AH Battery 1000W On-Board Charger No Tool Brush / Squeegee Change Standard Scrubbing Brushes & Pad Drivers with Insta-Click Brush Shutoff When Idle Brush Shutoff at 90% Discharge Robotic Customer Success Team Support Factory Direct Service

GSA Price Including IFF

Reference Number Base Configuration

Cleaning Type
X4 ROVR Scrubber 500 mm/20" - Disk, Li-Ion Battery 24V, 90AH,
41A 100-240V AC 50/60Hz 1Ph - On-Board Charger, Linatex
Squegee, 3 Year Autonomy. "Ordering indicates agreement to EULA
conditions"

X4ROVR-500-D \$58.482.57 \$57.794.54 \$57.106.51

NOTES:

1 Each X4 ROVR unit will be fitted with a 90 AH Li-Ion Battery as standard.

2 On-Board Chargers are mandatory on all X4 ROVR units.

3 Each X4 ROVR unit will be fitted with Primothane side squeegees and Linatex rear squeegees.

4 One set of brushes or pad drivers come standard with the X4 ROVR.

5 Each X4 ROVR ships with an operator manual and a process guide. Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

6 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI.

7 Price includes machine and software to operate autonomously for the life of machine. Software updates on the machine that provide enhancements will continue for up to 5 yrs after purchase of machine.

8 Shipping Weights and Dimentions Skid w/Carton Pad Wrap Weight Length Width Height 405 lbs / 184 Kg 45 in / 1143 mm 61 in / 1550 mm 23 in / 584 mm 45 in / 1143 mm 31 in / 788 mm 50 in / 1270 mm

Cleaning Type	Reference Number	GSA Price Including IFF			
CS5 Li-ON Battery Micro-scrubber 11" cleaning path. Includes 5.5 AH Lithium ion battery, removable, fill and dump nearly anywhere 1.3 gallon (5 liter) solution & recovery tanks, forward and reverse dry system, foldable handle, medium polyproplylene brush, Linatex squeegees, charger with power cord		<u>1-11 units</u>	<u>1-11 units</u>	12+ units	
and multi-language operator manual.	1251580	\$1,915.57	\$1,915.57	\$1,765.06	
CS16 Sealed AGM Battery Micro-Scrubber 14" cleaning path. Includes 2 x12V Sealed AGM battery, foldable handle, removeable 3.9 gal (15 L) solution and 4.4 gal (16.5 L) recovery tank. Plus charger w/ power cord, medium bristle polypropylene brush, squeegee, and multi-language operator manual.	LPTB03328	\$3,084.94	\$3,084.94	\$2,842.55	
CS16 Li-Ion Battery Micro-Scrubber 14" cleaning path. Includes 1 x 24V Li-Ion battery, foldable handle, removeable 3.9 gal (15 L) solution and 4.4 gal (16.5 L) recovery tank. Plus onboard charger, medium bristle polypropylene brush, squeegee, and multi-language operator manual.	LPTB03794	\$3,296.52	\$3,296.52	\$3,037.51	
Boxed Dimensions: 31.9" L x 18.1" W x 27.6" H (810 mm x 460 mm x 700 mm) Shipping Weight: 125.7 lbs/ 57 kg					

			1-5 units	6-11 units	12+ units
	T1 Cord-Electric Cylindrical Scrubber 15" (380 mm) cleaning path. Complete package includes removable, Hygenic® fully cleanable 3 gallon (11.4 liter) solution/ 4.5 gallon (17 liters) recovery tanks, Insta-AdjustTM handle, nylon brush, 50-ft (15-m) "safety yellow" power cord and multi-language operator manual. Boxed Dimensions: 34" L x 22" W x 32" H (864 mm x 559 mm x 813 mm). * Shipping Weight / Volume: 125 lb (57 kg) / 13.9 ft3 (.39 m3)	9004191-Н	\$3,357.18	\$3,357.18	\$3,093.40
Accessories for the T1 Scr	<u>ubber</u> Brush, Nylon, 15" Brush, Polypropylene, 15" Brush, Abrasive Bristle, 15"	1037197 1037277 1037278	\$127.20 \$151.45 \$211.52	\$127.20 \$151.45 \$211.52	\$127.20 \$151.45 \$211.52
			GSA F	Price Including 6-11 units	IFF 12+ units
	T1B Battery Cylindrical Scrubber - 15" cleaning path. Complete package includes removable, Hygenic® fully cleanable 2.5 gallon (9.5ilter) solution/ 3.4 gallon (12.9 liters) recovery tanks, Insta-AdjustTM handle, nylon brush, appropriate off board world charger with power cord and multi-language operator manual.				
	Boxed Dimensions: 32" L x 24" W x 37" H (813 mm x 610 mm x 940 mm). * Shipping Weight (see battery options below)				
	T1B Battery Cylindrical Scrubber (with AGM batteries) Shipping Weight: 158 lbs/ 72 kg	9008635	\$4,337.53	\$4,337.53	\$3,996.73
	T1B Battery Cylindrical Scrubber (with Li-ion batteries) Shipping Weight: 143 lbs/ 65 kg	9008638	\$5,597.18	\$5,597.18	\$5,157.40
Accessories for the T1B S	crubber (when purchased with machine) Brush, Nylon, 15" Brush, Polypropylene, 15" Brush, Abrasive Bristle, 15"	1037197 1037277 1037278	\$127.20 \$151.45 \$211.52	\$127.20 \$151.45 \$211.52	\$127.20 \$151.45 \$211.52

Burnishers B10

BUILT-IN "TENNANT VALUE" INCLUDES:

610mm/690mm or 24"/27" burnishing path Active Dust Control HEPA filtration - 99.97 @ .3 microns Automated Head Lift True free floating Head Supervisor lock-out Back up Alarm Adjustable Seat Operators manual Standard (6) 6V 435AH battery pack Battery Tray On Board Charger Rugged DuramerTM Tank Construction 69 dBa Emergency Stop Anti-Static Straps Hour Meter QA Controls

Base Configuration	Reference Number			GSA Price Including IFF	
	Cleaning Type		<u>1-5 units</u>	6-11 units	12+ units
	B10 Battery Rider Burnisher 610mm/24". Includes Battery	B10-610	\$20,467.83	\$20,467.83	\$19,414.34
	B10 Battery Rider Burnisher 690mm/27". Includes Battery	B10-690	\$21,041.29	\$21,041.29	\$19,958.28
	Battery Type				
	Sealed/MF AGM 390AH C/20 (in lieu of standard)	9010886	\$826.28	\$826.28	\$783.75
	Manual Battery Watering Kit (Note 2)	9009620	\$546.06	\$546.06	\$517.95
Machine Protection &					
	Strobe Light on Tank	9010878	\$509.74	\$509.74	\$483.51
Support					
	Packaging (Note 4) Skid w/Carton, Non-Stackable (in lieu of standard)	9010888	\$343.94	\$343.94	\$326.24
Notes					
	1 Continental USA orders ONLY.				
	2 Factory installed pricing. Only available on wet batteries, not sealed.				
	3 Only available on 690mm/27" unit only.				
	4 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.				

Burnishers B7

BUILT-IN "TENNANT VALUE" INCLUDES:

610mm/690mm or 24"/27" Burnishing Path
Transaxel drive
Active Dust Control
HEPA Filtration - 99.97 @ .3 microns
Tooless Felt Dust skirt
Pad RPM - 1850
Automated Down Pressure - Variable
True Free Floating Head
Rugged DuramerTM Tank Construction
Two-Way Gas Assist Shock for Tank Open/Close
Anti-Static Straps
Clamshell Tank Design
Unit shipped with 1 burnishing pad, paper bag and HEPA filter

On Board Charger
3m/15 ft power cord
Battery Tray
Variable Ball
On-Board Trouble Shooting Guide
ETL Listed for the US and Canada
64 dBa
Emergency Stop
Key Switch
Hour Meter
Operators manual
Jacking Points/Shipping Tie Downs

Pre-Configured Machines (Note 1)		Reference Number		GSA Price Including IFF	
	B7 Walk-Behind Burnisher, 690mm / 27", Self Propel, 330AH Battery, On-Board Charger, Automated Down Pressure, Active Dust Control System w/ Paper Filter Bag, HEPA Filter	MV-B7-0008	\$11,460.31	\$11,460.31	\$10,870.44
	B7 Walk-Behind Burnisher, 690mm / 27", Self Propel, 330AH Battery, On-Board Charger, Mechanical Down Pressure, Passive Dust Control System w/ Paper Filter Bag	MV-B7-0009	\$10,854.65	\$10,854.65	\$10,295.95
Base Configuration		Reference Number		GSA Price I	ncluding IFF
	Cleaning Type B7 Battery Walk-Behind Burnisher 610mm/24" B7 Battery Walk-Behind Burnisher 690mm/27"	B7-610 B7-690	\$9,903.68 \$10,877.94	\$9,903.68 \$10,877.94	12+ units \$9,393.93 \$10,318.05
	Battery Type Wet 330AH C/20 (standard on 690mm/27" unit)	9012674	\$582.37	\$582.37	\$552.39
	Sealed/MF AGM 312AH C/20 (Kit of 6 batteries)	9012676	\$2,330.16	\$2,330.16	\$2,210.22
	Battery Watering System Manual Battery Watering Kit (Note 1)	9009620	\$546.06	\$546.06	\$517.95
	<u>Charger</u> 25A 85-265V AC 50/60Hz 1Ph (on board)	9012668	N/C	N/C	N/C
	Down Pressure				
	Mechanical Set and Forget TM Down Pressure (in lieu of standard)	9012640	-\$322.02	-\$322.02	-\$305.44
Cleaning Performance					
	Dust Control, Passive - 95% @ .3 microns (In lieu of standard) Dust Control Filter, Paper Filter Bag	PASSIVE 1210869	-\$283.65 N/C	-\$283.65 N/C	-\$269.05 N/C
Support (note 2 & 3)					
	Packaging Skid w/Carton, Stackable (in lieu of standard)	9012681	\$243.91	\$243.91	\$231.36
Notes B7	1 Factory installed pricing. Only available on wet batteries, not sealed.				
	2 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded	rom www.Tennantco.com.			
	3 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Ct to these locations.	narge when shipping			

В5

BUILT-IN "TENNANT VALUE" INCLUDES:

510mm/20" Burnishing Path
Push or Self Propel Available
Active Dust Control
HEPA Filtration - 99.97 @ .3 microns
Tooless Felt Dust skirt
Pad RPM - 2100
Automated Down Pressure - Variable (Self-propel unit only)
True Free Floating Head
Rugged DuramerTM Tank Construction
Two-Way Gas Assist Shock for Tank Open/Close
Anti-Static Straps
Clamshell Tank Design
Unit shipped with 1 burnishing pad, paper bag and HEPA filter

5 Pad wrap available only in the Continental US and is the default packaging method.

On Board Charger
3m/15 ft power cord
Standard (3) 12V 185 AH Battery Pack for Pad/Brush Assist
Standard (3) 12V 225 AH Battery Pack for Self-Propelled Unit
Battery Tray
Variable Ball
On-Board Trouble Shooting Guide
ETL Listed for the US and Canada
64 dBa
Femergency Stop

Emergency Stop Key Switch Hour Meter Operators manual

Jacking Points/Shipping Tie Downs

	Jacking Points/Sinpping The Downs		GSA Price Including IFF			
Pre-Configured Machines		Reference Number	<u>1-5 units</u>	6-11 units	12+ units	
	B5 Walk-Behind Burnisher, 510mm / 20", Self Propel, 225AH Battery, On-Board Charger, Automated Down Pressure, Active Dust Control System w/ Paper Filter Bag, HEPA Filter	MV-B5-0010	\$9,879.70	\$9,879.70	\$9,371.18	
	B5 Walk-Behind Burnisher, 510mm / 20", Pad Assist, 185AH Battery, On-Board Charger, Mechanical Down Pressure, Passive Dust Control System w/ Paper Filter Bag	MV-B5-0011	\$6,915.79	\$6,915.79	\$6,559.83	
Base Configuration		Reference Number	GSA Price Including IFF			
-	Cleaning Type		1-5 units	6-11 units	12+ units	
	B5 Walk-Behind Battery Burnisher 510 mm/20"	B5-510	\$7,521.45	\$7,521.45	\$7,134.32	
	Drive Type (Note 1) Self Propel (in lieu of standard)	Self-B5	\$2,074.60	\$2,074.60	\$1,967.82	
	Battery Type					
	Wet 225AH C/20 (Kit of 3 batteries) (Note 2) (in lieu of standard) Sealed/MF AGM 234AH C/20 (Kit of 3 batteries) (in lieu of standard)	9012671 9012672	\$283.65 \$1,812.88	\$283.65 \$1,812.88	\$269.05 \$1,719.57	
	Manual Battery Watering Kit (Note 3)	9009620	\$546.06	\$546.06	\$517.95	
	Charger					
	25A 85-265V AC 50/60Hz 1Ph On-Board for 185AH and 225AH	9012668	N/C	N/C	N/C	
	Down Pressure					
	Mechanical Set and Forget [™] Down Pressure (Note 1) (in lieu of standard)	9012640	-\$322.02	-\$322.02	-\$305.44	
Cleaning Performance	Dust Control System, Passive - 95% @ .3 microns (in lieu of					
	standard)	Passive	-\$283.65	-\$283.65	-\$269.05	
	Dust Control Filter, Paper Filter Bag	1210869	N/C	N/C	N/C	
Packaging (Note 5)		0010070	A470.77	0470 77	0407.07	
	Skid w/Carton, Stackable (in lieu of standard)	9012678	\$176.77	\$176.77	\$167.67	
Not						
	1 When pad/brush assist unit is chosen, only mechanical Set and Forget™ down pressure is available. Mechanical down pressure can only be deducted from the self-propelled unit.					
	2 225AH Battery is standard on units with the Self Propel Drive Type. When Self Propel is selected, this battery will be added at No Charge.					
	3 Factory installed pricing. Only available on wet batteries, not sealed.					
	4 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from	m www.Tennantco.com.				

Burnishers

	Cleaning Type	Reference Number	GSA Price Including IFF		
			1-5 units	6-11 units	12+ unit
	BR-2000-DC Dust Control Burnisher* - 2000 rpm 20" (508mm)	9007349	\$2,119,19	\$2,119.19	\$2,026.2
	Complete package includes flexible pad driver, 75-ft. (23m) power cord, cloth filter bag and 1-pad. CSA US/C* Boxed dimensions: 34L x 27W x 51H (864mm x 686mm x 1295mm)		*- ,	 ,	*=,*==*
	Shipping Weight: 93 lbs. (42 kg) / Cu. Ft.: 27.09 (Cu. M76)				
essories for the B	RR-2000-DC Dust Control Burnisher				
	Dust Control Cloth Filter Bag	1000617	\$26.83	\$26.83	\$26.8
	Paper Filter Bags - Package of 10	1001923	\$14.74	\$14.74	\$14.7
	PD 4000 NDO Power to the state of the state	9007347	1-5 units	6-11 units	12+ unit
	BR-1600-NDC Burnisher - 1600 rpm 20" (508mm) Complete package includes flexible pad driver and a 75-ft. (23m) power cord.	9007347	\$1,620.70	\$1,620.70	\$1,549.6
	Boxed dimensions: 31L x 23W x 53H (787mm x 584mm x 1346mm)				
	Shipping Weight: 100 lbs. (45 kg) / Cu. Ft.: 21.87 (Cu. M62)				
oor Machines					
		Reference Number	GSA P	Price Including	IFF
	FM-20-SS Heavy Duty 20" (508mm) Floor Machine 175 rpm (1.50 hp). Includes pad driver. CSA US/C*	Reference Number 9007336	GSA P \$876.63	\$876.63	IFF \$833.6
				<u> </u>	
	175 rpm (1.50 hp). Includes pad driver. CSA US/C*			<u> </u>	
	175 rpm (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm)			<u> </u>	
	175 rpm (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm) Shipping Weight: Unit 110 lbs. (50 kg) / Cu. Ft.: 16.25 (Cu. M .46) 0-SS Heavy Duty 20* (508mm) Floor Machine (when purchased with machine) 4-Gallon Solution Tank	9007336 1045875	\$876.63 \$228.90	\$876.63 \$228.90	\$833.6i
	175 rpm (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm) Shipping Weight: Unit 110 lbs. (50 kg) / Cu. Ft.: 16.25 (Cu. M .46) 0-SS Heavy Duty 20" (508mm) Floor Machine (when purchased with machine) 4-Gallon Solution Tank 20" Adjust-A-Glide Brush (for carpet care)	9007336 1045875 607463	\$876.63 \$228.90 \$195.09	\$876.63 \$228.90 \$195.09	\$833.6 \$228.9 \$195.0
	175 rpm (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm) Shipping Weight: Unit 110 lbs. (50 kg) / Cu. Ft.: 16.25 (Cu. M .46) 0-SS Heavy Duty 20" (508mm) Floor Machine (when purchased with machine) 4-Gallon Solution Tank 20" Adjust-A-Glide Brush (for carpet care) 20" Nylon Brush (for economic and general scrubbing)	9007336 1045875 607463 1019263	\$228.90 \$195.09 \$238.10	\$876.63 \$228.90 \$195.09 \$238.10	\$833.60 \$228.9 \$195.0 \$238.1
	175 rpm (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm) Shipping Weight: Unit 110 lbs. (50 kg) / Cu. Ft.: 16.25 (Cu. M .46) 0-SS Heavy Duty 20" (508mm) Floor Machine (when purchased with machine) 4-Gallon Solution Tank 20" Adjust-A-Glide Brush (for carpet care) 20" Nylon Brush (for economic and general scrubbing) 20" Strata-Grit Scrub/Strip Brush (for HD scrubbing and stripping)	9007336 1045875 607463 1019263 240258	\$876.63 \$228.90 \$195.09 \$238.10 \$436.90	\$228.90 \$195.09 \$238.10 \$436.90	\$833.6 \$228.9 \$195.0 \$238.1 \$436.9
	175 rpm (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm) Shipping Weight: Unit 110 lbs. (50 kg) / Cu. Ft.: 16.25 (Cu. M .46) 0-SS Heavy Duty 20" (508mm) Floor Machine (when purchased with machine) 4-Gallon Solution Tank 20" Adjust-A-Glide Brush (for carpet care) 20" Nylon Brush (for economic and general scrubbing)	9007336 1045875 607463 1019263	\$228.90 \$195.09 \$238.10	\$876.63 \$228.90 \$195.09 \$238.10	\$228.9 \$195.0 \$238.1 \$436.9 \$289.9 \$120.0
	175 rpm (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm) Shipping Weight: Unit 110 lbs. (50 kg) / Cu. Ft.: 16.25 (Cu. M .46) 9-SS Heavy Duty 20" (508mm) Floor Machine (when purchased with machine) 4-Gallon Solution Tank 20" Adjust-A-Glide Brush (for carpet care) 20" Nylon Brush (for economic and general scrubbing) 20" Strata-Grit Scrub/Strip Brush (for HD scrubbing and stripping) 20" Wood Sanding Block with Clutch Plate 20" Heavy Duty Pad Driver - Plastic Block w/Clutch Plate 20" High Speed Pad Driver	9007336 1045875 607463 1019263 240258 600256 605123 605225	\$228.90 \$195.09 \$238.10 \$436.90 \$289.99 \$120.09 \$301.13	\$228.90 \$195.09 \$195.09 \$238.10 \$436.90 \$289.99 \$120.09 \$301.13	\$228.9 \$195.0 \$238.1 \$436.9 \$289.9 \$120.0 \$301.1
	175 rpm (1.50 hp). Includes pad driver. CSA US/C* Boxed dimensions: 25L x 22W x 51H (635mm x 559mm x 1295mm) Shipping Weight: Unit 110 lbs. (50 kg) / Cu. Ft.: 16.25 (Cu. M .46) 0-SS Heavy Duty 20" (508mm) Floor Machine (when purchased with machine) 4-Gallon Solution Tank 20" Adjust-A-Glide Brush (for carpet care) 20" Nylon Brush (for economic and general scrubbing) 20" Strata-Grif Scrub/Strip Brush (for HD scrubbing and stripping) 20" Wood Sanding Block with Clutch Plate 20" Heavy Duty Pad Driver - Plastic Block w/Clutch Plate	9007336 1045875 607463 1019263 240258 600256 605123	\$228.90 \$195.09 \$238.10 \$436.90 \$120.09	\$228.90 \$195.09 \$238.10 \$436.90 \$289.99 \$120.09	\$833.6i

1045875 607463 1019263

\$228.90 \$195.09 \$238.10

\$436.90 \$289.99 \$120.09 \$301.13 \$228.90 \$195.09 \$238.10

\$436.90 \$289.99 \$120.09 \$301.13 \$228.90 \$195.09 \$238.10

\$436.90 \$289.99 \$120.09 \$301.13

Shipping Weight: Unit 96 lbs. (44 kg) / Cu. Ft.: 16.25 (Cu. M .46)

20" Strata-Grit Scrub/Strip Brush (for HD scrubbing and stripping)

20" Wood Sanding Block with Clutch Plate 20" Heavy Duty Pad Driver - Plastic Block w/Clutch Plate 20" High Speed Pad Driver

Accessories for FM-20-DS Heavy Duty 20" (508mm) Floor Machine (when purchased with machine)

4-Gallon Solution Tank
20" Adjust-A-Glide Brush (for carpet care)
20" Nylon Brush (for economic and general scrubbing)

Sweepers

S10

BUILT-IN "TENNANT VALUE" INCLUDES:

Steel Wrap Around Bumper Ergonomic Handle and Controls Fully Variable Forward/Reverse Speed Control Panel Filter with Automatic Timed Shaker 155 AH Batteries (qty. 2) On Board "Smart" Charger with Charge Indicator Battery Discharge Indicator Parking Brake Thermo-Sentry™
Free-Floating Hopper
Utility/Storage Box
Hour Meter
Key Switch
Easy Access, Removable Side Panels
Filter Shaker Overide Switch
Operator Training Video

	ote 1)	Reference Number	<u>1-5 units</u>	GSA Price I 6-11 units	ncluding IF 12+ unit
	S10 Walk-Behind - Sweeper, 115AH Battery, On-Board Charger, HEPA Filtrat	ion System \$10-2000	*******		
	Choice of Brushes, Operator & Parts Manual an	d Shipment Packaging available.	\$17,986.40	\$17,786.55	\$17,586.7
				GSA Price I	
Base Configuration	Olever's a Torre		1-5 units	6-11 units	<u>12+ unit</u>
	Cleaning Type S10 Battery Powered Sweeper	S10-B	\$13,534.01	\$13,383.63	\$13,233.2
Cleaning Performance					
	HEPA Filter System (Note 2)	326527	\$4,452.39	\$4,402.92	\$4,353.4
Brushes (Note 4)					
	Main Brush				
	Polyprolyene Brush Main Brush (Note 3)	28007P	N/C	N/C	N/O
	Nylon Brush Main Brush	28006N	\$204.03	\$201.76	\$199.5
	Union Mix Brush (6 Row) Main Brush	28006	\$188.61	\$186.52	\$184.4
	Fiber and Wire Brush (6 Row) Main Brush	28002	N/C	N/C	N/G
	Side Brush				
	Polyprolyene Side Brush	28096P	N/C	N/C	N/G
	Nylon SideBrush	28096N	N/C	N/C	N/O
Support		Reference Number		11/0	
	Ultimate Performance Guarantee	50619	N/C	N/C	N/C
	Packaging (Note 4)				
	Skid w/Carton, Stackable (in lieu of standard)	830471	\$365.44	\$361.38	\$357.3
Notes:					
	 Standard Configurations are set configurations as listed and cannot be altered. 				
	However, these are partial configurations which require the selection of				
	Brushes, Operator Manuals, Service Manual, and Shipment Packaging.				
	2 The HEPA Filter System will remove the Side Brush from the machine as it is not comp The HEPA Dust Filter Package will ship with 2 extra HEPA filters for a total of 3 filters a				
	3 If the S10 is being used on coated, polished, tile, or terazzo floors, the polyproplyene m	nain brush (28007P) must be ordered.			
	4 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is add to these locations.	ied at No Charge when shipping			
	5 Machine Weights and dimensions	Pad Wrap Skid w/Carton			
		00 lbs / 272 Kg 700 lbs / 317 Kg			
	Weight (w/155AH Battery) 60	00 lbs / 272 Kg 700 lbs / 317 Kg 2" / 1570 mm 75" / 1905 mm			
	Weight (w/155AH Battery) 60 Length 6				

3640

BUILT-IN "TENNANT VALUE" INCLUDES:

Standard UL Type E Rating
Standard 80cm/32" path width
Panel Filter with Timed Shaker
High Air Flow Kit
130 AH Batteries with 11 Amp Off Board Charger
Battery Discharge Indicator w. Hour Meter
Self-adjusting Main and Side Brush
Direct Throw Sweeping
Quick Release Main Broom
Parking Brake

Variable Controls Height
Fully Variable Forward/Reverse Speed Control
Free-Floating Hopper
Hopper Capacity 85 l/3 cubic feet
Standard Side Brush (Select One)
Standard Main Brush (Select One)
Operator Training Video
Built in Spray Bottle/Glove Holder on Cover
Hour Meter
Key Switch

Base Configuration		Reference Number		GSA Price I	ncluding IFF
	Cleaning Type		<u>1-5 units</u>	<u>6-11 units</u>	12+ units
	3640 E Battery Powered Walk-Behind Sweeper	3640-E	\$11,651.87	\$11,077.48	\$10,585.15
	Battery Type				
	Wet 225AH C/6 (Kit of 2 batteries) (Extended Run Time Batteries)				
	Requires 19A 100-240V AC 50/60Hz 1PH Charger (in lieu of standard)	80131	\$341.23	\$324.41	\$309.99
	Manual Battery Watering Kit (Note 1)	9009619	\$421.35	\$400.58	\$382.78
	Charger				
	19A 100-240V AC 50/60Hz 1PH - off board (in lieu of standard)	1029256	\$123.76	\$117.66	\$112.43
	UL Rating/UL				
	UL Type EE (in lieu of standard)	80454	\$1,895.72	\$1,802.27	\$1,722.17
Packages (Note 2)					
	Carpet Cleaning Equipment Pkg (Note 3) Carpet Cleaning Equipment Pkg (Note 3) - Standard Run Time - w/ standard 130 AH batteries	80123	\$432.80	\$411.46	\$393.17
	Carpet Cleaning Equipment Pkg (Note 3) - Extended Run Time -			,	• • • • • • • • • • • • • • • • • • • •
	w/225 AH batteries	80040	\$432.80	\$411.46	\$393.17
Cleaning Performance					
	Side Brush, Dual (Note 4)	80150	\$628.09	\$597.13	\$570.59
	Live Wand (Note 6) Accessory Wand Kit (Note 5)	373143 373138	N/C \$221.05	N/C \$210.15	N/C \$200.81
	HEPA Filter (Note 8)	324010	\$4,823.71	\$4,585.92	\$4,382.10
	Hopper Dump Assist	80285	\$139.50	\$132.62	\$126.73
Machine Protection & S	afetv				
	Emergency Stop	80179	\$231.06	\$219.67	\$209.91
	Tires, Wide Trac Pneumatic (Note 9)	80226	\$451.40	\$429.14	\$410.07
Support					
	Packaging (Note 10)				
	Skid w/Carton, Stackable (in lieu of standard)	9005746	\$331.21	\$314.89	\$300.89
	Skid w/Stretch Wrap (in lieu of standard)	9005748	\$224.62	\$213.55	\$204.06

Notes 3640

- 1 Only available on 225 AH wet batteries
- 2 Configuration Recommendation Criteria: Standard Configuration -

Panel Filter/High Air Flow System Most Applications, Particularly: Continual Dust Accumulation Sensitive to Dustina Medium to Heavy Dust Vacuum Wand Available as an Option Panel Filter/Live Wand Light Applications: Light Dust Less Sensitive to Dust Want Live Vacuum Wand

Bag Filter/Live Wand (Less High Air Flow System) (Less High Air Flow System) Light Applications: Primarily for Carpet

Applications Light to No Dust HEPA filter Applications

- 3 Carpet Cleaning Package includes either standard or extended run time batteries (whichever is chosen) and includes Union Mix (Carpet Brush) and Battery Acid Containment Bags.
- 4 When dual side brushes are chosen, it is recommended to use the extended run time batteries kit #80131 with this option.
- 5 Recommended for light dust applications only. Ordering the Live Wand option will reroute the airflow permanently through a "live wand" that is always available to the operator for detailing or edge cleaning. This will remove the High Air Flow system and will replace it with the Live Vacuum Wand. No additional charge.
- 6 Vacuum wand to be installed on front cover. Order only when purchasing the standard machine with the High Air Flow System. When any of the part numbers 373143 or 373146 are ordered, the Live Vacuum Wand is standard and it is not possible to order this option. Kit supplies a hose and wand that is stored onboard and connects for use.
- 7 This will remove the Panel Filter System with the Bag Filter System. This is recommended only for carpet applications and very light dust applications.
- 8 Recommended for use with paper filter collector bag or for an additional level of filtration.

 This is a "Custom" option. Please keep in mind that this may require a longer delivery time.
- 9 Wide Trac Pneumatic Tire and Caster Kit is to better equip machines for outdoor use.
- 10 Only Union Mix Brush is available with Carpet Cleaning Equipment Pkg
- 11 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- 12 Pad wrap available only in the Continental US and is the default packaging method.

 Skid w/Carton, Stackable is mandatory when shipping to AK and HI and added at No Charge when shipping to these locations.

<u>Sweepers</u>			GSA Price I		
	Cleaning Type	Reference Number	1-5 units	<u>6-11 units</u>	12+ units
	S7 - 28 in (700 mm) Battery Walk-Behind Sweeper 28" (700mm) cleaning path, 1.6 cu. Ft (45 L) hopper capacity, 140AH sealed battery on-board charger. Boxed dimensions: 47.25 in x 31.5 in x 41.5 in (L 1200 x W 800 x H 1050) Shipping Weight: 319 lb/144.5kg / Cu. Ft.: 35.8	1251272	\$4,608.36	\$4,608.36	\$4,403.55
Accessories for S7	Sweeper (when purchased with machine) Side Brush Main Brush Kit	PMVR00248 SPPV00051	\$79.28 \$159.51	\$79.28 \$159.51	\$79.28 \$159.51
	S6 - 25 in (635 mm) Battery Walk-Behind Sweeper 25' (635mm) cleaning path, 1.25 cu. Ft (35 L) hopper capacity, 42 AH sealed battery and on-board charger. Boxed dimensions on pallet: 34.25 in x 21.75 in x 25 in (L 870 x W 550 x H 630) Shipping Weight: 123lb/56kg / Cu. Ft.: 10.8	1251268	\$2,305.54	\$2,305.54	\$2,203.07
Accessories for S6 S	Sweeper (when purchased with machine) Side Brush Medium Main Brush Kit	SPPV00303 PMVR01121	\$37.78 \$110.77	\$37.78 \$110.77	\$37.78 \$110.77

Upright, Portable, and Canister Vacuums	Reference Number GSA Price Including IF			
oprignt, i ortable, and cameter ractains	Reference Humber	1-5 units	6-11 units	12+ units
V-WA-30 30" (762mm) Wide Area Vacuum Certified CRI Bronze Cleaning Performance. Comes standard with HEPA filtration, and spare bag and 75 ft. (23m) safety-yellow power cord. ETL US/C	1068029	\$2,620.29	\$2,539.04	\$2,417.17
Boxed Dimensions: 18"L x 32.25 "W x 43.25 "H (457mm x 819mm x 196mm) * Shipping Weight: 100 lbs. (45.36kg) Made in the USA with Globally sourced components				
Accessories for V-WA-30 (when purchased with machine) Attachment Kit (Includes crevice tool, dusting brush, upholstery tool, 5 foot hose and extension wand)	190048	\$91.44	\$91.44	\$91.44
V-CAN-16 Premium Dry Canister Vacuum Cleaner 4.2 gallon (16 liter) capacity with multi-stage filtration including cloth filter, fleece bag and downstream HEPA cartridge. Comes standard with speed regulator, full bag indicator, chrome telescopic tube, wand with air flow regulator, floor tool, flat flance, round brush and small tool, 6.5 ft (2 m) hose, 40 ft (12m) detachable safety-yellow power cord. UL / CSA	1252618	\$376.93	\$365.24	\$347.71
Boxed Dimensions: 16 x 17 x 20 in (400 x 435 x 515 mm) Shipping Weight: 20 lb / 9 kg				
V-CAN-12 Standard Dry Canister Vacuum Cleaner 3.2 gallon (12 litter) capacity with multi-stage filtration including cloth filter, fleece bag and downstream foam filter. Comes standard with chrome tube, wand with air flow regulator, floor tool, flat lance, round brush and small tool, 6.5 ft (2 m) hose, 40 ft (12m) detachable safety-yellow power cord. UL / CSA	1252616	\$305.44	\$295.97	\$281.76
Boxed Dimensions: 15.5 x 15.5 x 20 in (395 x 395 x 510 mm) Shipping Weight: 19.4 lb / 8.8 kg				
V-CAN-12 & 16 Aftermarket Parts Accessories for V-CAN-12 & V-CAN-16 Vacuum				
BAG, VACUUM, PAPER [1 PKG = 10 BAGS] CORD, POWER, 120V [NA] FILTER, HEPA CARTRIDGE CASTER KIT [OTY 2] Floor and Carpet Tools	9018690 KTRI05909 KTRI05904 KTRI05834	\$23.55 \$71.60 \$32.75 \$18.83	\$23.55 \$71.60 \$32.75 \$18.83	\$23.55 \$71.60 \$32.75 \$18.83
WAND SET, CHROME, 2 PIECE [32MM] [V-CAN-12] DRY FLOOR TOOL [32MM] [V-CAN-12] DRY FLOOR TOOL [V-CAN-16] TOOL KIT, VACUUM [32 MM]. Includes Crevice Tool, Round Brush Tool, Furniture Tool HOSE ASSY, VACUUM, 2.5M [32MM] TOOL HOLDER Telescopic Wand [V-CAN-16]	KTRI05799 KTRI05907 KTRI05936 KTRI05794 KTRI05905 KTRI05942 KTRI05921	\$36.65 \$34.57 \$36.65 \$21.22 \$88.60 \$18.95 \$36.65	\$36.65 \$34.57 \$36.65 \$21.22 \$88.60 \$18.95 \$36.65	\$36.65 \$34.57 \$36.65 \$21.22 \$88.60 \$18.95 \$36.65

Wet/Dry Vacuums			GSA P	rice Including	IFF
	V-WD-24P 24-gal. Wet/Dry Vacuum with Pump & Front Mount Squeegee 24-gallon tank capacity. 100" (2530 mm) waterlift with powerful submersible pump and front mount squeegee. Includes 16-ft. (5 m) vacuum hose, a 40-ft. (12 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator and wet floor tool. Options include: dual filtration system, dust floor tool, flat lance, round brush and adaptor.	9019349	\$1,450.25	\$1,450.25	\$1,380.64
	Boxed dimensions: 24L x 19W x 37H (620mm x 495mm x 950mm) Shipping Weight: 87 lbs. (39.5 kg)	Dual Filtration System sold as option			
	V-WD-24P 24-gal. Wet/Dry Vacuum with Pump 24-gallon tank capacity. 100" (2530 mm) waterilft with powerful submersible pump. Includes 16-ft. (5 m) vacuum hose, a 40-ft. (12 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator and wet floor tool.	1244346	\$1,166.88	\$1,166.88	\$1,110.8
	Options include: front mount squeegee kit, dual filtration system, dust floor tool, flat lance, round brush and adaptor.	Squeegee sold as option Dual Filtration System sold as option			
	Boxed dimensions: 24L x 19W x 37H (620mm x 495mm x 950mm) Shipping Weight: 65 lbs. (29.6 kg)	Buan I ilitation dystem sold as option			
	V-WD-24 24-gal. Wet/Dry Vacuum with front mount squeegee	9019348	\$872.17	\$872.17	\$830.30
	24-gallon tank capacity. 100" (2530 mm) waterlift with front mount squeegee. Includes 16-ft. (5 m) vacuum hose, a 40-ft. (12 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator, cloth filter, paper bag, dust floor tool, wet floor tool, flat lance, round brush and adaptor. Options include: carpet brush tool and upstream HEPA filter.				
	Boxed dimensions: 24L x 19W x 37H (620mm x 495mm x 950mm) Shipping Weight: 79 lbs. (35.8 kg)				
	V-WD-24 24-gal. Wet/Dry Vacuum 24-gallon tank capacity. 100" (2530 mm) waterlift. Includes 16-ft. (5 m) vacuum hose, a 40-ft. (12 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator, cloth filter, paper bag, dust floor tool, wet	1245656	\$590.05	\$590.05	\$561.73
	floor tool, flat lance, round brush and adaptor. Options include: front mount squeegee kit, carpet brush tool and upstream HEPA filter.	Squeegee sold as option			
	Boxed dimensions: 24L x 19W x 37H (620mm x 495mm x 950mm) Shipping Weight: 59 lbs. (26.8 kg)				
	V-WD-9 9-gal. Wet/Dry Vacuum 9 Gallon Tank capacity. 100" (2530 mm) waterlift. Includes 8-ft. (2.5 m) vacuum hose, a 28-ft. (8.5 m) power cord, 2-pc. Aluminum/plastic wand, wand with air flor regulator, cloth filter, paper bag, dust floor tool,	1244345	\$358.31	\$358.31	\$341.1
	wet floor tool, flat lance, round brush and adaptor. Options include: carpet brush tool and upstream HEPA filter.	Squeegee sold as option			
	Boxed dimensions: 17L x 17W x 32H (420mm x 420mm x 820mm) Shipping Weight: 31 lbs. (13.9 kg)				
Accessories for Wet/Dry Vac	SQUEEGEE KIT, VACUUM, WITH BRACKET (75 cm)	KTRI06192	\$365.11	\$365.11	\$365.1
	TOOL KIT, VACUUM, Ø38 MM. Includes Flat Lance D.38, Round Tool D.38 and PVC Adaptor D.38	KTRI05608	\$36.27	\$36.27	\$36.27
	DUAL FILTRATION SYSTEM [V-WD-24P]	KTRI05593	\$195.40	\$195.40	\$195.40
	BAG, PAPER [10 PACK] [V-WD-24]	KTRI02912	\$32.56	\$32.56	\$32.56
	BAG, VACUUM, MICROFIBER [1 PKG=10 BAGS] [V-WD-24/24P]	KTRI05851 KTRI05847	\$83.75 \$15.74	\$83.75 \$15.74	\$83.75 \$15.74
	BAG, PAPER [10 PACK] [V-WD-9] BAG, VACUUM, MICROFIBER [1 PKG=10 BAGS]/V-WD-9]	KTRI05847 KTRI05848	\$15.74 \$74.50	\$15.74 \$74.50	\$15.74 \$74.50
	VACUUM FILTER KIT [V-WD-24/24P]	KTRI05840	\$36.46	\$36.46	\$36.46
	VACUUM FILTER KIT [V-WD-9]	KTRI05849	\$28.90	\$28.90	\$28.90
	HOSE ASSY, VACUUM, 2.5, 38 MM [V-WD-9] HOSE ASSY, VACUUM, 5M, Ø38 MM [V-WD-24/24P]	KTRI05803 KTRI05811	\$49.37 \$78.40	\$49.37 \$78.40	\$49.37 \$78.40
Floor and Carpet Tools	WAND SET, VACUUM, TWO-PIECE	KTRI05786	\$103.53	\$103.53	\$103.53
	TOOL FLOOR RRY GOLLIN	CDD\/420E0	\$12.15	\$12.15	\$12.15
	TOOL, FLOOR, DRY, Ø38 MM	SPPV43050			
	TOOL, FLOOR, WET, Ø38 MM TOOL, FLOOR, WET, Ø38 MM TOOL, FLOOR, CARPET, Ø38 MM	1064520 KTRI05821	\$21.54 \$39.55	\$21.54 \$39.55	\$21.54 \$39.55

1610 Dual Technology Carpet Cleaner

BUILT-IN "TENNANT VALUE" INCLUDES:

ReadySpace® cleaning technology and deep extraction 560mm/22" cleaning path 72 l/21-gal. solution and recovery tanks One set of ReadySpace® rollers & extraction brushes High Traction Tires Battery Discharger Indicator Hour meter

Standard (4) 6V 240 AH battery pack Battery Tray 19 AH Off-board charger Rugged DuramerTM Tank Construction Operators video Operators manual CRI certified, Bronze Cleaning Performance

Pre-Configured Machin	nes	Reference Number GSA Price Inc.		Price Including	luding IFF	
			1-5 units	6-11 units	12+ units	
	1610 ReadySpace Walk-Behind w Wet 240AH Battery and Charger, Extraction Brushes and ReadySpace Rollers, Skid w/Carton	MV-1610-0001	\$13,715.70	\$13,039.57	\$12,460.04	
	1610 ReadySpace Walk-Behind w/ AGM 200AH Battery and Charger, Extraction Brushes and ReadySpace Rollers, Skid w/Carton	MV-1610-0002	\$14,096.99	\$13,402.07	\$12,806.42	
	1610 ReadySpace, 240AH Battery and Off-Board Charger, Extraction Brushes and ReadySpace Rollers, Pad Wrap	MV-1610-0008	\$13,398.79	\$12,738.29	\$12,172.14	
Base Configuration						
	1610 Walk-Behind Dual Technology Carpet Maintainer 560mm/22"	1610-560	\$13,398.79	\$12,738.29	\$12,172.14	
	Battery Type	9012454	0001.00	\$000.40	#0.40.00	
	Sealed/MF AGM 200AH C/20 (Kit of 4 batteries) (in lieu of standard)	9012454	\$381.29	\$362.49	\$346.38	
	Charger 19A 120V-240V AC 50/60Hz 1Ph (for sealed batteries) (in lieu of standard)	1058164	N/C	N/C	N/C	
Support (note 1)						
	Packaging (Note 2) Skid w/Carton, Stackable (in lieu of standard) Skid with Stretch Wrap (in lieu of standard)	9012455 9012456	\$316.91 \$240.36	\$301.28 \$228.51	\$287.89 \$218.36	
<u>Notes</u>	1 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Ter	nnantco.com.				
	2 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Stackable or Skid w/Stretch Wrap will both ship via LTL carrier. Pad Wrap will ship via Logix. Skid w/Carton, Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shippin to these locations.	ng				

Carpet Extractors

	Cleaning Type	Reference Number		Price Including	
			<u>1-5 units</u>	6-11 units	12+ units
	1510 Battery Operated Automatic Extractor	614002	\$11,267.23	\$11,267.23	\$10,766.46
	21-gal (80 liter) solution tank, 22" (5580mm) cleaning path, 100 psi,				
	mode controls for deep and surface cleaning, dual vac motors.				
	Complete package includes four 240 AH 6-volt batteries and 20 amp				
	charger.				
	Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x				
	1321mm) Shipping Weight: 600 lbs. / Cu. Ft.: 36				
	· · · · ·				
ccessories for 1510	Battery Operated Automatic Extractor (when purchased with machine) 13" x 1.5" Low Pressure Carpet Wand, 3 Jets	600048	\$555.79	\$555.79	\$555.79
	16" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets	200503	\$784.95	\$784.95	\$784.95
		200000	ψ104.50	ψ104.55	ψ104.50
	5" Cast Aluminum Hand Tool - for upholstery and stair cleaning	200505	\$281.93	\$281.93	\$281.93
	Crevice Tool	200517	\$362.34	\$362.34	\$362.34
	Low Pressure Upholstery Tool	200540	\$558.38	\$558.38	\$558.38
	15 Foot x 1.5" Solution Hose	1073341	\$165.55	\$165.55	\$165.55
	25 Foot x 1.5" Solution Hose	1073346	\$197.98	\$197.98	\$197.98
	50 Foot x 1.5" Solution Hose	1073344	\$385.08	\$385.08	\$385.08
	15 Foot x 1.5" Vacuum Hose	160400	\$89.48	\$89.48	\$89.48
	25 Foot x 1.5" Vacuum Hose	160401	\$127.08	\$127.08	\$127.08
	50 Foot x 1.5" Vacuum Hose	160402	\$253.53	\$253.53	\$253.53
	1.5" Vacuum Hose Connector	12694	\$14.11	\$14.11	\$14.1
	2" to 1.5" Reducer Connector	160435	\$9.01	\$9.01	\$9.01
	Accessory Pac - includes 1.5" x 15 foot vacuum hose, 3/8" x 15 foot				
	solution hose, 5" hand tool and bag	190710	\$555.54	\$555.54	\$555.54
	Mesh Hose Bag to store hoses and hand tools	220040	\$34.01	\$34.01	\$34.0
	Pump-Up Sprayer - 2 Gallon	605848	\$147.10	\$147.10	\$147.10
	Carpet Rake	240020AM	\$92.95	\$92.95	\$92.95
	Bleeder Hose	700141	\$29.72	\$29.72	\$29.72
	Waterlift Testing Gauge	613928	\$150.06	\$150.06	\$150.06
			GSA F	Price Including	IFF
	1520 Cord Floatrio Automatia Extractor	614000	1-5 units	<u>6-11 units</u>	
	1530 Cord Electric Automatic Extractor	614000			
	1530 Cord Electric Automatic Extractor 30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C*	614000	1-5 units	<u>6-11 units</u>	12+ units \$8,467.21
	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C*	614000	1-5 units	<u>6-11 units</u>	
	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi,	614000	1-5 units	<u>6-11 units</u>	
cessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm)	614000	1-5 units	<u>6-11 units</u>	
ccessories for 1530	30-gal (114 liter) solution tank, 22* (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36	614000 600048	1-5 units	<u>6-11 units</u>	\$8,467.21
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36 Cord Electric Automatic Extractor		1-5 units \$8,861.03	<u>6-11 units</u> \$8,861.03	\$8,467.21 \$555.79
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets	600048 200503	1-5 units \$8.861.03 \$555.79 \$784.95	\$8,861.03 \$8,861.03 \$555.79 \$784.95	\$8,467.21 \$555.79 \$784.96
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning	600048 200503 200505	1.5 units \$8,861.03 \$555.79 \$784.95 \$281.93	\$555.79 \$784.95 \$281.93	\$8,467.2° \$555.79 \$784.99 \$281.93
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34M x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool	600048 200503 200505 200517	1.5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.34	\$555.79 \$784.95 \$362.34	\$8,467.21 \$555.79 \$784.95 \$281.93 \$362.34
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71 L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft. 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool	600048 200503 200505 200517 200540	1-5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.34 \$558.38	\$555.79 \$784.95 \$281.93 \$362.34 \$558.38	\$555.79 \$784.99 \$281.90 \$362.34 \$558.38
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose	600048 200503 200505 200517 200540 1073341	1.5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.34 \$556.35 \$165.55	\$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55	\$555.79 \$784.99 \$281.90 \$362.34 \$558.38 \$165.56
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34M x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose	600048 200503 200505 200517 200640 1073341 1073346	1.5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98	\$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98	\$555.75 \$784.95 \$281.95 \$362.36 \$558.33 \$165.55 \$197.97
ecessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 55 Foot x 1.5" Solution Hose	600048 200503 200505 200517 200540 1073341	1.5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.34 \$556.35 \$165.55	\$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55	\$555.75 \$784.95 \$281.93 \$362.34 \$558.36 \$165.55 \$197.96
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 50 Foot x 1.5" Solution Hose 51 Foot x 1.5" Solution Hose	600048 200503 200505 200517 200540 1073341 1073346 1073344 160400	1.5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98	\$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08	\$555.75 \$784.95 \$281.93 \$362.34 \$558.35 \$197.96 \$385.06
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 50 Foot x 1.5" Solution Hose 15 Foot x 1.5" Vacuum Hose 25 Foot x 1.5" Vacuum Hose 25 Foot x 1.5" Vacuum Hose	600048 200503 200505 200517 200540 1073341 1073346 1073344 160400	1.5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08	\$555.79 \$784.95 \$3862.34 \$558.38 \$165.55 \$197.98 \$385.08 \$89.48 \$127.08	\$555.75 \$784.95 \$281.93 \$362.34 \$165.55 \$197.96 \$380.08
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 50 Foot x 1.5" Solution Hose 51 Foot x 1.5" Solution Hose	600048 200503 200505 200517 200540 1073341 1073346 1073344 160400	1.5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$89.48	\$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08	\$555.75 \$784.95 \$281.93 \$362.34 \$558.36 \$165.55 \$197.98 \$385.06
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 50 Foot x 1.5" Solution Hose 15 Foot x 1.5" Vacuum Hose 25 Foot x 1.5" Vacuum Hose 25 Foot x 1.5" Vacuum Hose	600048 200503 200505 200517 200540 1073341 1073346 1073344 160400	1-5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.24 \$558.38 \$165.55 \$197.98 \$385.08 \$89.48 \$127.08	\$555.79 \$784.95 \$3862.34 \$558.38 \$165.55 \$197.98 \$385.08 \$89.48 \$127.08	\$555.7′ \$784.9′ \$281.9′ \$362.3 \$558.3′ \$165.5′ \$197.9′ \$385.0′ \$99.4′ \$127.0′ \$253.5′
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 55 Foot x 1.5" Vacuum Hose 15 Foot x 1.5" Vacuum Hose 25 Foot x 1.5" Vacuum Hose 55 Foot x 1.5" Vacuum Hose 55 Foot x 1.5" Vacuum Hose	600048 200503 200505 200517 200540 1073341 1073346 10773344 160400 160401 160402	1.5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$89.48 \$127.08	\$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$127.08 \$253.53	\$555.75 \$784.95 \$281.93 \$362.34 \$558.36 \$165.55 \$197.96 \$89.44 \$127.06 \$253.53
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34M x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36 Cord Electric Automatic Extractor. 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 50 Foot x 1.5" Solution Hose 50 Foot x 1.5" Vacuum Hose 25 Foot x 1.5" Vacuum Hose 50 Foot x 1.5" Vacuum Hose	600048 200503 200505 200517 200540 1073341 1073346 1073344 160400 160401 160402	1.5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$253.53 \$141.11	\$555.79 \$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$127.08 \$253.53 \$14.11	\$555.75 \$784.95 \$281.93 \$362.34 \$558.36 \$165.55 \$197.96 \$89.44 \$127.06 \$253.53
cessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for uphoistery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 25 Foot x 1.5" Vacuum Hose 15 Foot x 1.5" Vacuum Hose 50 Foot x 1.5" Vacuum Hose 50 Foot x 1.5" Vacuum Hose 1.5" Vacuum Hose Connector 2" to 1.5" Reducer Connector	600048 200503 200505 200517 200540 1073341 1073346 1073344 160400 160401 160402	1.5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$253.53 \$141.11	\$555.79 \$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$127.08 \$253.53 \$14.11	\$8,467.21 \$555.77 \$784.96 \$281.93 \$362.34 \$558.36 \$197.96 \$385.06 \$253.55 \$1127.06 \$253.55 \$114.11 \$9.01
ecessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 15 Foot x 1.5" Vacuum Hose 15 Foot x 1.5" Vacuum Hose 50 Foot x 1.5" Vacuum Hose 50 Foot x 1.5" Reducer Connector 2" to 1.5" Reducer Connector Accessory Pac - includes 1.5" x 15 foot vacuum hose, 3/8" x 15 foot solution hose, 5" hand tool and bag	600048 200503 200505 200517 200540 1073341 1073346 1073344 160400 160401 160402 12694 160435	\$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$127.08 \$253.53 \$14.11 \$9.01	\$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$253.53 \$14.11 \$9.01	\$555.75 \$784.95 \$281.93 \$362.34 \$558.36 \$165.55 \$197.98 \$385.06 \$39.45 \$127.06 \$253.53 \$114.11 \$9.01
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 15 Foot x 1.5" Vacuum Hose 15 Foot x 1.5" Vacuum Hose 25 Foot x 1.5" Vacuum Hose 15" Yacuum Hose 15" Yacuum Hose Connector 2" to 1.5" Reducer Connector 2" to 1.5" Reducer Connector Accessory Pac - includes 1.5" x 15 foot vacuum hose, 3/8" x 15 foot solution hose Bag to store hoses and hand tools	600048 200503 200505 200517 200540 1073341 1073346 1073344 160400 160401 160402 12694 160435	\$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$253.53 \$14.11 \$9.01	\$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$253.53 \$14.11 \$9.01	\$555.7° \$784.9° \$281.93 \$362.34 \$558.3° \$197.9° \$380.0° \$253.5° \$14.11 \$9.01
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71 L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 50 Foot x 1.5" Solution Hose 15 Foot x 1.5" Vacuum Hose 15 Foot x 1.5" Vacuum Hose 15.5" Vacuum Hose 50 Foot x 1.5" Vacuum Hose 15.5" Reducer Connector 2" to 1.5" Reducer Connector Accessory Pac - includes 1.5" x 15 foot vacuum hose, 3/8" x 15 foot solution hose, 5" hand tool and bag Mesh Hose Bag to store hoses and hand tools Pump-Up Sprayer - 2 Gallon	600048 200503 200505 200517 200540 1073341 1073346 1073344 160400 160401 160402 12694 160435	1.5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$253.53 \$14.11 \$9.01 \$555.54 \$34.01 \$147.10	\$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$127.08 \$253.53 \$14.11 \$9.01 \$555.54	\$555.76 \$784.95 \$281.93 \$362.34 \$558.36 \$165.55 \$197.96 \$385.06 \$253.55 \$141.11 \$9.01
cessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft.: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 15 Foot x 1.5" Vacuum Hose 15 Foot x 1.5" Vacuum Hose 25 Foot x 1.5" Vacuum Hose 15" Vacuum Hose Connector 2" to 1.5" Reducer Connector 2" to 1.5" Reducer Connector Accessory Pac - includes 1.5" x 15 foot vacuum hose, 3/8" x 15 foot solution hose, 5" hand tool and bag Mesh Hose Bag to store hoses and hand tools Pump-Up Sprayer - 2 Gallon Carpet Rake	600048 200503 200505 200517 200540 1073341 1073346 1073344 160400 160401 160402 12694 160435	1.5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.24 \$558.38 \$165.55 \$197.98 \$385.08 \$89.48 \$127.08 \$253.53 \$14.11 \$9.01 \$555.54 \$34.01 \$147.10 \$92.95	\$555.79 \$784.95 \$362.34 \$565.58 \$197.98 \$385.08 \$89.48 \$127.08 \$253.53 \$14.11 \$9.01	\$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$89.48 \$127.08 \$253.53 \$14.11 \$90.10 \$555.54 \$34.01 \$147.10
ccessories for 1530	30-gal (114 liter) solution tank, 22" (5580mm) cleaning path, 100 psi, mode controls for deep and surface cleaning. ETL US/C* Boxed dimensions: 71 L x 34W x 52H (1803mm x 864mm x 1321mm) Shipping Weight: 344 lbs. / Cu. Ft: 36 Cord Electric Automatic Extractor 13" x 1.5" Low Pressure Carpet Wand, 3 Jets 16" x 1.5" Low Pressure Carpet Wand, 4 Jets 5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool Low Pressure Upholstery Tool 15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose 50 Foot x 1.5" Solution Hose 15 Foot x 1.5" Vacuum Hose 15 Foot x 1.5" Vacuum Hose 15.5" Vacuum Hose 50 Foot x 1.5" Vacuum Hose 15.5" Reducer Connector 2" to 1.5" Reducer Connector Accessory Pac - includes 1.5" x 15 foot vacuum hose, 3/8" x 15 foot solution hose, 5" hand tool and bag Mesh Hose Bag to store hoses and hand tools Pump-Up Sprayer - 2 Gallon	600048 200503 200505 200517 200540 1073341 1073346 1073344 160400 160401 160402 12694 160435	1.5 units \$8,861.03 \$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$253.53 \$14.11 \$9.01 \$555.54 \$34.01 \$147.10	\$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$127.08 \$253.53 \$14.11 \$9.01 \$555.54	\$8,467.21 \$555.79 \$784.95 \$281.93 \$362.34 \$558.38 \$165.55 \$197.98 \$385.08 \$253.53 \$14.11 \$9.01 \$555.54 \$34.01 \$147.10

				rice Including	
	EX-SC-1020 - Self-Contained Extractor	9007486	1-5 units \$2,994.96	6-11 units \$2,994.96	12+ units \$2,851.20
	Patented, 10-gal. Expansion cavity, 20" (508mm) cleaning path, 100 psi, 137" (3480mm) waterlift. ETL US/C* CRI certified, Bronze				
	Cleaning Performance. Boxed dimensions: 41L x 22W x 45H (1041mm x 559mm x				
	1143mm)				
	Shipping Weight: 142 lbs. / Cu. Ft.: 23.5				
Accessories for EX-SC	C-1020 - Self-Contained Extractor (when purchased with machine) 16" x 1.5" Low Pressure Carpet Wand, 4 Jets	200503	\$784.95	\$784.95	\$784.95
	5" Cast Aluminum Hand Tool - for upholstery and stair cleaning Crevice Tool	200505 200517	\$281.93 \$362.34	\$281.93 \$362.34	\$281.93 \$362.34
	Low Pressure Upholstery Tool	200540	\$558.38	\$558.38	\$558.38
	15 Foot x 1.5" Solution Hose 25 Foot x 1.5" Solution Hose	1073341 1073346	\$165.55 \$197.98	\$165.55 \$197.98	\$165.55 \$197.98
	50 Foot x 1.5" Solution Hose 15 Foot x 1.5" Vacuum Hose	1073344	\$385.08	\$385.08	\$385.08
	25 Foot x 1.5" Vacuum Hose	160400 160401	\$89.48 \$127.08	\$89.48 \$127.08	\$89.48 \$127.08
	50 Foot x 1.5" Vacuum Hose 1.5" Vacuum Hose Connector	160402 12694	\$253.53 \$14.11	\$253.53 \$14.11	\$253.53 \$14.11
	2" to 1.5" Reducer Connector	160435	\$9.01	\$9.01	\$9.01
	Accessory Pac - includes 1.5" x 15 foot vacuum hose, 3/8" x 15 foot solution hose, 5" hand tool and bag	190710	\$555.54	\$555.54	\$555.54
	Mesh Hose Bag to store hoses and hand tools Pump-Up Sprayer - 2 Gallon	220040 605848	\$34.01 \$147.10	\$34.01 \$147.10	\$34.01 \$147.10
	Carpet Rake	240020AM	\$92.95	\$92.95	\$92.95
	Bleeder Hose Waterlift Testing Gauge	700141 613928	\$29.72 \$150.06	\$29.72 \$150.06	\$29.72 \$150.06
			GSA P	rice Including	IFF 12+ units
	R3 - Cord Electric 5-gal. ReadySpace® Interim Carpet Cleaner	000440011			
	15" cleaning path. Complete package includes removable,	9004192-H	\$3,679.47	\$3,679.47	\$3,502.86
	Hygenic® fully cleanable 5 gallon (19 liter) solution/recovery tanks, Insta-Adjust™ handle, two ReadySpace® rollers, 50-ft (15-m) "safety				
	yellow" power cord and multi-language operator manual. CRI				
	certified, Bronze Cleaning Performance. Boxed Dimensions: 34" L x 22" W x 37" H (860 mm x 560 mm x 940				
	mm). * Shipping Weight: 154 lbs. (70 kg)				
AFTERMARKET Ass					
AFIERMARKEI - ACC	essories for the R3 (when purchased with machine) Wand Attachment. Stainless steel floor tool with wand, solution and				
	10 ft. vacuum hose assembly. Optional. Hand Tool, stainless steel, complete with 8 ft. hose. Optional.	1058735 1058747	\$430.67 \$251.26	\$430.67 \$251.26	\$430.67 \$251.26
	Pump-Up Sprayer - 2 Gallon	605848	\$147.10	\$147.10	\$147.10
	E5 - Cord Electric 5-gal. Extractor	9004194-H	\$2,916.25	\$2,916.25	\$2,776.27
	15" cleaning path. Complete package includes removable,		 ,	+=,	*=,
	Hygenic® fully cleanable 5 gallon (19 liter) solution/recovery tanks, Insta-Adjust™ handle, one double-tuft reverse pattern chevron				
	brush, 50-ft (15-m) "safety yellow" power cord and multi-language				
	operator manual. CRI certified, Silver Cleaning Performance.				
	Boxed Dimensions: 34" L x 22" W x 37" H (860 mm x 560 mm x 940 mm). *				
	Shipping Weight: 138 lbs. (63 kg)				
AFTERMARKET - Acce	essories for the E5 (when purchased with machine) Wand Attachment. Stainless steel floor tool with wand, solution and				
	10 ft. vacuum hose assembly. Optional.	1058735	\$430.67	\$430.67	\$430.67
	Hand Tool, stainless steel, complete with 8 ft. hose. Optional. Pump-Up Sprayer - 2 Gallon	1058747 605848	\$251.26 \$147.10	\$251.26 \$147.10	\$251.26 \$147.10
	ASC-15 All Surface Cleaner	9007354	\$4,077.46	\$4,077.46	\$4,077.46
	15-gal. (57L) solution capacity 19-gal. (72L) recovery capacity. Includes double-bend telescopic aluminum wand, 25-ft. (7.6m)				
	recovery hose, scrub brush, standard 6-ft. (1.8m) to 25-ft. (7.6m) expandable blower hose, 25-ft. (7.6m) high pressure hose with				
	variable pressure gun, floor squeegee tool, hand squeegee tool,				
	blower tool, gulper floor drain tool, fill hose and metering tip packet with 3 different dilution ratio tips.				
	Boxed dimensions: 45L x 22.25W x 42H (1143mm x 565mm x				
	1067mm) Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M54)				
Accessories for ASC-1	Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M54) 15 (when purchased with machine)				
Accessories for ASC-1	Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M54)	1010410 1010457	\$88.60 \$198.74	\$88.60 \$198.74	
Accessories for ASC-1	Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M54) 15 (when purchased with machine) 6-ft. to 25-ft. Expandable Grey Blower Hose Double Bend Telescopic Aluminum Wand 25-ft. (7.6m) Solution Hose (1073346)	1010457 1073346	\$198.74 \$197.98	\$198.74 \$197.98	\$198.74 \$197.98
Accessories for ASC-1	Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M54) 15. (when purchased with machine) 6-ft. to 25-ft. Expandable Grey Blower Hose Double Bend Telescopic Aluminum Wand 25-ft. (7.6m) Solution Hose (1073346) 25' Vacuum Hose (recovery) Standard Metering Tip Packet (3 tips included)	1010457 1073346 610683 609757	\$198.74 \$197.98 \$202.20 \$11.84	\$198.74 \$197.98 \$202.20 \$11.84	\$198.74 \$197.98 \$202.20 \$11.84
Accessories for ASC-1	Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M54) 15 (when purchased with machine) 6-ft. to 25-ft. Expandable Grey Blower Hose Double Bend Telescopic Aluminum Wand 25-ft. (7.6m) Solution Hose (1073346) 25 Vacuum Hose (recovery)	1010457 1073346 610683	\$198.74 \$197.98 \$202.20	\$198.74 \$197.98 \$202.20	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76
Accessories for ASC-1	Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M54) 15 (when purchased with machine) 6-ft. to 25-ft. Expandable Grey Blower Hose Double Bend Telescopic Aluminum Wand 25-ft. (7.6m) Solution Hose (1073346) 25' Vacuum Hose (recovery) Standard Metering Tip Packet (3 tips included) 14" (356mm) Floor Squeegee Tool Gulper Tool Blower Nozzle	1010457 1073346 610683 609757 609648 609645 609644	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78
Accessories for ASC-1	Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M54) 15 (when purchased with machine) 6-ft. to 25-ft. Expandable Grey Blower Hose Double Bend Telescopic Aluminum Wand 25-ft. (7.6m) Solution Hose (1073346) 25 Vacuum Hose (recovery) Standard Metering Tip Packet (3 tips included) 14" (356mm) Floor Squeegee Tool Gulper Tool	1010457 1073346 610683 609757 609648 608645	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78
Accessories for ASC-1	Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M54) 15 (when purchased with machine) 6-ft. to 25-ft. Expandable Grey Blower Hose Double Bend Telescopic Aluminum Wand 25-ft. (7.6m) Solution Hose (1073346) 25 Vacuum Hose (recovery) Standard Metering Tip Packet (3 tips included) 14" (356mm) Floor Squeegee Tool Gulper Tool Blower Nozzle Hand Squeegee Tool	1010457 1073346 610683 609757 609648 609645 609644 609641	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39 \$28.59
Accessories for ASC-1	Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M54) 15 (when purchased with machine) 6-ft. to 25-ft. Expandable Grey Blower Hose Double Bend Telescopic Aluminum Wand 25-ft. (7.6m) Solution Hose (1073346) 25 Vacuum Hose (recovery) Standard Metering Tip Packet (3 tips included) 14" (356mm) Floor Squeegee Tool Gulper Tool Blower Nozzle Hand Squeegee Tool Fill Hose	1010457 1073346 610683 609757 609648 609645 609644 609641 609983	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39 \$28.59	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39 \$28.59	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39 \$28.59
Accessories for ASC-1	Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M54) 15 (when purchased with machine) 6-ft. to 25-ft. Expandable Grey Blower Hose Double Bend Telescopic Aluminum Wand 25-ft. (7.6m) Solution Hose (1073346) 25' Vacuum Hose (recovery) Standard Metering Tip Packet (3 tips included) 14" (356mm) Floor Squeegee Tool Gulper Tool Blower Nozzle Hand Squeegee Tool Fill Hose Blower - Three-speed Air Mover 1/2 Horsepower, Three speeds, Stackable, Rotomolded durability	1010457 1073346 610683 609757 609648 609645 609644 609641 609983	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39 \$28.59	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39 \$28.59	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39 \$28.59
Accessories for ASC-1	Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M54) 15 (when purchased with machine) 6-ft. to 25-ft. Expandable Grey Blower Hose Double Bend Telescopic Aluminum Wand 25-ft. (7.6m) Solution Hose (1073346) 25' Vacuum Hose (recovery) Standard Metering Tip Packet (3 tips included) 14" (356mm) Floor Squeegee Tool Gulper Tool Blower Nozzle Hand Squeegee Tool Fill Hose Blower - Three-speed Air Mover 1/2 Horsepower, Three speeds, Stackable, Rotomolded durability ETL-certified to UL & CSA Standards. Boxed dimensions: 20.5L x 17.75W x 22.5H (521mm x 451mmx	1010457 1073346 610683 609757 609648 609645 609644 609641 609983	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39 \$28.59	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39 \$28.59	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39 \$28.59
Accessories for ASC-1	Shipping Weight: 190 lbs. (86 kg) / Cu. Ft.: 19 (Cu.M54) 15. (when purchased with machine) 6-ft. to 25-ft. Expandable Grey Blower Hose Double Bend Telescopic Aluminum Wand 25-ft. (7.6m) Solution Hose (1073346) 25' Vacuum Hose (recovery) Standard Metering Tip Packet (3 tips included) 14" (356mm) Floor Squeegee Tool Gulper Tool Blower Nozzle Hand Squeegee Tool Fill Hose Blower - Three-speed Air Mover 1/2 Horsepower, Three speeds, Stackable, Rotomolded durability ETL-certified to UL & CSA Standards.	1010457 1073346 610683 609757 609648 609645 609644 609641 609983	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39 \$28.59	\$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39 \$28.59	\$88.600 \$198.74 \$197.98 \$202.20 \$11.84 \$50.76 \$16.88 \$12.78 \$126.39 \$28.59

RIDER SCRUBBERS

Model T7

BUILT-IN "TENNANT VALUE" INCLUDES:

Fully Cleanable Hygenic[™] Tanks
Extremely Low 67 dBa Noise Levels
Unmatched Solution Recovery
One-Button Scrubbing Operation
Economy Mode (extends run time up to 4.5 hours)
On Board Diagnostics
Touch Panel Controls
Automatic:

Squeegee Lift
Water Shutoff
ec-H2O NanoCleanTM Equipped Models Include:
Electrically Converted Water Technology System
Two Scrubbing Modes: ec-H2O NanoCleanTM & Conventional Scrubbing
Audio Back Up Alarm

Unsurpassed Ergonomic Design Standard 240 AH Battery Pack (Optional 360 AH) Standard 240 AH Battery Hack (Optional 360 AH)
Charger
Edge & Reach Under Cleaning
No Tool Brush / Squeegee Change
Standard Scrubbing Brushes & Pad Drivers (Select One Type)
Vacuum Fan In-Line Air Filter Cartridge
Brush Shutoff When Idle
Brush Shutoff at 80% Discharge

Pre-Configured Machine	ines (Note 1a) Reference Number GSA		GSA F	A Price Including IFF	
	T7 Rider - Disk Scrubber, 650mm / 26", 240AH C/20 Battery, Conventional Cleaning, 25A 115V AC 60Hz 1Ph On-Board Charger (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	77.4040	040 440 45	040 400 40	045.040.44
	T7 Rider - Disk Scrubber, 800mm / 32", 240AH C/20 Battery, Conventional Cleaning, 25A 115V AC 60Hz 1Ph On-Board Charger (Pad Driver and Pad Wrap Packaging will default unless otherwise	T7-1001D	\$16,446.15	\$16,193.13	\$15,940.11
	specified)	T7-1002D	\$17,630.23	\$17,358.99	\$17,087.76
	T7 Rider - Disk Scrubber, 650mm / 26", 240AH C/20 Battery, ec- H20 NanoClean, 25A 115V AC 60Hz 1Ph On-Board Charger (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T7-2001D	\$18,534.66	\$18 249 51	\$17,964.36
	T7 Rider - Disk Scrubber, 800mm / 32", 240AH C/20 Battery, ec- H20 NanoClean, 25A 115V AC 60Hz 1Ph On-Board Charger (Pad Driver and Pad Wrap Packaging will default unless otherwise	17-20010	ψ10,33 4 .00	\$10,240.01	ф17,30 4 .30
	specified)	T7-2002D	\$19,718.74	\$19,415.38	\$19,112.01
	T7 Rider - Disk Scrubber, 650mm / 26", 360AH C/20 Battery, Manual Battery Watering System, ec-H20 NanoClean, 25A 115V AC 60Hz 1Ph On-Board Charger (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T7-3001D	\$19,349.37	\$19,051.69	\$18,754.01
	T7 Rider - Disk Scrubber, 800mm / 32", 360AH C/20 Battery, Manual Battery Watering System, ec-H20 NanoClean, 25A 115V AC 60Hz 1Ph On-Board Charger (Pad Driver and Pad Wrap Packaging will default unless otherwise specified)	T7-3002D	\$20,533.45	\$20,217.55	\$19,901.65
Base Configuration		Reference Number	GSA F	Price Including	IFF
	Cleaning Type		1 unit	2-5 units	6-8 units
	T7 Ride-On Scrubber 650 mm/26" - Disk T7 Ride-On Scrubber 800 mm/32* - Disk	T7-650-D T7-800-D	\$16,004.08 \$17,188.16	\$15,757.86 \$16,923.73	\$15,511.65 \$16,659.29
	Cleaning Technology: (conventional is standard, ec-H2O NanoClean™ can also operate in	conventional mode)			
	ec-H2O NanoClean™	ec-H2ONC-T7	\$2,088.51	\$2,056.38	\$2,024.25
	Battery Type (Note 1)				
	Wet 360AH C/20 (Kit of 4 batteries) (in lieu of standard)	9000815	\$438.14	\$431.40	\$424.65
	Sealed/MF AGM 220AH C/20 (Kit of 4 batteries) (in lieu of standard)	9001915	\$1,090.43	\$1,073.65	\$1,056.88
	Manual Battery Watering Kit (Note 2)	9009619	\$376.57	\$370.78	\$364.99
	Charger (Note 3)				
	19A 100-240V AC 50/60Hz 1Ph - Off-Board for 240AH and 360AH Batteries 25A 100-240V AC 50/60Hz 1Ph, - Off-Board for AGM 220AH	1029256	N/C	N/C	N/C
	Battery 25A 100-240V AC 50/60Hz 1Ph, - Off-Board, in lieu of standard for	9012519	\$142.12	\$139.93	\$137.74
	360AH Battery 25A 115V AC 60Hz 1Ph - On-Board Charger, in lieu of standard	9009486 9001993	\$142.12 \$442.07	\$139.93 \$435.26	\$137.74 \$428.46
	27A 100-240V AC 50/60Hz 1Ph - Off-Board for all Batteries	1230312	\$269.82	\$265.67	\$261.52

Machine	Protection	2	Safety

Seat Belt	9018587	\$56.98	\$56.10	\$55.22
Strobe Light On Tank	9000580	\$478.09	\$470.73	\$463.38
Brushes and Pads (Note 4)	Reference Number			
650mm/26" Disk Scrubbing Brushes/Pa	ds (2 Required)			
Polypropylene (26" Disk, 2 required)	1220223	N/C	N/C	N/C
Nylon (26" Disk, 2 required)	1220226	N/C	N/C	N/C
Pad Driver	1220243	N/C	N/C	N/C
Pads				
26" Pad -Blue Scrubbing - 3M	89047	\$10.48	\$10.32	\$10.16
26" Pad -Red Cleaning - 3M	89048	\$10.48	\$10.32	\$10.16
26" Pad -White Polishing - 3M	89049	\$10.48	\$10.32	\$10.10
800mm/32" Disk Scrubbing Brushes/Pa	ds (2 Required)			
Polypropylene (32" Disk, 2 required)	1220224	N/C	N/C	N/C
Nylon (32" Disk, 2 required)	1220225	N/C	N/C	N/C
Pad Driver	1220244	N/C	N/C	N/C
Pads				
32" Pad -Blue Scrubbing - 3M	63248-2	\$13.10	\$12.90	\$12.70
32" Pad -Red Cleaning - 3M	63248-3	\$13.10	\$12.90	\$12.70
32" Pad -White Polishing - 3M	63248-4	\$13.10	\$12.90	\$12.70
Machine Communication (Note 6)				
IRIS Telemetry Module	9013632	\$895.26	\$881.49	\$867.72
Packaging (Note 7)				
Skid w/Carton, Non-Stackable (in lieu of st	d) 9000550	\$305.84	\$301.14	\$296.43
Notes	-7 9000030	φ303.04	φ301.14	φ29

- 1 In order to obtain the IRIS Battery Metrics, one of the listed Tennant supplied batteries is required.
- 2 Only available on wet batteries, not sealed.
- 3 27A 100-240V AC 50/60Hz 1Ph Off-Board Charger is required to receive IRIS Battery Metrics.
- 4 One set of brushes or pad drivers come standard with a T7.
- 5 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

6 Pre-Paid and Monthly Packages are available for the IRIS Information Service.

IRIS Module is required and NOT included in the price of the IRIS Information Service:

3 Year Pre-Paid IRIS Information Service \$250.00

5 Year Pre-Paid IRIS Information Service \$400.00

A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.

IRIS Telemetry Module only covers the price of the hardware.

IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

27A 100-240V AC 50/60Hz 1Ph - Off-Board Charger and a compatible Tennant supplied battery is required to receive IRIS Battery Metrics is not guaranteed with third party supplied batteries.

7 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

8 Shipping Weights and Dimentions	Pad Wrap	Skid w/Carton
Weight (with 235AH batteries)	975 lbs / 443 kg	1000 lbs / 454 kg
Length	60" / 1,524mm	62" / 1,574mm
Width	39" / 991mm	33" / 838mm
Height	50" / 1,270mm	48" / 1,219mm

T7AMR

BUILT-IN "TENNANT VALUE" INCLUDES:

Fully Cleanable Hygenic[™] Tanks Unmatched Solution Recovery One-Button Scrubbing Operation High Traction Tires Strobe Light on Tank
Touch Panel Controls
Automatic:

Unsurpassed Ergonomic Design Unsurpassed Ergoromic Design
Standard 360 AH Battery Pack
1000W Off-Board Charger
No Tool Brush / Squeegee Change
Standard Scrubbing Brushes & Pad Drivers (Select One Type)
Vacuum Fan In-Line Air Filter Cartridge
Brush Shutoff When Idle Brush Shutoff at 80% Discharge Manual Battery Watering Kit

Squeegee Lift Water Shutoff

ec-H2O NanoClean[™] Equipped Models Include: Electrically Converted Water Technology System
Two Scrubbing Modes: ec-H2O NanoClean TM & Conventional Scrubbing

		GSA Price Including IFF		
T7AMR Scrubber 650 mm/26" - Disk - Wet 360 AH. Manual		1 unit	<u>2-5 units</u>	6-8 units
Battery Watering, Conventional Scrubbing, Pad drivers, and 5 year autonomy service. "Ordering indicates agreement to EULA conditions"	T7AMR-1000A5	\$82,910.52	\$82,004.39	\$81,551.34
T7AMR Scrubber 650 mm/26" - Disk -Lithium batteries, charger, ECH20, Pad drivers, and 5 year autonomy services. "Ordering indicates agreement to EULA conditions"	T7AMR-2000A5	\$95,186.73	\$94,146.44	\$93,626.30

Notes

- 1 Each T7 AMR (Autonomous Mobile Robot) unit will be fitted with a Wet 360AH Battery as standard.
- 2 Manual Battery Watering System is standard. Not available with Fast Charge/TPPL or Li-lon Batteries.
- 3 Off Board Charger is standard
- 4 One set of brushes or pad drivers come standard with a T7AMR.
- 5 Each T7AMR ships with an operator manual and a process guide. Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- 6 This is a pass-through expense from Brain Corp. and cannot be discounted. This covers 3 years of autonomy services and this service is required for autonomous operation of the T7AMR. All orders of the T7AMR are subject to Tennant's General Terms and Conditions available at http://tennantco.com/terms as well as the AMR End User License Agreement available at http://tennantco.com/amreula.
- 7 Pad wrap available only in the Continental US and is the default packaging method.
 Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

8 Shipping Weights and Dimentions	Pad Wrap	Skid w/Carton
Weight (with 360AH batteries)	1090 lbs / 495 Kg	1115 lbs / 506 Kg
Length	60" / 1,524mm	62" / 1,574mm
Width	39" / 991mm	33" / 838mm
Height	50" / 1,270mm	48" / 1,219mm

X6ROVR

BUILT-IN "TENNANT VALUE" INCLUDES:

Fully Cleanable Hygenic[™] Tanks Unmatched Solution Recovery One-Button Scrubbing Operation Velocity Controlled Solution Flow Machine Status Indicator Light Interactive User Interface Electronic Screen Automatic: Squeegee Lift Water Shutoff

Unsurpassed Ergonomic Design Standard Lithium Ion 90AH Battery 1000W On-Board Charger No Tool Brush / Squeegee Change Standard Scrubbing Brushes & Pad Drivers with Insta-Click Brush Shutoff When Idle Brush Shutoff at 90% Discharge Robotic Customer Success Team Support Factory Direct Service

			GSA Price Including IFF		
Base Configuration		Reference Number	1-5 unit	6-11 units	12+ units
	Cleaning Type				
	X6 ROVR Scrubber 660 mm/26" - Disk, Li-Ion Battery 180AH, 41A 100-240V AC 50/60Hz 1Ph - On-Board Charger, Pad Driver, 3 Year Autonomy. "Ordering indicates agreement to EULA conditions"	X6ROVR-660-D	\$76,442.62	\$75,543.29	\$74,643.97
	X6 ROVR Scrubber 660 mm/26" - Disk, Li-Ion Battery 180AH, 41A 100-240V AC 50/60Hz 1Ph - On-Board Charger, Pad Driver, 3 Year Autonomy + XC1 Charging Dock with 27A 100-240V AC 50/60Hz 1Ph Off-Board Charger. "Ordering indicates agreement to EULA conditions"	X6ROVR-660-D- Charger	\$78,583.68	\$77,659.16	\$76,734.65
NOTES:	1 Each X6 ROVR unit will be fitted with a 180 AH Li-Ion Battery Pack (which contains two 90AH Batter	riae)			
	I Each At NOVN unit will be litted with a 160 AH E-1011 battery Fack (which contains two 90AH batter	nes).			
	2 The Tennant XC1 Charging Dock is an off-board charger and is not compatible with units fitted with	the On-Board Charger.			
	3 One set of brushes or pad drivers come standard with the X6 ROVR.				

- 4 Each X6 ROVR ships with an operator manual and a process guide. Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- 5 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI.
- 6 Price includes machine and software to operate autonomously for the life of machine. Software updates on the machine that provide enhancements will continue for up to 5 yrs after purchase of machine.

T380AMR

BUILT-IN "TENNANT VALUE" INCLUDES:

Fully Cleanable Hygenic[™] Tanks Unmatched Solution Recovery One-Button Scrubbing Operation High Traction Tires Strobe Light on Tank Touch Panel Controls Automatic:

Unsurpassed Ergonomic Design Standard 225AH Battery Pack 650W Off-Board Charger No Tool Brush / Squeegee Change Standard Scrubbing Brushes & Pad Drivers (Select One Type) Brush Shutoff When Idle

CCA Dries Including IFF

Brush Shutoff at 80% Discharge Manual Battery Watering Kit

Squeegee Lift Water Shutoff

Charger

ec-H2O NanoCleanTM Equipped Models Include: Electrically Converted Water Technology System Two Scrubbing Modes: ec-H2O NanoCleanTM & Conventional Scrubbing

		GSA Price including IFF		
		1 unit	2-5 units	6-8 units
T380AMR Scrubber 500 mm/20" - Disk - Wet 225 AH, Manual				
Battery Watering, Conventional Scrubbing, Pad driver, and 5 year				
autonomy service. "Ordering indicates agreement to EULA				
conditions"	T380AMR-1000A5	\$76,346.60	\$75,719.09	\$75,300.76
T380AMR Scrubber 500 mm/20" - Disk - Lithium batteries,				
charger, ECH20, Pad driver, and 5 year autonomy services.				
"Ordering indicates agreement to EULA conditions"	T380AMR-2000A5	\$83,043.48	\$82,360.93	\$81,905.89

Notes

- 1 Each T380AMR (Autonomous Mobile Robot) unit will be fitted with a Wet 225AH Battery as standard.
- 2 One brush or pad driver come standard with a T380AMR.
- 3 Each T380AMR ships with an operator manual and a process guide. Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- 4 This is a pass-through expense from Brain Corp. and cannot be discounted. This covers 5 years of autonomy services and this service is required for autonomous operation of the T380AMR. All orders of the T380AMR are subject to Tennant's General Terms and Conditions available at http://tennantco.com/terms as well as the AMR End User License Agreement available at http://tennantco.com/amreula.
- 5 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

6 Shipping Weights and Dimentions	Pad Wrap	Skid w/Carton
Weight (with 225AH batteries)	850 lbs / 386 Kg	
Length	63" / 1,600mm	85" / 2,159mm
Width	40" / 1,016mm	46" / 1,169mm
Height	55" / 1,397mm	62" / 1,575mm

			GSA Price Including		IFF
			1 unit	2-5 units	6-8 units
T681 - Small Ride-On Scrubber - 240AH Wet Batteries 32in (80cm) dual disk cleaning path, pad driver, Linatex squeegee blades. Includes onboard charger, 4-6V batteries		9052040	\$15,333.45	\$15,097.55	\$14,861.65
T681 - Small Ride-On Scrubber - 240AH Wet Batteries 32in (80cm) dual disk cleaning path, brush driver, Linatex squeegee blades. Includes onboard charger, 4-6V batteries		9052043	\$15,333.45	\$15,097.55	\$14,861.65
T681 - Small Ride-On Scrubber - 210AH Sealed AGM Batteries 32in (80cm) dual disk cleaning path, pad driver, Linatex squeegee blades. Includes onboard charger, 4-6V batteries		9052041	\$16,293.55	\$16,042.88	\$15,792.21
T681 - Small Ride-On Scrubber - 210AH Sealed AGM Batteries 32in (80cm) dual disk cleaning path, brush driver, Linatex squeegee blades. Includes onboard charger, 4-6V batteries		9052044	\$16,293.55	\$16,042.88	\$15,792.21
T681 - Small Ride-On Scrubber - 90AH Li-lon Battery 32in (80cm) dual disk cleaning path, pad driver, Linatex squeegee blades. Includes onboard charger, 1-24V battery		9023481	\$16,970.73	\$16,709.64	\$16,448.55
T681 - Small Ride-On Scrubber - 90AH Li-lon Battery		9023483	\$16,970.73	\$16,709.64	\$16,448.55
32in (80cm) dual disk cleaning path, brush driver, Linatex squeegee blades. Includes onboard charger, 1-24V battery					
T681 - Small Ride-On Scrubber - 180 AH Li-lon Batteries		9023482	\$18,411.54	\$18,128.28	\$17,845.03
32in (80cm) dual disk cleaning path, pad driver, Linatex squeegee blades. Includes onboard charger, 2-24V batteries					
T681 - Small Ride-On Scrubber - 180 AH Li-lon Batteries		9023484	\$18,411.54	\$18,128.28	\$17,845.03
32in (80cm) dual disk cleaning path, brush driver, Linatex squeegee blades. Includes onboard charger, 2-24V batteries					
T681 - Small Ride-On Scrubber - NO Batteries 32in (80cm) dual disk cleaning path, pad driver, Linatex squeegee blades. Includes onboard charger		9052042	\$13,856.62	\$13,643.45	\$13,430.27
T681 - Small Ride-On Scrubber - NO Batteries 32in (80cm) dual disk cleaning path, brush driver, Linatex squeegee blades. Includes onboard charger		9052045	\$13,856.62	\$13,643.45	\$13,430.27
Shipping Weight and Dimensions	Pallet w/ ramp				

Shipping Weight and Dimensions Weight (w/ heaviest batteries) Length Width Height

950 lb / 431 kg 59.6 in / 151.5 cm 48.8 in / 124 cm 42.9 in / 109 cm

T981

BUILT-IN "TENNANT VALUE" INCLUDES:

BUILT-IN "TENNANT VA"

36VDC, 21A 85-265 VAC 45/65 Hz Charger
DC Propel Motor
Disk Scrubbing - 36 in (900 mm) path
Cylindrical Scrubbing - 30 in (750 mm) path
Cylindrical Scrubbing - 30 in (750 mm) path
Standard Sweeping Side Brushes (Cylindrical model only)
Standard Cylindrical or Disk Scrubbing Brushes
Non-Corrosive Solution and Recovery Tanks
33 gal (125 L) Solution Tank
35.6 gal (135 L) Recovery Tank
Parabolic Rear Squeegee Breakaway System
Automatic Functions:
Parking Brake
Squeegee Lift

No Tool Squeegee and Brush Change In-Line Vacuum Fan Air Filter High Visibility Maintenance Touch Points Cup Holder Multi-Language Operator Manual and Video

T981 Controls: 3 Preset Scrub Operation Programs On Board Diagnostics Spin on/spin off brush attachment (Disk model only)

			GSA	Price Including	ı IFF
Base Configuration		Reference Number	1 unit	2-5 units	6-8 units
	Cleaning Type				
	T981 Ride-On Scrubber 750 mm/30" - Cylindrical	T981-750-C	\$16,822.72	\$16,563.91	\$16,305.10
	T981 Ride-On Scrubber 900 mm/36" - Disk	T981-900-D	\$16,788.66	\$16,530.38	\$16,272.09
	Battery Type (Note 1)				
	Sealed/MF AGM 350AH C/20 (Kit of 6 batteries) (In Lieu of Standard)	9022563	\$698.14	\$687.40	\$676.65
	Charger				
	Charger Power Cord	1017079	N/C	N/C	N/C
Support					
	Packaging (Note 3)				
	Skid w/Carton, Non-Stackable (In lieu of standard)	T981-SKD	\$318.29	\$313.39	\$308.49
Notes_					
	1 Continental USA orders ONLY.				
	2 A Polypropylene Brush comes standard with a T981.				
	3 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI.				

Model T12

BUILT-IN "TENNANT VALUE" INCLUDES:

Wet, 240 AH C/20 Battery Pack

20 Amp, 115 Volt 60 Hz Charger Two Speed Electronic Transmission with AC Propel Motor Disk or Cylindrical Scrubbing - 32 in (800 mm) path Standard Cylindrical or Disk Scrubbing Brushes (Select One) Non-Corrosive Duramer™ Solution and Recovery Tanks

35 gal (132 L) Solution Tank 44 gal (166 L) Recovery Tank

9 gal (34 L) Demisting Chamber Parabolic Rear Squeegee w/SmartRelease™ Breakaway System Automatic Functions:

Parking Brake Squeegee Lift Water Shutoff

Brush Shutoff When Idle Brush Shutoff at 80% Battery Discharge No Tool Squeegee and Brush Change In-Line Vacuum Fan Air Filter High Visibility Maintenance Touch Points Underwriters Laboratory (UL®) "E" Certification Cup Holder
Operator Manual and Video

Front and Rear Non-Marking Tires

1-Step™ One-Button Scrub Operation 3 Down-Pressure Settings On Board Diagnostics Water Shutoff Switch

T12 Controls:

T12 XP Only Controls and Features: T12 Controls, plus

Steering Wheel Mounted, Touch-N-GO Control Module (XP Only) AV Back-up Alarm Water Shutoff Thumb Switch on Control Module

Head and Tail Lights
Deluxe Seat with Arm Rests

Description Reference Number GSA Price Including IFF Standard Configurations (Note 1 & 2) 1 unit 2-5 units 6-8 units T12 XP Rider - Disk Scrubber, ec-H2O™, Linatex Squeegee, Wet 360 AH C/20 (Kit of 6 batteries) (in lieu of standard), 21A 85-265V AC 50/60Hz 1Ph - 360AH Battery Off Board Charger, UL® Type, E, Side Brush-Right Hand Scrubbing, Heavy Duty Squeegee Protection, Polypropylene Brushes, Operator Manual - English, Parts Manual, Operator Video, Pad MV-T12-0041 \$26.829.77 \$26.417.01 \$26.004.24 Wrap Packaging The above listed configuration is a stock unit – Configuration cannot be altered, changed or added to. T12 Rider - Cylindrical Scrubber, ec-H2O™, Linatex Squeegee, Wet 360AH C/20 (Kit of 6 batteries), Manual Battery Watering Kit, Off-Board 21A 85-265V AC 50/60Hz 1Ph, UL® Type E, Scrubbing Side Brush, Heavy Duty Squeegee Protection, Deluxe Seat w/Armrest, Headlight, AV BU Alarm-Strobe on Tank, Fire Extinguisher, Poly Main and Side Brushes, English Operator Manual, MV-T12-0042 \$27,284.94 \$26,865,17 \$26,445,40 Operator Video, Parts Manual, Pad Wrap Packaging The above listed configuration is a stock unit – Configuration cannot be altered, changed or added to. T12 Rider - Disk Scrubber, Conventional Cleaning, Linatex Squeegee, Wet 360AH C/20 (Kit of 6 batteries), Manual Battery Watering Kit , On-Board 20A 85-130V AC 50/60Hz 1Ph Charger, UL® Type E \$20,278.69 \$19,966.71 \$19,654.73 T12-1000D Choice of Fire Extinguisher, Brushes, Operator Manual and Shipment Packaging available T12 Rider - Cylindrical Scrubber, Conventional Cleaning, Linatex Squeegee, Wet 360AH C/20 (Kit of 6 batteries), Manual Battery Watering Kit, Off-Board 21A 85-265V 50/60Hz 1Ph Charger, UL® Type E, Heavy Duty Squeegee Protection, Safety Light Package, Vacuum Wand, Spray T12-1001C \$22,685.49 \$22,336.48 \$21,987.48 Choice of Fire Extinguisher, Brushes, Operator Manual and Shipment Packaging available. T12 Rider - Cylindrical Scrubber, Conventional Cleaning, Wet 360AH C/20 (Kit of 6 batteries), Manual Battery Watering Kit, On-Board 20A 85-130V 50/60Hz 1Ph Charger, UL® Type E, Productivity Package (Side Scrubbing Brush, Vac Wand, Spray Hose), Safety Light Package (LED Head Light, AV Backup Alarm), Heavy Duty Squeegee Protection T12-2002C \$25,366,70 \$24,976,44 \$24,586,19 Choice of Fire Extinguisher, Brushes, Operator Manual and Shipment Packaging available. T12 Rider - Cylindrical Scrubber, ec-H2O™, Linatex Squeegee, Wet 360AH C/20 (Kit of 6 batteries), Manual Battery Watering Kit, Off-Board 21A 85-265V AC 50/60 Hz 1Ph, Scrubbing Side Brush, Heavy Duty Squeegee Protection, Deluxe Seat w/Armrest, Headlights, AV BU Alarm T12-2000C \$27,284,94 \$26,865.17 \$26,445.40 w/Strobe Light on Tank Choice of Fire Extinguisher, Brushes, Operator Manual and Shipment Packaging available T12 XP Rider - Cylindrical Scrubber, ec-H2O™, Linatex Squeegee, Wet 360AH C/20 (Kit of 6 batteries), Manual Battery Watering Kit, On-Board 20A 85-130V 50/60Hz 1Ph Charger, UL® Type

Choice of Fire Extinguisher, Brushes, Operator Manual and Shipment Packaging available

E, Productivity Package, Safety Light Package, Heavy Duty Squeegee Protection, Deluxe Sea

\$29,021.11 \$28,574.63 \$28,128.15

T12-3000C

Base Configuration		Reference Number	GSA	Price Including	g IFF
	Cleaning Type		<u>1 unit</u>	2-5 units	<u>6-8 ι</u>
	T12 Rider - Conventional Disk Scrubbing	T12-D	\$18,528.11	\$18,243.06	\$17,9
	T12 Rider - Conventional Cylindrical Scrubbing	T12-C	\$19,042.22	\$18,749.26	\$18,
	T12 XP Rider - Conventional Disk Scrubbing	T12-XP-D	\$20,158.19	\$19,848.06	\$19,
	T12 XP Rider - Conventional Cylindrical Scrubbing	T12-XP-C	\$20,674.26	\$20,356.19	\$20,0
	Cleaning Technology: (conventional is standard, ec-H2O can also operate in conventional mode)				
	ec-H2O™	ec-H2O-T12	\$2,595.42	\$2,555.49	\$2,
	Squeegee Material				
	Linatex	9009818	N/C	N/C	N/
	Gum Rubber	9009822	N/C	N/C	N.
	Urethane	9009820	N/C	N/C	N
	Battery Type (Notes 3-7)				
	Wet 360 AH C/20 (in lieu of standard) (Kit of 6 batteries)	9009863	\$713.85	\$702.87	\$
	Sealed/MF AGM 312AH C/6 (Kit of 6 batteries) (in lieu of standard)	325988	\$3,078.09	\$3,030.73	\$2,
	Manual Battery Watering Kit (Note 9)	9009620	\$492.49	\$484.92	\$
	Charger (Note 10)	Reference Number			
	21A 85-265V AC 50/60Hz 1Ph - 360AH Battery (in lieu of standard)	9004241	N/C	N/C	N/
	20A 85-130V AC 50/60Hz 1Ph - On-Board (for all Lead Acid and Li-lon) (in lieu of standard) 21A 85-265V AC 50/60Hz 1Ph - MF AGM 312AH Battery off-board	9009865 314787	\$544.23 \$493.80	\$535.86 \$486.21	\$: \$-
	UL Rating				
	UL® Type ES (in lieu of standard)	9009908	\$1,887.46	\$1,858.42	\$1,
Packages					
	Heavy Duty Protection Package: Includes: Front Bumper & Rear Squeegee Protection	9009854	\$996.12	\$980.80	\$
	Productivity Package: Includes: Scrubbing Side Brush, Vac Wand, Spray Hose	9009855	\$3,518.84	\$3,464.71	\$3,
	Safety Light Package: Includes: LED Head Light and AV Backup Alarm w/Strobe Light	9009909	\$573.05	\$564.23	\$
Cleaning Performance					
	Side Brush, Right Hand Scrubbing	9009824	\$2,880.30	\$2,835.99	\$2,
	Vacuum Wand	9010355	\$570.43	\$561.65	\$
	Spray Nozzle with Hose	9009851	\$811.44	\$798.95	\$
Machine Protection &		0000050	#C4C 07	#ene 70	_
	Heavy Duty Front Bumper	9009856	\$616.27	\$606.79	\$
	Heavy Duty Squeegee Protection	9009858	\$482.02	\$474.60	\$
					\$
	Deluxe Seat (Standard on XP-includes Seat Belt) (Note 11)	9009835	\$375.26	\$369.49	
	Headlight(s) LED (Standard on XP)	9009849	\$261.96	\$257.93	\$
	Headlight(s) LED (Standard on XP) AV BU Alarm - Strobe on Tank (Standard on XP)	9009849 9010352			\$
	Headlight(s) LED (Standard on XP)	9009849	\$261.96	\$257.93	\$
	Headlight(s) LED (Standard on XP) AV BU Alarm - Strobe on Tank (Standard on XP)	9009849 9010352	\$261.96 \$441.41	\$257.93 \$434.62	\$: \$: \$: \$:

Brushes and Pads		Reference Number			
Polyprop	crubbing Brushes/Pads (2 Required) pylene Brush (Disc, 2 required) kbrasive Brush (Disc, 2 required)	1220241 1221543	N/C \$129.67	N/C \$127.68	N/C \$125.68
Pad Driv	ver	1220244	N/C	N/C	N/C
Polyprop	ical Scrubbing Brushes (2 Required) pylene Brush (Cylindrical, 2 required) ubrasive Brush (Cylindrical, 2 required)	1201572 1201928	N/C \$129.67	N/C \$127.68	N/C \$125.68
	crubbing Brush/Pad and Sweeping Brush for Side Brush Option (1 Required) pylene Brush (Disk for side brush option)	1220240	N/C	N/C	N/C
Pad Driv	ver	1220243	N/C	N/C	N/C
	e Communication (Note Iris) lemetry Module	9009888	\$895.26	\$881.49	\$867.72
	ing (note 13) Carton, Non-Stackable (in lieu of std)	9009900	\$466.95	\$459.77	\$452.58

В

1 Quick Ships have a set configuration. Options cannot be added, removed, or modified

Stock levels and lead times my vary, please contact Customer Service to confirm.

Price listed is for the machine as configured ONLY. Additional cost for freight, and applicable tax will be in addition to this price.

 Length
 Width

 11.70 in
 6.95 in

 297 mm
 177 mm
 3 The battery compartment will fit six 6-volt batteries of this size: Battery Size 4 Overall Battery Compartment Size: Length Width

23.89 in (these are the "full compartment" dimensions, allow space on top of battery for watering system clearance, etc) 545 mm 605 mm

5 Model T12 Continuous Runtime Chart. Standard Capacity 240AH T12 Base Unit (economy mode, main scrub only)
T12 Base Unit with RH Sidebrush (economy mode)
The above runtimes are guidelines. Actual times will vary based on floor conditions, final machine configuration & usage 2.9 hours

6A Lithium-Ion batteries require the use of an approved Lithium-Ion compatible charger.

Use of an unproved charger may damage battery and void warranty.

6 To calculate weights with batteries add the following to the product "Net" or "Ship" weights:
240 AH Battery Pack = + 6 Batteries @ 67 lbs (30.4kg) each = 402 lbs (182.5 kg)
360 AH Battery Pack = + 6 Batteries @ 98 lbs (45 kg) each = 588 lbs (267 kg)

7 Expected Cycle Life: Cycle life is the number of charge cycles a battery is expected to last. 240 AH Battery = 500 Cycles 360 AH Battery = 500 Cycles

- 9 ONLY available with Wet (Lead Acid) batteries. Cannot be used with Sealed Gel / AGM or Lithium-Ion Batteries
- 10 The battery charger connector is a 50 amp Anderson (gray). The battery connector is an Anderson 175 amp connector (gray).
- 11 A seatbelt is not offered with the basic seat, but the deluxe seat features a retractable seat belt standard. A scalabelt is not intered with the basic sear, but the delake sear leadines a retractable sear best stain at an additional charge and will increase the lead time. For pricing and lead time impact information contact our Custom Engineering Group.
- 12 Blue Light requires that the AV BU Alarm Strobe on Tank is also configured on the unit. The Blue Light is not available with the Strobe Light on Overhead Guard.
- 13 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.

IRIS Module is required and NOT included in the price of the IRIS Information Service:

3 Year Pre-Paid IRIS Information Service

5 Year Pre-Paid IRIS Information Service

\$250.00 \$400.00

A monthly contract can be set up at \$10 per month wil 12 month minimum commitment.

IRIS Telemetry Module only covers the price of the hardware.

IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

14 Pad wrap available only in the Continental US and is the default packaging method.
Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

The Skid w/Carton, Non-Stackable (PN 9009900) includes the crate and all bracketry for shipping.

Pad Wrap	Skid w/Carton
1460 lbs / 664 Kg	2200 lbs / 998 Kg
68" / 1710 mm	85" / 2159 mm
42" / 1065 mm	46" / 1169 mm
56" / 1420 mm	63" / 1600 mm
	1460 lbs / 664 Kg 68" / 1710 mm 42" / 1065 mm

T1581

BUILT-IN "TENNANT VALUE" INCLUDES:

BUILT-IN "TENNANT VALUE Wet, 360 AH C/20 Battery Pack 36VDC, 21A 85-265 VAC 45/65 Hz Charger DC Propel Motor Disk Scrubbing - 41 in (1050 mm) path Cylindrical Scrubbing - 39 in (1000 mm) path Standard Sweeping Side Brushes (Cylindrical model only) Standard Cylindrical or Disk Scrubbing Brushes (Select One) Non-Corrosive Solution and Recovery Tanks 58 gal (218 L) Solution Tank 63 gal (237 L) Recovery Tank V-shaped Rear Squeegee Breakaway System Automatic Functions:
Parking Brake Squeegee Lift One Scrubbing Mode: Conventional Scrubbing

No Tool Squeegee and Brush Change High Visibility Maintenance Touch Points Multi-Language Operator Manual and Video

T1581 Controls:
3 Preset Scrub Operation Programs
On Board Diagnostics
Spin on/spin off brush attachment (Disk model only)

Base Configuration			Reference Number	GSA	Price Including	IFF
	Cleaning Type			Extra 1% 6-11 Extra 2%		
				<u>1-5 unit</u>	units	12+ units
	T1581 Ride-On Scrubber 1000 mm / 39" - Cylindrical		T1581-1000-C	\$27,760.10	\$27,433.51	\$27,106.92
	T1581 Ride-On Scrubber 1050 mm / 41" - Disk		T1581-1050-D	\$27,760.10	\$27,433.51	\$27,106.92
	Battery Type					
	Sealed/MF AGM 350AH C/20 (Kit of 6 batteries) (in lieu of sta	ndard)	9022563	\$1,043.98	\$1,031.70	\$1,019.42
Support						
·	Packaging (Note 3)					
	Skid w/Carton, Non-Stackable (in lieu of standard)		T1581-SKD	\$476.17	\$470.57	\$464.97
Notes						
	2 A Polypropylene Brush comes standard with a T1581.					
	3 Pad wrap available only in the Continental US and is the default pac Skid w/Carton, Non-Stackable is mandatory when shipping to AK ar					
	4 Shipping Weights and Dimensions (Cylindrical)	Pad Wrap	Skid w/Carton			
	Weight - 1000 mm / 40" Cylindrical (w/ Wet 360Ah)	1,590 lbs / 721 kg	1,239 lbs / 562 kg			
	Length	79 in / 2,010 mm	79 in / 2,010 mm			
	Width	50 in / 1,280 mm	50 in / 1,280 mm			
	Height	61 in / 1,549 mm	62 in / 1,580 mm			
	5 Shipping Weights and Dimensions (Disk)	Pad Wrap	Skid w/Carton			
	Weight - 1050 mm / 42" Disk (w/ Wet 360Ah)	1,590 lbs / 721 kg	1,190 lbs / 540 kg			
	Length	79 in / 2,010 mm	79 in / 2,010 mm			
	Width	50 in / 1,280 mm	50 in / 1,280 mm			
	Height	61 in / 1,549 mm	62 in / 1,580 mm			

Model T16

BUILT-IN "TENNANT VALUE" INCLUDES:

36V, 235 AH Battery Pack

20 Amp, 115 Volt 60 Hz Charger Two Speed Electronic Overdrive Transmission with

Two Speed Electrons. –
AC Propel Motor
Disk or Cylindrcial Scrubbing - 36 in (910 mm) path
Steering Wheel Mounted, Touch-N-GO Control Module
1-Step™ One-Button Scrub Operation

3 Down-Pressure Settings Steering Wheel Mounted Horn On Board Diagnostics Water Shutoff Thumb Switch

Automatic:

Parking Brake Squeegee Lift Water Shutoff

Brush Shutoff When Idle Brush Shutoff at 80% Battery Discharge

ec-H2O $^{\text{TM}}$ Cleaning Solution Includes: Electrically Converted Water Technology System
Two Scrubbing Modes: ec-H2O [™] & Conventional Scrubbing Removable Tool Caddy and Large Cargo Net Storage Area Standard Cylindrical or Disk Scrubbing Brushes (Select One) Hygienic Non-Corrosive Duramer™ Solution and Recovery Tanks

50 gal (190 L) Solution Tank 60 gal (225 L) Recovery Tank 10 gal (38 L) Demisting Chamber Parabolic Rear Squeegee SmartRelease™ Breakaway System Smartkeiease " Breakaway System Linatex Squeegee Blades Cast Aluminum Rear Squeegee Frame No Tool Squeegee and Brush Change In-Line Vacuum Fan Air Filter

High Visibility Maintenance Touch Points Underwriters Laboratory (UL®) "E" Certification Cup Holder

Operator Manual and Video Front and Rear Non-Marking Tires

Reference Number GSA Price Including IFF Standard Config (Note 1) Cleaning Type T16 Rider - Disk Scrubber, Conventional Cleaning Technology, Wet 360AH C/20, Manual Battery T16-1000D \$33,557.92 \$33,176.58 \$32,795.24 Watering System, On-Board 20A 85-130V AC 50/60Hz 1Ph Charger, UL® Type E, Standard Seat Choice of HD Front Bumper, Overhead Guard, Fire Extinguisher, Brushes, Operator Manual, Service Manual, and Shipment Packaging available. **T16 Rider - Cylindrical Scrubber**, Conventional Cleaning Technology, Wet 240AH C/20 Battery, Off-Board 21A 85-265V AC 50/60Hz 1Ph Charger, UL® Type E, Standard Seat T16-1001C \$31,187.91 \$30,833.50 \$30,479.09 Choice of HD Front Bumper, Overhead Guard, Fire Extinguisher, Brushes, Operator Manual, Service Manual, and Shipment Packaging available. T16 Rider - Cylindrical Scrubber, ec-H20 ®Cleaning Technology, Wet 360AH C/20 Battery, Off-Board 21A 85-265V AC 50/60Hz 1Ph Charger, UL® Type E, Safety Light Package, Spray Nozzle with Hose, Heavy Duty Squeegee Protection, Deluxe Seat w/Armrests, Fire Extinguisher T16-2000C \$38.816.64 \$38.375.55 \$37.934.45 Choice of HD Front Bumper, Overhead Guard, Fire Extinguisher, Brushes, Operator Manual, Service Manual, and Shipment Packaging available. T16 Rider - Cylindrical Scrubber, Conventional Cleaning Technology, Wet 360AH C/20 Battery, Manual Battery Watering, On-Board 20A 85-130V AC 50/60Hz 1ph Charger, UL® Type E, Safety Light Package (LED Headlight and AV BU Alarm), Productivity Package (Scrubbing Side Brush, Spray Nozzle with Hose and Vacuum Wand), Heavy Duty Squeegee Protection T16-2003C \$39,750.29 \$39,298.58 \$38,846.87 Choice of HD Front Bumper, Overhead Guard, Fire Extinguisher, Brushes, Operator Manual, Service Manual, and Shipment Packaging available. T16 Rider - Cylindrical Scrubber, ec-H20 @Cleaning Technology, Wet 360AH C/20 Battery, On-Board 20A 85-130V AC 50/60Hz 1ph Charger, UL® Type E, Safety Light Package, Scrubbing Side Brush, Spray Nozzle with Hose, Heavy Duty Squeegee Protection, Deluxe Seat w/Armrest \$43,452.94 \$42,959.15 \$42,465.37 T16-3000C

Choice of HD Front Bumper, Overhead Guard, Fire Extinguisher, Brushes, Operator Manual, Service Manual, and Shipment Packaging available

Base Configuration		Reference Number	GSA I	Price Including	IFF
	Cleaning Type		1 unit	2-5 units	6+ units
	T16 Rider - Conventional Disk Scrubbing	T16-910-D	\$31,187.91	\$30,833.50	\$30,479.09
	T16 Rider - Conventional Cylindrical Scrubbing	T16-910-C	\$31,187.91	\$30,833.50	\$30,479.09
	Cleaning Technology: (conventional is standard, ec-H2O can also operate in conventional mode) (note23)				
	ec-H2O™	ec-H2O-T16	\$4,005.88	\$3,960.36	\$3,914.84
	ES® Extended Scrub (Note 3)	ES-T16	\$4,002.34	\$3,956.86	\$3,911.38
	Detergent Metering (Note 4)	9020977	\$2,823.98	\$2,791.89	\$2,759.80
	Squeegee Material				
	Linatex	9008127	N/C	N/C	N/C
	Gum Rubber	9008129	N/C	N/C	N/C
	Urethane	9008128	N/C	N/C	N/C
	Battery Type (Notes 5-9)				
	Wet 360 AH (in lieu of standard)	9008141	\$966.45	\$955.47	\$944.48
	Sealed/MF AGM 312AH C/6 (in lieu of standard)	325818	\$4,167.25	\$4,119.90	\$4,072.54
	Manual Battery Watering System (Note 11)	9009620	\$666.76	\$659.18	\$651.61
	Battery Exchange System (Notes 12)				
	Rollout Battery System (roll-out gear in machine & battery case (no batteries)	9008082	\$3,089.09	\$3,053.98	\$3,018.88
	Extra Battery, 360 AH Wet (Note 14a)	9008523	\$2,060.57	\$2,037.16	\$2,013.74
	EasyGlide™ Battery Cart (Note 13 & 14)	9007087	\$2,199.78	\$2,174.78	\$2,149.78
	Charger (Note 15)	Reference Number			
	21A 85-265V AC 50/60Hz 1Ph - Off-Board for Lead Acid Battery	9003372	N/C	N/C	N/C
	21A 85-265V AC 50/60Hz 1Ph - Off-Board for Rollout System Only	9003373	N/C	N/C	N/C
	20A 85-130V AC 50/60Hz 1Ph - On-Board Charger in Ileu of standard	9008080	\$736.81	\$728.43	\$720.06
	21A 85-265V AC 50/60Hz 1Ph - Off-Board charger for AGM Battery		\$668.53	\$660.94	\$653.34
	(In lieu of std)	314787	\$000.03	φ000.94	φυ33.34
	21A 85-265V AC 50/60Hz 1Ph - On Board for AGM Battery Custom Solution	325824	\$1,793.69	\$1,773.31	\$1,752.93

	UL Rating				
	UL® Type ES (in lieu of std)	325825	\$2,555.32	\$2,526.29	\$2,497.25
Packages (Note 16)	Heavy Duty Protection Package: OHG, Front Bumper, & Rear				
	Squeegee Protection	9008530	\$2,711.38	\$2,680.56	\$2,649.75
		9006330			
	Productivity Package - Scrubbing: Side Scrub Brush, Vac Wand, Spray Hose		\$4,763.97	\$4,709.83	\$4,655.70
		9008531			
	Safety Light Package: LED Head Light and AV Backup Alarm		\$775.82	\$767.00	\$758.19
	(strobe warning light	9008529			
Cleaning Performance					
Glouining i Griorinanios	Pre-Sweep with Dual Side Brush (Note 4, 17, & 18)	9008048	\$5,549.54	\$5,486.48	\$5,423.42
	Side Brush: RH Scrubbing	9008038	\$3,899.49	\$3,855.17	\$3,810.86
	Vacuum Wand	9008046	\$772.27	\$763.50	\$754.72
	Spray Nozzle with Hose	9008042	\$1,098.56	\$1,086.08	\$1,073.59
	Dual Vacuum Fans (Note 19)	9008036	\$768.73	\$759.99	\$751.25
	Drain Control Valve - Solution and Recover (Note 20) Custom Solution	325692	\$1,603.06	\$1,584.85	\$1,566.63
Machine Protection & Sa	fetv.				
machine i rotection a oa	Heavy Duty Front Bumper (Note 19)	9006922	\$834.34	\$824.86	\$815.38
	Heavy Duty Squeegee Protection	9008066	\$652.57	\$645.16	\$637.74
	Overhead Guard (order Heavy Duty Front Bumper also) (Note 20)	9008018	\$1,805.22	\$1,784.71	\$1,764.19
	Deluxe Seat with Arm Rest (In Lieu of Standard) (Note 21)	9008032	\$508.05	\$502.28	\$496.50
	Headlight(s) LED	9008068	\$354.66	\$350.63	\$346.60
	AV BU Alarm-Strobe on Tank	9008138	\$597.60	\$590.81	\$584.02
	Strobe Light on OHG	9008134	\$597.60	\$590.81	\$584.02
	Blue Light (Note 24)	9020971	\$890.20	\$880.08	\$869.96
	Fire Extinguisher	9008079	\$304.12	\$300.66	\$297.21
	Trailer Transport Kit (cover latches for trailering)	9008057	\$172.01	\$170.06	\$168.10
Brushes and Pads					
Brusnes and Pads	Disk Scrubbing Brushes/Pads (2 Required)				
	Polypropylene Brush (Disk, 2 required)	1220188	N/C	N/C	N/C
	Super Abrasive Brush (Disk, 2 required)	1220190	\$175.56	\$173.56	\$171.57
	Pad Driver	1220200	N/C	N/C	N/C
	Cylindrical Scrubbing Brushes (2 Required)				
	Polypropylene Brush (Cylindrical, 2 required)	1053893	N/C	N/C	N/C
	Heavy Duty Polypropylene Brush (Cylindrical, 2 required)	1053894	N/C	N/C	N/C
	Super Abrasive Brush (Cylindrical, 2 required)	1062578	\$175.56	\$173.56	\$171.57
	Diels Completion Developed and Consensing Developed for Cida Developed (4 Described)				
	<u>Disk Scrubbing Brush/Pad and Sweeping Brush for Side Brush Option (1 Required)</u> Polypropylene Scrubbing Brush (Disk brush for side brush option)	1220240	N/C	N/C	N/C
		1220240	N/C	N/C	N/C
	Polypropylene Sweeping Brush (Disk brush for side brush option - Cylindrical only) Heavy Duty Polypropylene Brush (Disk brush for side brush option)	1220100	N/C N/C	N/C	N/C
	Super Abrasive Brush (Disk brush for side brush option)	1220231	\$175.56	\$173.56	\$171.57
	Pad Driver	1220243	N/C	N/C	N/C
	Machine Communication (Note Iros)				
	IRIS Telemetry Module	9009448	\$1,212.05	\$1,198.28	\$1,184.50
	Packaging (Note 25)				
	Crate - Non-Pre-Sweep (In leiu of standard)	9008063	\$1,189.00	\$1,175.49	\$1,161,97
	Crate - Pre-Sweep (In leiu of standard)	9008056	\$1,189.00	\$1,175.49	\$1,161.97
	Skid (In leiu of standard)	9008064	\$632.18	\$625.00	\$617.81

2 Cleaning Solutions are available factory installed only; Select only one, none are available combined with another:

ES Extended Scrubbing system

ec-H2O™ option (Disk)

ec-H2O [™] option (Disk) ec-H2O [™] option (Cylindrical) T16 ES includes the continuous cleaning ES filter system and detergent dispensing.

3 ES Extended Scrubbing System is not available with the Pre-Sweep System.

4 The battery compartment will fit six 6-volt batteries of this size:

Width 6.94 in 175 mm Length 11.66 in 295mm

5 Detergent Metering is only available with Conventional Cleaning Technology.

6 The battery compartment will fit six 6-volt batteries of this size: Battery Size

Width 6.94 in 175 mm 295mm

Standard Configurations are set configurations as listed and cannot be altered.
 However, these are partial configurations which require the selection of
 Brushes, Operator Manuals, Service Manual, and Shipment Packaging.

Capacity 235AH T16 Base Unit (economy mode, main scrub only) T16 Base Unit with RH Sidebrush 2.75 hours 2.25 hours T16 with Dual Vacuum Fans 2.0 hours T16 with Pre-Sweep (dust control "off")
T16 with Pre-Sweep (dust control "on")

The above runtimes are guidelines. Actual times will vary based on floor conditions, final machine configuration & usage The battery charger connector is a 50 amp Anderson (gray). The battery connector is an Anderson 175 amp connector (gray).

8 To calculate weights with batteries add the following to the product "Net" or "Ship" weights:

235 AH Battery Pack = + 6 Batteries @ 67 lbs (30.4kg) each = 402 lbs (182.5 kg)
360 AH Battery Pack = + 6 Batteries @ 97 lbs (44 kg) each = 582 lbs (264.2 kg)
Lithium-Ion batteries require the use of an approved Lithium-Ion compatible charger

Use of an unproved charger may damage battery and void warranty.

The 90A Charger for the Lithium Battery pack is a 90A DC output charger. It requires single phase 220-240V AC 30 amp circuit and comes with a plug that fits a NEMA L6-30r twist lock recepticle.

9 Expected Cycle Life: Cycle life is the number of charge cycles a battery is expected to last. 235 AH Battery = 500 Cycles 360 AH Battery = 500 Cycles

- 11 ONLY available with Wet (Lead Acid) batteries. Cannot be used with Sealed AGM or Lithium-Ion Batteries
- 12 The Roll-Out Battery Exchange System is not available with Lithium-Ion Batteries
- Only the 21A 85-265V AC 50/60Hz 1Ph charger (9003373 or 314787) is available with the Roll-Out Battery Exchange System.

 13 Rollout carts must be ordered separately. When ordering the Rollout Battery System, it is
- recommended that the customer upgrades to the 360 AH battery pack. System does not include batteries. Should the customer wish to use their own battery supplier, they have 2 options:

 a. Buy batteries to fit in Tennant steel case see below for internal dimensions.
- b. Buy their own steel case battery (there is no deduction for this) see below for external dimensions.

	Width	Length
External Dimensions:	19.56 in	29.13 in
	495 mm	740 mm
Internal Dimensions:	19.185 in	28.75 in
	485 mm	730 mm

An extra steel case can be ordered without batteries; part number is 369483

- 14 Recommend purchase of two (2) 9007087 carts if you do not have a station to roll off the batteries on to
- 14a 9008523 Extra Battery Pack (360 AH) in Steel Case for Rollout, may also order two (2) additional with Machine
- 15 The battery charger connector is a 50 amp Anderson (gray). The battery connector is an Anderson 175 amp connector (gray). The On-Board Charger for AGM batteries is a Custom Solution only. Custom Solutions may add to lead time of unit.
- 16 In order to receive the kit offer the kit part # MUST be ordered.
- 17 When ordering the Presweep, the customer can NOT order the RH Sidebrush, Head Light or SE Front Bumper Due to the additional power consumption of the Presweep, it is recommended that the 360 AH batteries be purcha Otherwise, the run-time will ONLY be 1 hour.
- 18 If unit is being sold for a Silica Dust application, only a Scrubbing Side Brush can be used. Pre-Sweep System is prohibited.
- 19 When ordering the dual fans please note that both fans operate and runtime is affected, see note 5
- 20 Drain Control Valve is available with dual drains only. No deduction is available for a single drain. The length of hose for the Positive Drain control system is 10 ft (3 m). Drain Control Valve is not compatible with the Heavy Duty Squeegee Guard
- 21 The 9006922 SE Front Bumper bolts directly to the Frame. Front Corner Rollers are Removed. If ordering OHG order 9008060 SE Front Bumper with OHG instead.
- 22 When ordering the Overhead Guard, the SE Bumper w/OHG PN 9008060 must also be ordered -Unless ordering Presweep
- 23 A seatbelt is not offered with the basic seat, but the deluxe seat features a retractable seat belt standard.
- 24 Blue Light requires that the AV BU Alarm Strobe on Tank is also configured on the unit. The Blue Light is not available with the Strobe Light on Overhead Guard.

Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service

IRIS Module is required and NOT included in the price of the IRIS Information Service:

3 Year Pre-Paid IRIS Information Service 5 Year Pre-Paid IRIS Information Service \$250.00

A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.

26 Shipping Weight and Dimensions

IRIS Telemetry Module only covers the price of the hardware.
IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package

25 Pad wrap available only in the Continental US and is the default packaging method.

Crate is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations. The destination kit (PN 9008063) includes the crate and all bracketry for shipping.

Crate Weight (w/240AH Battery) 1900 lbs / 862 Kg 2100 lbs / 953 Kg 74" / 1,880 mm 42" / 1,067 mm 58" / 1,473 mm Length 90" / 2.286 mm Width 55" / 1.397mm Height

Pad Wrap

T16AMR

BUILT-IN "TENNANT VALUE" INCLUDES:

Manual and Autonomous Mode Operation Cylindrical Scrubbing - 36 in (910 mm) path One Set of Cylindrical Brushes (Select One) Battery & Charger: Select Version Controls: Manual Mode 1-Step™ One-Button Scrub Operation Variable Water and Down Pressure Double Scrub Capable
Controls: Autonoumous Scrubbing Touch Screen with Security PIN Access 1-Step™ One-Button Scrub Operation Blue Start Stop Button 10 Home Markers with 6 Routes/Marker Capability to Connect and Repeat Routes Mobile Device Pairing for Notifications & Alerts
Operator Manual and On-Board Learning Center Videos Trailer transport kit

Equipment Specifics: ec-H2O[™] Nano Clean Includes: Electrically Converted Water Technology System Two Scrubbing Modes: ec-H2O[™] & Conventional Scrubbing Hygienic Non-Corrosive Duramer™ Solution and Recovery Tanks 50 gal (190 L) Solution / 60 gal (225 L) Recovery Tanks Parabolic Rear Squeegee SmartRelease™ Breakaway System Linatex Squeegee Blades Cast Aluminum Rear Squeegee Frame No Tool Squeegee and Brush Change In-Line Vacuum Fan Air Filter High Visibility Maintenance Touch Points Safety and Protection: Head/Tail Lights Jov Ride Detection AV Backup Alarm HD Squeegee Protection Non-Marking Tires On-Board Videos Turn Signals Forward Blue Light

Auto Parking Brake

Length

TENNANT COMPANY WARRANTY 36 MONTHS OR 2000 HOURS - PARTS 24 MONTHS - LABOR 6 MONTHS - TRAVEL

10 YEARS ON DURAMER™ TANKS GSA Price Including IFF T16AMR Rider - Cylindrical Scrubber ec-Nano ®Cleaning Technology, Wet 360AH Battery, Manual Battery Watering, 21A 85-265V AC 50/60Hz 1Ph Off-Board Charger, UL® Type E, Safety Light Package w/Forward Blue Light, Linatex Squeegee, Heavy Duty Squeegee Protection, T16AMR-1000A5 \$136,280.25 \$135,204.35 \$134,128.45 Standard Seat, 5-Year Autonomy Services. "Ordering indicate es agreement to EULA condit T16AMR Rider - Cylindrical Scrubber, ec-Nano @Cleaning Technology, 36v 11.5kWh (320AH) Lithium Battery, 90A 200-240V AC 50/60 Hz 1Ph Off-Board Charger w/FAST Charge Charging Port, UL® Type E, Safety Light Package w/Forward Blue Light, Linatex Squeegee, Heavy Duty Squeegee Protection, Standard Seat (See note 6 on Charger), 5-Year Autonomy Services. "Ordering indicates agreement to EULA conditions" T16AMR-2000A5 \$146.689.57 \$145.531.50 \$144.373.42

Width

UL Type E Certified

Notes

1 Standard Configurations are set configurations as listed and cannot be altered. However, these are partial configurations which require the selection of a Charger, Brushes, Operator Manuals, Service Manual, and Shipment Packaging.

2 The battery compartment will fit six 6-volt batteries of this size:

Battery Size	11.66 inch	6.94 inch
	295 mm	175 mm
Model T16AMR Continuous Runtime Chart.	Bat	tery Pack
	Flooded	Lithium
	<u>360AH</u>	11.5kWh
3 Base Unit (economy mode) (up to)	4.0 hrs	5.4 hrs
Recharge Time @ fully discharged	14.0 hrs	4.0 hrs
Maximum 24hr Operating Time (up to)	5.3 hrs	13.8 hrs

The above runtimes are guidelines. Actual times will vary based on floor conditions, final machine configuration & usage

- 4 Expected Cycle Life: Cycle life is the number of charge cycles a battery is expected to last. 360 AH Flooded Battery = 500 Cycles 11.5 kWh Lithium Battery = 2000 Cycles
- 5 Lithium-Ion batteries require the use of an approved Lithium-Ion compatible charger. Use of an unproved charger may damage battery and void warranty.
- 6 The 90A Charger for the Lithium Battery pack is a 90A DC output charger. It requires single phase 220-240V AC 30 amp circuit and comes with a plug that fits a NEMA L6-30r twist lock recepticle.
- 7 Each T16AMR ships with an operator manual. Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- 8 This is a pass-through expense from Brain Corp. and cannot be discounted. This covers 5 years of autonomy services and this service is required for autonomous operation of the T16AMR, All orders of the T16AMR are subject to Tennant's General Terms and Conditions available at http://tennantco.com/terms as well as the AMR End User License Agreement available at http://tennantco.com/amreula.
- 9 Pad wrap available only in the Continental US and is the default packaging method. Crate is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations. Continental USA orders ONLY.

10 Shipping Weight and Dimensions	Pad Wrap	Crate
Weight (w/360AH Battery)	1900 lbs / 862 Kg	2100 lbs / 953 Kg
Length	74" / 1,880 mm	90" / 2,286 mm
Width	42" / 1,067 mm	55" / 1,397 mm
Height	58" / 1 473 mm	66" / 1 677 mm

Model T17

BUILT-IN "TENNANT VALUE" INCLUDES:

1-Step™ One Button Scrub Operation
Touch-N-Go™ Wheel Mounted Module
Recover Tank Full & Solution Tank Empty Indicator
Non Marking Drive Wheel
Yellow Maintenance Touch Points
Recovery Tank Debris Tray
In-Line Vacuum Fan Filter
Tracking Rear Parabolic Squeegee
SmartRelease™ Breakaway Rear Squeegee
Underwriters Laboratory (UL®) E Certified

Onboard Diagnostics
Steering Wheel Mounted Horn
Steering Wheel Mounted Water Shut-Off
Maintenance Free Scrub Brush and Propel Motors
Duramer™ Tanks & Shrouds
Variable Flow Tank Drains
No-Tool Squeegee Change
No-Tool Brush Change
Full Wrap Steel Bumper with Front Cushioned Corner Rollers

				Price Including	
Standard Configurations	s (Note 1)		<u>1 unit</u>	<u>2-5 units</u>	6-8 units
	T17 Rider - Cylindrical Scrubber, Pro Membrane Panel, Conventional Cleaning Technology, Wet 750AH C/6 Battery, UL® Type E, Standard Seat, Non-Marking Front and Rear Tires Choice of Charger, Overhead Guard, Fire Extinguisher, Brushes, Operator Manual and Shipr	T17-1000C nent Packaging available.	\$44,586.08	\$44,079.42	\$43,572.7
	T17 Rider - Cylindrical Scrubber, Pro Membrane Panel, ec-H2O™ with S.E. Switch Capability, Wet 750AH C/6 Battery, UL® Type E, Safety Light Package, Right Hand Scrubbing Side Brush, Telescopic Recovery Tank Drain, Heavy Duty Squeegee Protection, Deluxe Seat w/Armrest, Non-Marking Front Tire, Non-Marking Rear Tire Choice of Charger, Overhead Guard, Fire Extinguisher, Brushes, Operator Manual and Shipr	T17-2000C nent Packaging available.	\$54,490.84	\$53,871.63	\$53,252.
	T17 Rider - Cylindrical Scrubber, Pro-Panel, ec-H2O™ with S.E. Switch Capability, Wet Tubular 930AH C/6 Battery, Battery Connection Assist, Battery Watering System, UL® Type E, Productivity Package, Safety Light Package, Heavy Duty Squeegee Protection, Power Steering, Deluxe Seat with Armrest, Non-Marking Front Tire, High Traction Non-Marking Rear Tire Choice of Charger, Overhead Guard, Fire Extinguisher, Brushes, Operator Manual and Shipr	T17-3000C nent Packaging available.	\$65,555.35	\$64,810.40	\$64,065.
Base Configuration		Reference Number	GSA I	Price Including	<u>IFF</u>
	Cleaning Type	T47.D	1 unit	2-5 units	6-8 units
	T17 MaxPro™ 1000 Scrubhead - Disk Conventional T17 MaxPro™ 1000 Scrubhead - Cylindrical Conventional (Note 2)	T17-D T17-C	\$37,699.47 \$38,397.26	\$37,271.06 \$37,960.93	\$36,842.6 \$37,524.5
	Trim Level				
	Membrane Panel Pro-Panel	MP-T17 PPC-T17	N/C \$2,630.69	N/C \$2,600.80	N/C \$2,570.
	Cleaning Technology: (conventional is standard, ec-H2O can also operate in conventional mode)				
	ec-H2O™ with S.E. Switch Capability ES® Extended Scrub (Note 3)	ec-H2O-T17 ES-T17	\$4,053.76 \$3,708.86	\$4,007.70 \$3,666.71	\$3,961 \$3,624
	Detergent Metering (Note 4)	9020089	\$2,823.98	\$2,791.89	\$2,759.
	Squeegee Material				
	Linatex Gran Rubber Urethane	9020053 9020054 9020055	N/C N/C N/C	N/C N/C N/C	N/C N/C N/C
	Power Source Fuel Cell Prep (Note 5)	9018412	\$1,781.28	\$1,761.04	\$1,740.
		3010412	ψ1,701.20	ψ1,701.04	ψ1,740.
	Battery Type (Note 6-9) Wet 750AH C/6	9020113	\$6,188.82	\$6,118.49	\$6,048.
	Wet Tubular 930AH C/6 Wet Tubular 930AH C/6 OC (Single Point Watering & Wi-IQ Monitor)	9020114	\$9,382.53	\$9,275.91	\$9,169.
	*Opportunity Charger required	9017261	\$10,282.48	\$10,165.63	\$10,048.
	Battery Connection Assist Battery Watering System (Note 11)	9018414 9020115	\$328.95 \$659.67	\$325.21 \$652.17	\$321. \$644.
	Battery Exchange System (Notes 12-15)				
	Battery Slide Out System	9020125	\$1,040.93	\$1,029.10	\$1,017.
	Extra Battery, 36V, 750AH Wet Extra Battery, 36V, 930AH Wet	1207938 1210313	\$7,951.48 \$11.563.69	\$7,861.12 \$11.432.28	\$7,770. \$11,300.
	Extra Battery, 36V, 930AH Wet Extra Battery, 36V, 930AH Wet with Watering Kit	1210313	\$12,079.72	\$11,432.26	\$11,805.
	Charger (Note 16-17)	Reference Number			
	80A 200-240VAC 50/60Hz 1Ph (for 750AH and 930AH Battery) 80A 200-240VAC 50/60Hz 3Ph (for 750AH and 930AH Battery)	1207933 1207934	\$2,835.51	\$2,803.28	\$2,771.
	100A 200-240V AC 50/60 Hz 3Ph, High Frequency for 750AH and 930AH Battery	1212158	\$3,518.23 \$3,392.32	\$3,478.25 \$3,353.77	\$3,438. \$3,315.
	120A 480V AC 3Ph, High Frequency for 750AH and 930AH Battery 240A 480V AC 50/60Hz 3Ph - Opportunity Charger for 930AH Battery	1207936 1219396	\$3,798.41 \$5,322.56	\$3,755.24 \$5,262.08	\$3,712. \$5,201.
	UL Rating				
	UL® Type ES (in lieu of standard)	9020143	\$3,480.10	\$3,440.55	\$3,401.
ackages	Productivity Package: Scrub SB, Vac Wand, and Spray Hose	9020048-9020079	\$4,599.05	\$4,546.79	\$4,494.

Cleaning Performance Sid	e Brush: RH Scrubbing	9020048	\$3,899.49	\$3,855.17	\$3,810.86
Sid	le Brush: Dual Sweeping (Cylindrical Only) (Note 18)	9020205	\$4,419.95	\$4,369.72	\$4,319.5
	cuum Wand	9020079	\$585.19	\$578.54	\$571.8
Liv	e Wand (Note 19)	9018415	\$3,974.85	\$3,929.68	\$3,884.5
Spi	ray Nozzle with Hose	9020075	\$1,112.75	\$1,100.10	\$1,087.4
Hig	h Pressure Spray (Note 20)	9018411	\$5,755.24	\$5,689.84	\$5,624.4
	covery Tank Drain Control Valve (Note 21)	9020092	\$703.11	\$695.12	\$687.1
Machine Protection & Safety					
He	avy-Duty Squeegee Protection	9020025	\$659.67	\$652.17	\$644.6
Ov	erhead Guard	9020028	\$1,894.77	\$1,873.24	\$1,851.7
Po	wer Steering	9020095	\$3,238.93	\$3,202.13	\$3,165.3
De	luxe Seat (in lieu of standard)	9020102	\$512.48	\$506.66	\$500.8
Fro	ont Tire, High Traction (in lieu of standard)	9020018	\$659.67	\$652.17	\$644.6
Re	ar Tires, High Traction, Non-Marking (in lieu of standard)	9020021	\$312.99	\$309.43	\$305.8
	adlight(s) LED	9020104	\$357.32	\$353.26	\$349.2
	BU Alarm - Stobe on Tank	9020108	\$597.60	\$590.81	\$584.0
	obe Light on Overhead Guard	9020106	\$420.27	\$415.50	\$410.7
	e Light (Note 22)	9021202	\$983.29	\$972.12	\$960.9
	e Extinguisher	9020138	\$304.12	\$300.66	\$297.2
	iller Transport Kit	9020152	\$172.01	\$170.06	\$168.1
Pol Nyi	xPro ^w 1000 Disk Scrubbing Brushes/Pads (2 Required) ypropylene Brush (Disk, 2 required) ion Brush (Disk, 2 required) per Abrasive Brush (Disk, 2 required)	14953 14967 378951	N/C N/C \$175.56	N/C N/C \$173.56	N/C N/C \$171.5
Pa	d Driver (Main)	397920	N/C	N/C	N/C
Ma	xPro™ 1000 Cylindrical Scrubbing Brushes (2 Required)				
	ypropylene Brush (Cylindrical, 2 required)	386230	N/C	N/C	N/C
	per Abrasive Brush (Cylindrical, 2 required)	386240	\$175.56	\$173.56	\$171.5
Sic	le Scrub/Sweep Brushes (Standard with Side Brush Assembly - Pick One)				
Pol	ypropylene Brush (Side brush)	1220241	N/C	N/C	N/C
Pol	ypropylene Sweep Brush (Included w/option) (Side brush) - Cylindrical only	87419	N/C	N/C	N/C
Su	per Abrasive Brush (Side brush)	1221543	\$175.56	\$173.56	\$171.5
Pa	d Driver (Side Brush)	1220199	N/C	N/C	N/C
	chine Communication (Note IRIS)				
	S Telemetry Module	9017310	\$1,212.05	\$1,198.28	\$1,184.5
	ckaging (Note 24)	0020450	#000 64	¢077.00	#000 1
	ate (in lieu of standard)	9020150	\$988.61	\$977.38	\$966.1
No	n-Stackable Skid (in lieu of standard)	9020151	\$666.76	\$659.18	\$651.6

- 1 Standard Configurations are set configurations as listed and cannot be altered. However, these are partial configurations which require the selection of Chargers, Overhead Guard, Fire Extinguisher, Brushes, Operator Manuals, Service Manual, and Shipment Packaging.
- 2 Standard debris tray on cylindrical unit has a hole in the bottom for water drainage.
- 3 ES® Extended Scrub system is available factory installed only. This option includes Autofill feature and Detergent Metering system
- 4 Detergent Metering is only available with Conventional Cleaning Technology.
- 5 Fuel Cell installs a prep kit to accept a fuel cell system by the customer. This option removes the need and ability to add a battery to the machine. The Fuel Cell kit is designed to accept the Plug Power 2300 Series fuel cells.

 Live Vacuum Wand (9018413) and Pressure Washer (9018411) CAN NOT be ordered with machines prepped for fuel cell. There is an interference between the hinges, lift cylinder, and the fuel cell itself that prevent this availability.

6 MODEL T17 - USE ONE 36 VOLT BATTERY
Unit has one battery compartment that is available in three sizes: 750AH and 930AH and two
configurations (Standard and Slide Oul). Size below is entire battery compartment.
The battery format is an **Upright Forklift Battery** and the overall compartment dimensions are:

38.1 inch / 970 mm 16.3 inch / 415 mm 32.6 inch / 830 mm 31.3 inch / 795 mm Length: Width: Height (WITH slide out system): Maximum Weight: 2,300 lbs/1,045kg

Model T17 Continuous Runtime Chart. (up to) 750AH 930AH Fconomy Mode, DP Level 1, ec-H2O 5 75 Hours 7.5 Hours DP Level 1 on Main Head, plus Side Brush, ec-H2O DP Level 3 on Main Head, ec-H2O 6.5 Hours 4.25 Hours 4.75 Hours 3.25 Hours DP Level 2 on Main Head, plus Presweep, ec-H2O 2.75 Hours 3.5 Hours

The runtimes are guidelines. Actual times will vary based on floor conditions, final machine configuration & usage

8 To calculate weights with batteries add the following to the product "Net" or "Ship" weights:

500 AH Battery = +1458 lbs / 663 kg 750 AH Battery = +2124 lbs / 965 kg 930 AH Battery = +2178 lbs / 990 kg

9 Expected Cycle Life: Cycle life is the number of charge cycles a battery is expected to last. Type of Battery = Number of Cycles

750 AH Battery = 1200+ Cycles 930 AH Battery = 1500+ Cycles

Flat Plate Construction Tubular Construction

11 ONLY available with Wet (Lead Acid) batteries.

Each Wet / Lead Acid Battery is available with and without a battery watering system.

Manual Battery Watering System is manufactured on the battery and cannot be added in the field.

- 12 Slide-out battery kit does not include battery extraction device
- 13 For battery extraction, the height of the battery compartment is 20 inch / 510 mm off the floor
- 14 The chargers for the T17 may require a local electrician to wire them into the customers electrical system.

 Only the single phase charger comes with a cord, but the customer's outlet will determine the plug needs
- 15 Model T17 Charge Time Estimates* for Lead Acid Batteries

750AH 930AH 80A Output Charger Not Recommended*** 7.5 Hours 100A Output Charger 120A Output Charger 120A Output Charger 240A Output Charger (Opportunity Charger) 9 Hours 6.5 Hours 4.25 Hours 3.5 Hours Not Advised**

The 7300 did have a 150AH charger, but it's output was actually equivalent to the 120A charger due to charger efficiencies with the new charger technology

* These charge times are based on the High Frequency Charger Outputs, match to closest 7300 charger for est.

- ** It is not advised because the charger output would overheat the battery causing premature failure.

 *** This Charger not recommended for the 750AH and 930AH requires reprogramming the algorithm to work properly with the battery.
- 16 Opportunity Charging for the M17 Offering:

Height

Opportunity Charging to the M17 Orlening.

Wet Tubular 30AH C/6 battery is available for the Opportunity Charging system and can only be ordered with the 240A 480V AC 50/60Hz 3Ph Charger 1219396

Opportunity Charger is only available with Wet 930AH Battery, 9017261

Wet Tubular 930AH Battery for Opportunity Charging is standard with battery watering

- 17 Sales Rep Charger Kit 223683 is available for more convenient battery charging. The 120 volt "Smart"charger is recommended for occasional use only. An adaptor is available to connect the Anderson 175 on to the charger to the Anderson 350 connectors on the battery 363480 (order this adapter as a Custom Solution).
- 18 The LH sweeping side brush can NOT be ordered separately
- 19 Not available with Fuel Cell or Battery Slide Out. Not available with the Productivity Package. The Battery Watering System is required when selecting the Live Wand Option
- 20 High Pressure Spray cannot be ordered with: Fuel Cell, Live Wand, Wet Vacuum Wand, Battery Slide Out, ES, or Spray Nozzle w/Hose

High Pressure Spray requires a Battery Watering System installed on unit.

- 21 Includes a single drain hose that attaches to the drain valve...provides 10 ft / 3 m reach.
- 22 Blue Light is only available when configured with the AV BU Alarm Strobe on Tank.
- 23 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com
- IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.

IRIS Module is required and NOT included in the price of the IRIS Information Service:

3 Year Pre-Paid IRIS Information Service

5 Year Pre-Paid IRIS Information Service

\$250.00

A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.

IRIS Telemetry Module only covers the price of the hardware.
IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package

24 Pad wrap available only in the Continental US and is the default packaging method.
Crate or Skid is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.
A Skid is the only packaging option for the Pre-sweep equipped unit, no crate is available

25 Shipping Weights and Dimensions Weight (w/ Wet 510AH Battery) Pad Wrap 3365 lbs / 1525 Kg 88" / 2230 mm <u>Crate</u> 4000 lbs / 1814 Kg Length Width 115" / 2921 mm 46" / 1168 mm 59" / 1480 mm 66" / 1677 mm 68" / 1727 mm

T20

BUILT-IN "TENNANT VALUE" INCLUDES:

2.0 L Gas/LP Engine EPA Tier 3
1.5 L Kubota Diesel EPA Tier 4i Engine
MaxPro²™ Hydraulic Technology
1.-Step™ One Button Operation
Touch-N-Go™ Wheel Mounted Module

Touch-N-Go™ Wheel Mounted Module
Steering Wheel Mounted Horn
Steering Wheel Mounted Water Shut Off
Recovery Tank Full/Solution Tank Empty Indicator
Yellow Maintenance Touch Points
Low Oil Pressure/High Coolant Temp Shutdown (G/LPG only)
Built-In Maintenance Diagnostics w/ Service Reminder

ErgoSpace™ Operator Compartment
Tilt Steering Wheel w/ Horn Deluxe Suspension Seat Retractable Seat Belt Ergonomic Propel Pedal

Ergonomic Propel Pedal
Operator Video and Interactive DVD
Operator Manual and Parts Manual
Operator Checklist and Wall Chart
Underwriters Laboratory (UL®) Certification
ec-H2OTM Cleaning Solution Includes:
Electrically Converted Water Technology System
Two Scrubbing Modes: ec-H2OTM & Conventional Scrubbing

Standard Cylindrical or Disk Brushes (Select type) Hygenic® Solution and Recovery Tanks 80 gal (303 L) Solution Tank 95 gal (360 L) Recovery Tank 15 gal (57 L) Demisting Chamber Dura-Track™ Parabolic Rear Squeegee SmartRelease™ Breakaway System Linatex Squeegees
Reverse and Double Scrubbing Capable Reverse and Double Scrubbing Capable
Variable Drain Valves™
No Tool Squeegee & Brush Change
EZ-Change™ Disk Brushes with Rotating Scrub Deck
EZ-Remove™ Debris Tray (Cylindrical only)
1.1 ft² (31 L) or 110 libs (50 kg) Usable Capacity
Wheels and Handle for Transportation
Integrated Water Evacuation System
Grip-N-Go™ Corner Rollers
Head, Tail and Back-up Lights
Cup Holder

			GSA	Price Including	<u> IFF</u>
Standard config (Note 1)		Reference Number	1 unit	<u>2-5 units</u>	6-8 units
	T20 Rider - Cylindrical Scrubber, LPG, LP tank 33 lb (15 kg), Membrane Panel, Conventional Cleaning Technology, UL® Type LP, High Traction Front Tires, Solid Rubber Rear Tires, Fire Extinguisher	T20-1000C			
	Choice of Overhead Guard, Brushes, Operator, Parts, Service Manual and Shipment	Packaging available.	\$51,251.91	\$50,087.09	\$48,922.28
	T20 Rider - Cylindrical Scrubber, LPG, LP Tank 33 lb (15k kg), Membrane Panel, UL® Type LP, Scrubbing Side Brush, Heavy Duty Squeegee Protection, High Traction Front Tire, Solid Rubber Rear Tire, AV BU Alarm w/Strobe on Tank, Fire Extinguisher, Trailer Transport Kit	T20-2000C	\$66,582.97	\$65,069.72	\$63,556.4
	Choice of Overhead Guard, Brushes, Operator, Parts, Service Manual and Shipment	Packaging available.			
	T20 Rider - Cylindrical Scrubber, LPG, LP tank 33 lb (15 kg), Pro Panel, ec-H2O Cleaning Technology, UL® Type LP, Scrubbing Side Brush, Vacuum Wand, High Pressure Spray, Heavy Duty Squeegee Protection, High Traction Front Tires, Solid Rubber Rear Tires, AV BU Alarm w/Strobe on Tank, Fire Extinguisher	T20-3000C	\$78,888.79	\$77,095.86	\$75,302.9
	Choice of Overhead Guard, Brushes, Operator, Parts, Service Manual and Shipment	Packaging available.			
Base Configuration		Reference Number		Price Including	
	Cleaning Type T20 Gasoline (Petrol) Disk Scrubber	T20-D-G	1 unit \$60,120.18	2-5 units \$58,753.81	6-8 units \$57,387.4
	T20 LPG Disk (Includes LP Tank) Scrubber	T20-D-G T20-D-LP	\$60,120.18	\$58,753.81	\$57,387.4
	T20 Diesel Disk Scrubber Conventional	T20-D-Li	\$64,368.12	\$62,905.21	\$61,442.3
	T20 Gasoline (Petrol) Cylindrical Scrubber	T20-C-G	\$60,120.18	\$58,753.81	\$57.387.4
	T20 LPG Cylindrical (Includes LP Tank) Scrubber	T20-C-LP	\$60,120.18	\$58,753.81	\$57,387.4
	T20 Diesel Cylindrical Scrubber	T20-C-DSL	\$64,368.12	\$62,905.21	
	Trim Level				
	Pro Panel	P-T20	\$2,604.09	\$2,544.91	\$2,485.7
	Cleaning Technology: (conventional is standard, ec-H2O (note 2)				
	ec-H2O™	ec-H2O-T20	\$4,739.14	\$4,631.44	\$4,523.7
	ES® Extended Scrub	ES-T20	\$4,416.40	\$4,316.03	\$4,215.6
	Detergent Metering (Note 3)	9021466	\$2,823.98	\$2,759.80	\$2,695.6
	Squeegee Material				
	Urethane (in lieu of standard) (note 4)	9001854	\$742.13	\$725.26	\$708.3
	LP Tank (Note 5) Empty LP tank, 33 lb (15 kg) w/ Outage & Filler valve (In Leiu of standard)	24928-1	N/C	N/C	N/C
		21020	1470	.,,	
	UL Rating UL® Label - Type LPS (In Lieu of Standard)	325933	\$4,556.49	\$4,452.94	\$4,349.3
Packages					
	Productivity Package - Includes: Side Brush (Select Sweeping or Scrubbing), Vacuum Wand, and Spray Nozzle w/ Hose	PRD-T20	\$5,458.22	\$5,334.17	\$5,210.1
	Heavy Duty Protection Package - Includes: Heavy Duty Squeegee Protection and Overhead Guard	HDP-T20	\$1,926.69	\$1,882.90	\$1,839.1
Cleaning Performance		Reference Number			
Clouring - Cricimano	Side Brush: RH Scrubbing (Disk Scrub Head)	9002742	\$4,704.56	\$4,597.64	\$4,490.7
	Side Brush: RH Sweeping OR Scrubbing (Cylindrical Scrub Head)	9002754	\$4,704.56	\$4,597.64	\$4,490.7
			\$868.92	\$849.17	\$829.4
	Vacuum Wand	9002000			
		9002990			
	Spray Nozzle with Hose for ec-H2O $^{\text{TM}}$, FaST $^{\text{TM}}$ or Conventional	9002990 9002403	\$1,108.31	\$1,083.12	\$1,057.9
					\$1,057.9 \$5,318.4 \$4,070.9

Machino	Protection	& Safaty

Machine Protection & S	Safety				
	Heavy Duty Rear Bumper	9001874	\$813.94	\$795.45	\$776.95
	Heavy Duty Squeegee Protection	9001828	\$813.94	\$795.45	\$776.95
	Overhead Guard	9001313	\$1,550.75	\$1,515.51	\$1,480.26
	Rear Tires, High Traction, Non-Marking (in lieu of standard)	9011029	\$769.61	\$752.12	\$734.63
	BU Alarm - Flash on Tank	9003492	\$636.61	\$622.15	\$607.68
	BU Alarm - Flash on OHG	9003486	\$636.61	\$622.15	\$607.68
	BU Alarm - Strobe on Tank	9003493	\$636.61	\$622.15	\$607.68
	Blue Light (Note 7)	9021234	\$983.29	\$960.95	\$938.60
	High Coolant Temperature Shutdown (DIESEL ONLY) Custom Solution		\$1,220.92	\$1,193.17	\$1,165.42
		325433			
	Fire Extinguisher	9001315	\$136.54	\$133.44	\$130.34
	Transportation Kit	9002674	\$171.12	\$167.23	\$163.35
Brushes and Pads		Reference Number			
	Disk Scrubbing Brushes/Pads (3 Required)	100000			
	Polypropylene Brush (Disk, 3 required) Super Abrasive Brush (Disk, 3 required)	1220237	N/C \$175.56	N/C \$171.57	N/C \$167.58
	Super Abrasive Brush (Disk, 3 required)	1220239	\$175.56	\$1/1.5/	\$107.50
	Pad Driver - Dura-Safe	1220198	N/C	N/C	N/C
	Cylindrical Scrubbing Brushes (2 Required)				
	Polypropylene Brush (Cylindrical, 2 required)	1026223	N/C	N/C	N/C
	Super Abrasive, Stiff Bristle Brush	1252156	\$175.56	\$171.57	\$167.58
	Side Scrub/Sweep Brushes (Standard with Side Brush Assembly - Pick One)				
	Polypropylene, Scrubbing Brush (Side brush, Standard w/side brush assy)	1220236	N/C	N/C	N/C
	Polypropylene, Sweeping Brush (Cyl Only) (Note 8) (Side brush,	1000105	N/C	N/C	N/C
	Standard w/side brush assy) Super Abrasive Brush (Side brush, Standard w/side brush assy)	1220185 1221543	\$175.56	N/C \$171.57	\$167.58
	Super Abrasive Brush (Side Brush, Standard Wiside Brush assy)	1221040	ψ175.50	\$171.57	φ107.30
	Machine Communication (Note IRIS)				
	IRIS Telemetry Module	9009396	\$1,212.05	\$1,184.50	\$1,156.96
	Packaging (Note 10)				
	Crate (in lieu of standard)	9001840	\$1,392.04	\$1,360.40	\$1,328.77
	Skid (in lieu of standard)	9001841	\$738.58	\$721.79	\$705.01
Motos					

Brushes, Operator Manuals, Service Manual, and Shipment Packaging.

2 ES Extended Scrubbing System is available factory installed only. This option includes autofill feature

Cleaning Solutions are available factory installed only; Select only one, none are available combined with another:

ec-H2O™ option Cyl with Side Brush ec-H2O™ option Cyl without Side Brush ec-H2O™ option Disk with Side Brush 9007122 9007123 9007124 ec-H2O™ option Disk without Side Brush ES Extended Scrub System w/ AutoFill 9007125 9001799 ec-H2O™ option Disk without Side Brush 9007125 ES Extended Scrub System w/ AutoFill 9001799

- 3 Detergent Metering is only available with Conventional Scrubbing cleaning technology. This is not available with ES or ec-H2O.
- 4 Dura-Track™ Squeegee Kit contains: one rear and one front blade for the rear squeegee and two blades for the scrub head side squeeges. Side Brush Squeegee Kit contains: one side brush squeegee blade and side brush squeegee hardware.
- 5 A Full LP Tank cannot be shipped to Alaska or Hawaii. Orders shipping to these states will receive an Empty LP Tank.
- 6 Spay Nozzle w/Hose and High Pressure Spray cannot be ordered together.

High Pressure Spray is not available with the Productivity Package. High Pressure Spray is not available with ES Cleaning Technology.

- 7 The Blue Light requires either the BU Alarm Flashing Light on Tank or BU Alarm Strobe Light on Tank. The Blue Light offering is not available when High Pressure Spray is selected.
- 8 Only available with Cylindrical units
- 9 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.

IRIS Module is required and NOT included in the price of the IRIS Information Service:

3 Year Pre-Paid IRIS Information Service

5 Year Pre-Paid IRIS Information Service

\$400.00

A monthly contract can be set up at \$10 per month w/12 month minimum commitment.

IRIS Telemetry Module only covers the price of the hardware.
IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

10 Pad wrap available only in the Continental US and is the default packaging method. Crate is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

11 Shipping Weight and Dimensions	Pad Wrap	Skid w/Carton
Weight	3300 lbs / 1497 Kg	3625 lbs / 1644 Kg
Length	95" / 2413 mm	116" / 2947 mm
Width	58" / 1473 mm	68" / 1727 mm
Height	58" / 1473 mm	68" / 1727 mm

Standard Configurations are set configurations as listed and cannot be altered.
 However, these are partial configurations which require the selection of Overhead Guard,

Sweepers 6100

BUILT-IN "TENNANT VALUE" INCLUDES:

Glide-In/Out Wheeled Hopper
Color-Coded Wiring
Corrosion-Proof Hopper & Shrouds
Corner Rollers All-Around
Removable Side Panels
High Visibility Operation Decals
Auto-On Side Brush
WipeClean™ Polyethylene Shrouds
Retractable Side brush Assembly
Hour Meter
Standard Main Sweeping Brush (Select One)
Standard Side Sweeping Brush (Select One)
InstantAccess™ Filter
No-Tool Brush & Filter Change

Panel Filter with VCS® System
Low Effort Steering
Cup Holder
360° Visibility
Self Adjusting Recirculation Skirt
High Flow Radial Discharge Fan
36° Doorway Pass-Through Clearance
Wet 225AH C/20
21A 85-265V AC 50/60Hz 1Ph Charger
Large Built-In Utility Tray
Battery Discharge Indicator
Power Shutdown Switch
Heavy-Duty Motor Controller (p/n 83187)

Standard Configurations (Note 1)	Reference Number	GSA F	Price Including	<u>LIFF</u>
		1 unit	2-5 units	6-8 units
6100 Rider - Sweeper, 225AH Battery, 21A 85-265V AC 50/60Hz 1PH Off-Board Charger, Right Hand Side Brush, Standard Seat, Solid Rubber Tires Choice of Fire Extinguisher, Brushes, Operator & Parts Manual and Shipment P	6100-1001 ackaging available.	\$14,793.80	\$14,566.21	\$14,338.61
6100 Rider - Sweeper, 225AH Battery, 21A 85-265V AC 50/60 Hz 1PH Off-Board Charger, Battery Watering Kit, Right Hand Side Brush, Vacuum Wand, Adjustable Seat, Seat Belt, Solid Rubber Tires, AU BU Alarm w/Strobe Light Choice of Fire Extinguisher, Brushes, Operator & Parts Manual and Shipment P	6100-2001 lackaging available.	\$17,239.90	\$16,974.67	\$16,709.44

CUSTOM Options May Add 1 Week Or More to Standard Lead Times

Base Configuration		Reference Number	GSA	Price Including	IFF
	Cleaning Type		1 unit	2-5 units	6-8 units
	6100 Battery Rider Sweeper	6100-B	\$14,793.80	\$14,566.21	\$14,338.6
	Battery Type (Note 2 and 3)				
	Sealed/MF Gel 180AH C/20 (in lieu of standard)	324448	\$1,733.55	\$1,706.88	\$1,680.2
	Manual Battery Watering Kit	9009620	\$518.04	\$510.07	\$502.1
	Charger				
	21A 85-265V AC 50/60Hz 1Ph- Off Board Gel Battery (in lieu of	044507	\$294.06	#000 F0	\$285.0
	standard)	314567		\$289.53	
	21A 85-265V AC 50/60Hz 1Ph - On Board for Wet 225AH Battery	326246	\$1,349.77	\$1,329.01	\$1,308.2
	21A 85-265V AC 50/60Hz 1Ph - On Board for Gel 180AH Battery	325736	\$1,195.21	\$1,176.83	\$1,158.4
Packages					
	HEPA Dust Filter Package - Right Hand Side Brush (Note 4)		\$4,763,17		\$4,616.6
	Includes: Dry Dust Control (RH), HEPA Filter System	HDR-6100	* .,	\$4,689.89	* .,
	HEPA Dust Filter Package - Dual Side Brush (Note 4) Includes: Dry		\$5,168.56		\$5,009.5
	Dust Control (Dual), HEPA Filter System	HDD-6100	ψο, 100.00	\$5,089.05	ψο,σσο.σ
Cleaning Performance		Reference Number			
	Dual Sweeping Side Brush (Note 5)	83228	\$731.54	\$720.28	\$709.0
	Side Brush Dust Control, Dry, Right Hand	326579	\$762.32	\$750.59	\$738.8
	Side Brush Dust Control, Dry, Dual	326593	\$1,168.36	\$1,150.39	\$1,132.4
	High Performance Vacuum Wand (dual vacuum motors) (Note 6)	83436	\$1,429.02	\$1,407.03	\$1,385.0
	High Performance Vacuum Wand w/On-Board Charger (dual vacuum motors) (Note 6)	83436-326589	\$3,262.77	\$3,212.57	\$3,162.3
		83230	\$1,234.51		\$1,196.5
	Vacuum Wand (Note 6)			\$1,215.52	
	Vacuum Wand w/On-Board Charger (Note 6)	83230-326589	\$3,070.23	\$3,022.99	\$2,975.7
	HEPA Filter System (Note 7)	324539	\$4,004.13	\$3,942.53	\$3,880.9
Machine Protection & Sa	fety				
	Side Bumper GlideBy [™] Protective Side Molding [Not w/rollout 83357]	83434	\$136.22	\$134.13	\$132.0
	Adjustable Seat (front/back)	83193	\$104.13	\$102.53	\$100.9
	Seat Belt	83266	\$106.75	\$105.11	\$103.4
	Rear Tires, Solid, Non-Marking (in lieu of standard)	374178	\$226.60	\$223.11	\$219.6
	Audio BU Alarm w/o vac wand	384497	\$353.00	\$347.57	\$342.1
	Audio BU Alarm with vac wand	384498	\$353.00	\$347.57	\$342.1
	AV BU Alarm w/ Strobe Light on Lintel w/o vac wand	374350	\$482.67	\$475.24	\$467.8
	AV BU Alarm w/ Strobe Light on Lintel with vac wand	374349	\$482.67	\$475.24	\$467.8
	Blue Light (Note 8)	9021424	\$690.28	\$679.66	\$669.0
	Work Light, Single	83202	\$265.89	\$261.80	\$257.7
	Fire Extinguisher	83220	\$143.43	\$141.22	\$139.0
Brushes and Pads					
	Main Sweeping Brushes				
	Polypropylene Brush - Main Brush	81888	N/C	N/C	N/C
	Polypropylene, Window Brush - Main Brush	370048	N/C	N/C	N/C
	Union Mix Brush (Note 9) - Main Brush	83031	\$180.10	\$177.33	\$174.5
	Sand Wedge Brush - Main Brush	83030	\$180.10	\$177.33	\$174.5
	·				
	Side Sweeping Brushes	00042	N/C	NIC	NIC
	Polypropylene Brush - Side brush	80042	N/C	N/C	N/C
	Heavy Duty Polypropylene Brush - Side brush	378804	N/C	N/C	N/C
	Packaging (Note10)				
	Crate (in lieu of standard)	83353	\$416.52	\$410.12	\$403.7
	Skid (in lieu of standard)	375230	\$218.09	\$214.73	\$211.3
	(3/3230	Ψ <u>=</u> .5.05	Ψ=0	Ψ= . 1.0

- 1 Standard Configurations are set configurations as listed and cannot be altered. However, these are partial configurations which require the selection of Fire Extinguisher, Brushes, Operator Manuals, Service Manual, and Shipment Packaging.
- 2 According to the manufacturer, new batteries do not develop full energy (run time) potential until after a couple months of use. This "burn-in" period is usually 50 charge cycles.
 Average run times are 3.4 hours for standard and 4.8 hours for heavy duty batteries.

Model 6100 Continuous Runtime Chart (220 AH Battery Package):

3.5 hours

Sweeping (Main and single side brush)

3.25 hours

Sweeping (Main and dual side brush) 3.25 hours
The above runtimes are guidelines. Actual times will vary based on floor conditions, final machine configuration and usage.

- 3 Should the customer wish to use their own battery supplier, they have two options:
 a. Buy batteries to fit in our steel case see below for internal dimensions.
- b. Buy their own steel case battery (there is no deduction for this) see below for external dimensions.

Width Height External Dimensions: 22.18 in. 21.24 in 563 mm 539 mm Internal Dimensions: 21.81 in. 554 mm 530 mm

An extra steel case can be ordered without batteries; part number 369483

Battery compartment is 21.62 in. (550 mm) x 22.24 in. (565 mm) x 14.50 in. (365 mm). Max weight 480 lbs (220kg).

4 HEPA Dust Filter Package is not available with an On-Board Charger.

Package is not available with either the Vacuum Wand or the High Performance Vacuum Wand. The HEPA Dust Filter Package will ship with 2 extra HEPA filters for a total of 3 filters at the time of delivery.

- 5 Dual Side Brush cannot be equiped on units with the HEPA Dust Filter Package Right Hand
- 6 Reach of vacuum wand is 11 feet, comes with a box of 10 vacuum bags (p/n1067452). Cannot be equiped with the HEPA Dust Filter Package.
- 7 The HEPA Filter System cannot be equiped on units with an On-Board Charger or Vacuum Wand option HEPA Filter System requires Side Brush Dust Control, Dry also be added to the machine.
- 8 Blue Light is not available with Vacuum Wand or High Performance Vacuum Wand.
 The Blue Light requires either the Audio BU Alarm or The AV BU Alarm w/Strobe Light be installed on the machine.
- 9 The Union Mix Brush is commonly used for Carpet
- 10 Pad wrap available only in the Continental US and is the default packaging method. Crate is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

Pad Wrap 1009 lbs / 458 Kg 60" / 1520 mm 32" / 805 mm 11 Shipping Weights and Dimensions Crate 1300 lbs / 590 Kg 80" / 2032 mm 46" / 1169 mm Weight Length Width Height 46" / 1180 mm 52" / 1321 mm

S680

BUILT-IN "TENNANT VALUE" INCLUDES:

42" (1050 mm) Sweep Path 2.5 ft3 / 70L Low-Dump Hopper Volume Capacity Corrosion-Proof Hopper & Shrouds Front Corner Rollers Flap and Trap Debris Pedal High Visibility Operation Decals Glide-In/Out Wheeled Hopper Retractable Side Brush Assemblies Hour Meter Standard Main Sweeping Brush (Select One) Standard Dual Side Sweeping Brushes No-Tool Main Brush & Filter Change Seat occupancy interlock safety switch

Horn Low Effort Steering Adjustable Side Brush RPM 360° Visibility Self-Leveling Main Brush Amber Strobe Light
Thermo-Sentry™ Hopper Fire Sensor
Wet 225AH C/20 Batteries 27A 85-270V AC 50/60Hz 1Ph Charger Battery Discharge Indicator Power Shutdown Switch Operator Manual

Base Configuration		Reference Number	GSA	SA Price Including IFF	
	Cleaning Type		1 unit	2-5 units	6-8 units
	S680 Ride-On Sweeper 1050 mm/42" w/ Dual Side Brushes	S680_1050	\$11,375.79	\$11,210.92	\$11,046.06
	Battery Type				
	Sealed/MF AGM 245AH C/20 (In lieu of standard)	9022614	\$773.08	\$761.87	\$750.67
Packages					
	Carpet Care Package (Note 1)	9022636	\$34.76	\$34.26	\$33.75
Brushes and Pads					
	Main Sweeping Brushes Polypropylene Brush Polypropylene and Wire Brush	9022617 9022619	N/C N/C	N/C N/C	N/C N/C
	Natural Fiber Brush (Note 1)	9022618	\$114.71	\$113.05	\$111.39
	Packaging (Note 2)				
	Skid w/Carton, Non-Stackable (In lieu of standard)	9022625	\$386.54	\$380.94	\$375.34
<u>Notes</u>					
	1 Natural Fiber Brush is mandator when the Carpet Care Package is selected.				
	2 Pad wrap available only in the Continental US and is the default packaging method. Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI.				

S880

BUILT-IN "TENNANT VALUE" INCLUDES:

48" (1200 mm) Sweep Path 2.4 ft3 / 67L High-Dump Hopper Volume Capacity Corrosion-Proof Shrouds

Front Corner Rollers Front Bumpers

Flap and Trap Debris Pedal High Visibility Operation Decals Horn
Retractable Side Brush Assemblies

Standard Main Sweeping Brush (Select One) Standard Dual Side Sweeping Brushes No-Tool Main Brush Change

Low Effort Steering Adjustable Side Brush RPM 360° Visibility

360 Visibility
Seat occupancy interlock safety switch
Amber Strobe Light
Thermo-Sentry™ Hopper Fire Sensor
Wet 225AH C/20 Batteries
27A 85-270V AC 50/60Hz 1Ph Charger

Battery Discharge Indicator Power Shutdown Switch Operator Manual

Base Configuration		Reference Number	Reference Number GSA Price Including			
	Cleaning Type		1 unit	2-5 units	6-8 units	
	S880 Ride-On Sweeper 1200 mm/48" w/ Dual Side Brushes	\$880_1200	\$15,916.23	\$15,685.56	\$15,454.89	
	Battery Type					
	Sealed/MF AGM 245AH C/20 (In lieu of standard)	9022614	\$773.08	\$761.87	\$750.67	
Brushes and Pads						
	Main Sweeping Brushes					
	Polypropylene Brush	9022622	N/C	N/C	N/C	
	Polypropylene and Wire Brush	9022623	N/C	N/C	N/C	
	Natural Fiber Brush	9022624	\$118.19	\$116.47	\$114.76	
	Packaging (Note 1)					
	Skid w/Carton, Non-Stackable (In lieu of standard)	9022625	\$386.54	\$380.94	\$375.34	
Notes_						
	1 Pad wrap available only in the Continental US and is the default packaging method.					
	Skid w/Carton, Non-Stackable is mandatory when shipping to AK and HI.					

S16L

BUILT-IN "TENNANT VALUE" INCLUDES:

MaxPro™ Sweeping Technology
1-Step™ Control Module
46" (1170mm) Sweep Path
No-Tool Brush Change
Multi-stage Air Filtration & Dust Control
Stage 1: Perma-fliter™
Stage 2: Panel filter
97.0 ft² (9.0 m²) Pleated Media

97.0 ft² (
Flap and Trap Debris Pedal
Retractable Right Hand Side Brush
Thermo-Sentty™ Hopper Fire Sensor
Worn main brush indicator light
3,3 ft3 (150 L) Hopper Volume Capacity
200 lbs (90 kg) Hopper Weight Capacity
Duramer™ Hopper Construction

CLUDES:

Wet Sweeping By-Pass
UL-Label (Type E)
Tool-less Side Panel Removal
Soft corner rollers all-around
Hour Meter
Battery Discharge Indicator
Horn
Cup Holders
Autionatic Parking Brake
Yellow Maintenance Touch Points
Seat occupancy interlock safety switch
Main and right side brush (Standard) Poly
Onboard Diagnostics
Operator and parts manual

TENNANT COMPANY WARRANTY 3 YEARS OR 2000 HOURS - PARTS

6 MONTHS - LABOR
6 MONTHS - TRAVEL
10 YEARS ON DURAMERTM HOPPER
CUSTOM Options May Add 1 Week Or More to Standard Lead Times

Standard Configurations	(Note 1)	Reference Number	<u>GSA I</u>	Price Including	<u>IFF</u>
	S16L Rider - Sweeper, Wet 360AH C/20 Batteries, Off-Board 25A 100-240V AC 50/60Hz 1Ph, UL Type E, Right Hand Side Brush, Standard Seat	S16L-1000	\$28,771.79	\$28,117.88	\$27,463.98
	Choice of Fire Extinguisher, Overhead Guard, Brushes, Operator Manual, Parts Manual, and Sh	nipment Packaging available.			
	S16L Rider - Sweeper, Wet 360AH C/20 Batteries, Smart-Fill Battery Watering System, On-Board 25A 100-240V AC 50/60Hz 1Ph Charger, UL Type E, Right Side Brush, Vacuum Wand, Removable Hopper Bins, AV Bu Alarm w/Strobe on Lintel	S16L-2000	\$33,434.68	\$32,674.80	\$31,914.9
	Choice of Fire Extinguisher, Overhead Guard, Brushes, Operator Manual, Parts Manual, and Sh	nipment Packaging available.			
	S16L Rider - Sweeper, Wet 360AH C/20 Batteries, Smart-Fill Battery Watering System, On-Board 25A 100-240V AC 50/60Hz 1Ph Charger, UL Type E, Carpet Care Package, Right Hand Side Brush, Vacuum Wand, Removable Hopper Bins, Standard Seat, AU BU Alarm w/Strobe on Lintel (Carpet Care Package includes Natural Fiber Brush) Choice of Fire Extinguisher, Overhead Guard, Operator Manual, Parts Manual, and Shipme	S16L-2002	\$34,022.53	\$33,249.29	\$32,476.0
	Choice of Fire Extinguisher, Overhead Guard, Operator Mandai, Parts Mandai, and Shiphie	ent Fackaging available.			
	S16L Rider - Sweeper, Wet 360AH C/20 Batteries, Smart-Fill Battery Watering System, On-Board 33A 100-240V AC 50/60Hz 1Ph Charger, UL Type E, Productivity Package, Safety Light Package, Removable Hopper Bins, Deluxe Seat w/Armrest Choice of Fire Extinguisher, Overhead Guard, Brushes, Operator Manual, Parts Manual, and Sh	S16L-3000	\$36,398.75	\$35,571.51	\$34,744.20
Dans Configuration	Choice of File Extiliguisher, Overhead Guard, Brushes, Operator Manual, Faits Manual, and or	Reference Number	004	Duine landurdine	ırr
Base Configuration	Cleaning Type	Reference Number	1 unit	Price Including 2-5 units	6-8 units
	S16 Rider Sweeper - Low Dump	S16L	\$27,787,61	\$27,156,07	\$26,524.5
			, ,	, ,	,.
	Battery Type Wet 240AH C/20	9045055	N/C	N/C	N/
	Wet 360AH C/20	9045056	\$984.18	\$961.81	\$939.4
	Smart-Fill Automatic Battery Watering System (Note 2)	9045062	\$1,044.47	\$1,020.74	\$997.0
	Manual Battery Watering System (Note 2)	9045073	\$680.06	\$664.60	\$649.1
	Charger	Reference Number			
	25A 100-240V AC 50/60Hz 1Ph - Off Board (for 240 and 360AH Batteries)	9045257	N/C	N/C	N/C
	25A 100-240V AC 50/60Hz 1Ph - On Board (for 240 and 360AH Batteries)	9045255	\$750.11	\$733.06	\$716.0
	33A 100-240V AC 50/60Hz 1Ph - On Board (for 240 and 360AH Batteries)	9045256	\$970.88	\$948.82	\$926.7
	UL Type ES	9017316	\$2,603.20	\$2,544.04	\$2,484.8
Packages					
	Productivity Package	PRD-S16	\$2,526.95	\$2,469.52	\$2,412.0
	Includes: Dual Side Brush, Vacuum Wand Safety Light Package	SFY-S16	\$1,979.00	\$1,934.03	\$1,889.0
	Includes: Headlight & Tail Lights, AV Back Up Alarm w/ Strobe, Blue Light Carpet Care Package	9045122	\$587.85	\$574.49	\$561.1
	Includes: Natural Fiber main brush, Non-marking skirts,	3043122	ψ307.03	ψ374.49	ψ501.1
	FiberShield™ Lint Screen, Slotted front main brush skirt				
	HEPA Dust Filter Package - For Right Hand Side Brush Includes: Right Hand Side Brush, Dry Dust Control - Right Hand, HEPA Filter System	HDR-S16	\$6,686.23	\$6,534.27	\$6,382.3
	HEPA Dust Filter Package - For Dual Side Brush Includes: Dual Side Brush, Dry Dust Control - Dual, HEPA Filter System	HDD-S16	\$7,214.67	\$7,050.70	\$6,886.7
Cleaning Performance	· · · · · · · · · · · · · · · · · · ·				
Cleaning Performance	Dual Side Brush	9045101	\$990.39	\$967.88	\$945.3
	Side Brush Dust Control - Dry (Right Hand Side Brush)	9045105	\$1,012.55	\$989.54	\$966.5
	Side Brush Dust Control - Dry (Dual Side Brush)	9045106	\$1,540.11	\$1,505.11	\$1,470.1
	Vacuum Wand	9045161	\$1,671.34	\$1,633.35	\$1,595.3
	HEPA Filter System (Note 3)	9045159	\$5,676.33	\$5,547.32	\$5,418.32
	Removable Hopper Bins	9045164	\$587.85	\$574.49	\$561.1

	Overhead Guard	9045052	\$1,491.35	\$1,457.45	\$1,423.5
	Deluxe Seat with Armrests and Seat Belt	9045201	\$517.80	\$506.04	\$494.2
	Headlight & Tail Lights (Note 4)	9045206	\$543.52	\$531.16	\$518.8
	AU BU Alarm-Strobe on Lintel (Note4)	9045204	\$609.13	\$595.28	\$581.4
	Blue Light	9045208	\$934.53	\$913.29	\$892.0
	Fire Extinguisher	9045069	\$310.33	\$303.27	\$296.2
Brushes					
	Main Sweeping Brushes	1240255			
	Polypropylene Brush		N/C	N/C	N/C
	Polypropylene and Wire Brush	1254155 1239052	N/C \$208.36	N/C \$203.63	N/C \$198.8
	Polypropylene, Window Brush	1239052 1239051	\$208.36 \$208.36	\$203.63	\$198.8
	Sand Wedge Brush Natural Fiber Brush				
	Natural Fider Brush	1239050	\$208.36	\$203.63	\$198.8
	Packaging (Note 6)				
	Skid w/Carton, Non-Stackable (In Lieu of Pad Wrap)	9045304	\$643.71	\$629.08	\$614.4
	Skid (In Lieu of Pad Wrap)	9045305	\$421.16	\$411.59	\$402.0
Notes:					
	1 Standard Configurations are set configurations as listed and cannot be altered.				
	However, these are partial configurations which require the selection of Fire Extinguisher, Overhead				
	Brushes, Operator Manuals, Service Manual, and Shipment Packaging. Except where otherwise not	ed.			
	2 Not available with Li-Ion Batteries.				
	3 HEPA Filter System requires Side Brush Dust Control - Dry.				
	4 Headlight and Tail Lights require the AU BU Alarm-Strobe on Lintel.				
	Headlight and Tail Lights are not available without the AU BU Alarm-Strobe on Lintel				
	5 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloade	d from www.Tennantco.com.			
	6 Pad wrap available only in the Continental US and is the default packaging method.				
	Crate is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to	these locations.			

<u>S16H</u>

MaxPro™ Sweeping Technology
1-Step™ Control Module
46" (1170mm) Sweep Path
61.8" (1570 mm) Multi-level Dump
No-Tool Brush Change
Multi-stage Air Filtration & Dust Control
Stage 1: Perma-filter ™
Stage 2: Panel filter
97.0 ft³ (9.0 m²) Pleated Media

97.0 ft² (9 Flap and Trap Debris Pedal Retractable Right Hand Side Brush Thermo-Sentry™ Hopper Fire Sensor Worn main brush indicator light 5.3 ft3 (150 L) Hopper Volume Capacity 350 lbs (159 kg) Hopper Weight Capacity

BUILT-IN "TENNANT VALUE" INCLUDES:

CLUDES:
Stainless Steel Hopper Construction
Wet Sweeping By-Pass
UL-Label (Type E)
Tool-less Side Panel Removal
Soft corner rollers all-around

Soft corner rollers all-around
Hour Meter
Battery Discharge Indicator
Horn
Cup Holders
Automatic Parking Brake
Yellow Maintenance Touch Points
Seat Occupancy Interlock Safety Switch
Main and Right Side Brush (Standard) Poly
Onboard Diagnostics
Operator and parts manual

TENNANT COMPANY WARRANTY 3 YEARS OR 2000 HOURS - PARTS 6 MONTHS - LABOR 6 MONTHS - TRAVEL

10 YEARS ON DURAMER™ HOPPER
CUSTOM Options May Add 1 Week Or More to Standard Lead Times

Standard Configurations (Note 2)	Reference Number	GSA F	rice Including	IFF
S16H Rider - Sweeper, Wet 360AH C/20 Batteries, Off-Board 25A 100-240V AC 50/60Hz 1Ph, UL Type E, Right Hand Side Brush, Standard Seat	S16H-1000	\$35,660.17	\$34,849.71	\$34,039.25
Choice of Overhead Guard, Fire Extinguisher, Brushes, Operator Manual, Parts Manual, and Ship	oment Packaging available.			
S16H Rider - Sweeper , Wet 360AH C/20 Batteries, Smart-Fill Battery Watering System, On-Board 25A 100-240V AC 50/60Hz 1Ph Charger, UL Type E, Right Side Brush, Vacuum Wand, Deluxe Seat w/Armrests, AU BU Alarm-Strobe on Lintel, Blue Light	S16H-2000	\$41,187.55	\$40,251.47	\$39,315.39
Choice of Overhead Guard, Fire Extinguisher, Brushes, Operator Manual, Parts Manual, and Ship	oment Packaging available.			
S16H Rider - Sweeper, Wet 360AH C/20 Batteries, Smart-Fill Battery Watering System, On-Board 25A 100-240V AC 50/60Hz 1Ph Charger, UL Type E, HEPA Dust Filter Package for Right Hand Side Brush, Right Hand Side Brush, Dry Dust Control, Vacuum Wand, Deluxe Seat with Armrests, AU BU Alarm w/Strobe on Lintel, Blue Light	S16H-2002	\$47,873.77	\$46,785.73	\$45,697.69
Choice of Overhead Guard, Fire Extinguisher, Brushes, Operator Manual, Parts Manual, and Ship	oment Packaging available.			
S16H Rider - Sweeper , Wet 360AH C/20 Batteries, Smart-Fill Battery Watering System, On-Board 33A 100-240V AC 50/60Hz 1Ph Charger, UL Type E, Productivity Package, Safety Light Package, Deluxe Seat w/Armrests	S16H-3000	\$42,699.28	\$41,728.85	\$40,758.41

Choice of Overhead Guard, Fire Extinguisher, Brushes, Operator Manual, Parts Manual, and Shipment Packaging available.

Base Configuration		Reference Number	GSA I	A Price Including IFF	
	Cleaning Type		1 unit	2-5 units	6-8 units
	S16H Rider Sweeper - High Dump	S16H	\$34,675.99	\$33,887.90	\$33,099.81
	Battery Type				
	Wet 240AH C/20	9045055	N/C	N/C	N/C
	Wet 360AH C/20	9045056	\$984.18	\$961.81	\$939.45
	Smart-Fill Automatic Battery Watering System (Note 3)	9045062	\$1.044.47	\$1.020.74	\$997.00
	Manual Battery Watering System (Note 3)	9045073	\$680.06	\$664.60	\$649.15
	Charger				
	25A 100-240V AC 50/60Hz 1Ph - Off Board (for 240 and 360AH Batteries)	9045257	N/C	N/C	N/C
	25A 100-240V AC 50/60Hz 1Ph - On Board (for 240 and 360AH Batteries)	9045255	\$750.11	\$733.06	\$716.01
	33A 100-240V AC 50/60Hz 1Ph - On Board (for 240 and 360AH Batteries)	9045256	\$970.88	\$948.82	\$926.75
	UL Type ES	9017316	\$2,603.20	\$2,544.04	\$2,484.88
Packages					
	Productivity Package Includes: Dual Side Brush, Vacuum Wand	PRD-S16	\$2,526.95	\$2,469.52	\$2,412.09
	Safety Light Package	SFY-S16	\$1,979.00	\$1,934.03	\$1,889.05
	Includes: Headlight & Tail Lights, AV Back Up Alarm w/ Strobe, Blue Light				
	Carpet Care Package	9045122	\$587.85	\$574.49	\$561.13
	Includes: Natural Fiber main brush, Non-marking skirts, FiberShield™ Lint Screen. Slotted front main brush skirt				
	HEPA Dust Filter Package - For Right Hand Side Brush	HDR-S16	\$6,686.23	\$6,534.27	\$6,382.31
	Includes: Right Hand Side Brush, Dry Dust Control - Right Hand, HEPA Filter System				
	HEPA Dust Filter Package - For Dual Side Brush	HDD-S16	\$7,214.67	\$7,050.70	\$6,886.73
	Includes: Dual Side Brush, Dry Dust Control - Dual, HEPA Filter System				

Cleaning Performance					
	Dual Side Brush	9045101	\$990.39	\$967.88	\$945.37
	Side Brush Dust Control - Dry (Right Hand Side Brush)	9045105	\$1,012.55	\$989.54	\$966.53
	Side Brush Dust Control - Dry (Dual Side Brush)	9045106	\$1,540.11	\$1,505.11	\$1,470.11
	Vacuum Wand	9045161	\$1,671.34	\$1,633.35	\$1,595.37
	HEPA Filter System (Note 4)	9045159	\$5,676.33	\$5,547.32	\$5,418.32
Machine Protection & Safe	ety				
	Overhead Guard	9045052	\$1,491.35	\$1,457.45	\$1,423.56
	Deluxe Seat with Armrests and Seat Belt	9045201	\$517.80	\$506.04	\$494.27
	Headlight & Tail Lights (Note 5)	9045206	\$543.52	\$531.16	\$518.81
	AU BU Alarm-Strobe on Lintel (Note 5)	9045204	\$609.13	\$595.28	\$581.44
	Blue Light	9045208	\$934.53	\$913.29	\$892.05
	Fire Extinguisher	9045069	\$310.33	\$303.27	\$296.22
Brushes		Reference Number			
	Main Sweeping Brushes				,
	Polypropylene Brush	1240255	N/C	N/C	N/C
	Polypropylene and Wire Brush	1254155	N/C	N/C	N/C
	Polypropylene, Window Brush	1239052	\$208.36	\$203.63	\$198.89
	Sand Wedge Brush	1239051	\$208.36	\$203.63	\$198.89
	Natural Fiber Brush	1239050	\$208.36	\$203.63	\$198.89
	Packaging (Note 7)				
	Skid w/Carton, Non-Stackable (In Lieu of Pad Wrap)	9045304	\$643.71	\$629.08	\$614.45
	Skid (In Lieu of Pad Wrap)	9045305	\$421.16	\$411.59	\$402.02
Notes:					
	2 Standard Configurations are set configurations as listed and cannot be altered.				
	However, these are partial configurations which require the selection of Fire Extinguisher, Overl	nead Guard.			
	Brushes, Operator Manuals, Service Manual, and Shipment Packaging.	,			
	3 Not available with Li-Ion Batteries.				
	4 HEPA Filter System requires Side Brush Dust Control - Dry.				
	5 Headlight and Tail Lights require the AU BU Alarm-Strobe on Lintel. Headlight and Tail Lights are not available without the AU BU Alarm-Strobe on Lintel				
	6 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be down	loaded from www.Tennantco.com.			
	7 Pad wrap available only in the Continental US and is the default packaging method. Crate is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipp	ing to these locations.			

Model S20

BUILT-IN "TENNANT VALUE" INCLUDES:

Tilt Steering Wheel w/horn
50" (1270mm) Sweep Path
60" (1525 mm) Multi-level Dump
No-Tool Brush Change
SweepSmartTM 3-stage air filtration & dust control
Stage 1: Perma-filter™
Stage 2: Cyclonic pre-filter
Stage 3: Nanofiber, surface loading filter (no tool change)
80.0 ft (7.4 mz) Pleated Media

Dust filter-/Hopper door-/Hydraulic oil filter-indicator light
Thermo-Senty™ Hopper Fire Sensor
InstantAccessTM Filter Change
11 ft3 (310 L) Hopper Volume Capacity
650 lb (295 kg) Hopper Load Capacity

Retractable Right Hand Side Brush Retractable Right Hand Side Brush
Wet Sweeping By-Pass
UL-Label (Type E)
T-Beam Super-Structure Frame
Steel-Channel Wraparound Bumper
Hour Meter
Battery Discharge Indicator
Head lights & tall lights
Heavy duty Vac Fan & Muffler
SE Hydraulic Filter and Filter Bypass Indicator Light
Hopper skid plate
Seat occupancy interlock safety switch
Main and Sidebrush Select 1 (Standard)
Operator and parts manual

Base Configuration	Reference Number	GSA Price Including IFF			
	Cleaning Type	-	1 unit	2-5 units	6-8 units
	S20 Battery (does NOT include Battery or Charger)	S20-B	\$45,025.85	\$44,514.20	\$43,490.88
	Battery Type (Notes 1-7)				
	Wet 420AH C/20	9006335	\$1,900.09	\$1,878.50	\$1,835.31
	Wet 440AH C/6	9006348	\$4,974.11	\$4,917.58	\$4,804.53
	Charger 60A 200-240V AC 50/60 Hz 1Ph (All Battery Types)	4074040	CO 455 45	₾0 420 OF	\$2.081.96
	60A 200-240V AC 50/60 Hz 3PH, HIGH FREQUENCY (All Battery Types)	1074819 1074820	\$2,155.45 \$2,488.83	\$2,130.95 \$2,460.54	\$2,081.96
	80A 200-240VAC 50/60Hz 1Ph (340AH / 440AH Battery Only)	1207933	\$2,888.71	\$2,855.88	\$2,790.23
	80A 200-240VAC 50/60Hz 3Ph (340AH / 440AH Battery Only)				\$3,461.66
	100A 200-240V AC 50/60Hz 3Ph (340AH / 440AH Battery Only	1207934 1212158	\$3,583.84 \$3,456.16	\$3,543.11 \$3,416.89	\$3,338.34
	120A 480V AC 50/60Hz 3Ph (340AH / 440AH Battery Only)	1207936	\$3,869.34	\$3,825.37	\$3,737.43
	120A 460V AC 30/00HZ 3FII (340AH / 440AH Ballery Offiy)	1207930	φ3,009.34	φ3,023.31	\$3,737.43
	UL® Label - Type ES (in lieu of standard)	325624	\$3,897.71	\$3,853.42	\$3,764.84
Packages					
Luckuges	Productivity Package: (Includes Dual Side Brush & Vac Wand)	9006321	\$3,346.22	\$3,308.19	\$3,232.14
	HEPA Dust Filter Package - Right Hand Side Brush (Note 8) - Dry		\$6,933.60		\$6,697.23
	Dust Control (RH), HEPA Filter System	HDR-S20	ψο,σσσ.σσ	\$6,854.81	ψο,σστ.2σ
	HEPA Dust Filter Package - Dual Side Brush (Note 8) - Dry Dust		\$7,457.61	\$7,372.87	\$7,203,38
	Control (Dual), HEPA Filter System Custom Solution	HDD-S20	\$7,437.01	ψ1,512.01	φ1,200.00
Olassius Barfarasa					
Cleaning Performance	Side Brush: Dual	9006039	\$2,771.67	\$2,740.17	\$2,677.18
	Side Brush Dust Control, WaterShield™ Wet, Right Hand	9016722	\$3,001.31	\$2,967.20	\$2.898.99
	Side Brush Dust Control, WaterShield™ Wet, Right Hand Side Brush Dust Control, WaterShield™ Wet, Dual	9016723	\$3,538.62	\$3,498.41	\$3,417.98
	Side Brush Dust Control, Dry, Right Hand	9005851	\$1,001.03	\$989.65	\$966.90
	Side Brush Dust Control, Dry, Dual	9005852	\$1,540.11	\$1,522.61	\$1,487.61
	Vacuum Wand	9005859	\$1,074.62	\$1,062.41	\$1,037.98
	HEPA Filter System (Note 9)	9017878	\$5,934.35	\$5,866.91	\$5,732.04
Machine Protection & Saf					
	Heavy Duty Front Bumpers	325610	\$805.96	\$796.81	\$778.49
	Heavy Duty Rear Bumpers	9005862	\$643.71	\$636.39	\$621.76
	Overhead Guard (incl rear view mirror)	9005853	\$1,488.69	\$1,471.77	\$1,437.93
	Deluxe Seat w/Armrest (Note 12)	9005861	\$609.13	\$602.21	\$588.36 \$129.32
	Seat Belt (Standard Seat Only, standard on Deluxe Seat)	9006157 325614	\$133.88 \$398.11	\$132.36 \$393.58	\$384.53
	Rearview Mirror Mounted on Lintel (N/A with Cab or OHG) Rear Tire, Solid Non Marking (in lieu of standard)	9011699	N/C	N/C	N/C
	AV Back Up Alarm and Flashing Light on Engine Cover (Note 13)	9005550	\$831.68	\$822.23	\$803.32
	AV Back Up Alarm and Flashing Light on OHG or Cab (Note 13)	9005551	\$831.68	\$822.23	\$803.32
	AV Back Up Alarm and Strobe Light on Engine Cover (Note 13)	9005552	\$831.68	\$822.23	\$803.32
	AV Back Up Alarm and Strobe Light on OHG or Cab (Note 13)	9005553	\$831.68	\$822.23	\$803.32
	Blue Light (Note 14)	9020911	\$983.29	\$972.12	\$949.77
	Fire Extinguisher	9006006	\$138.32	\$136.75	\$133.60
	Winch Hook	9021038	\$522.24	\$516.30	\$504.43
	Slow Moving Vehicle Sign	325621	\$354.66	\$350.63	\$342.57
Brushes (Note 15 & 16)		Reference Number			
	Main Brush Polypropylene Brush - main brush	87099	N/C	N/C	N/C
	Polypropylene & Wire Brush - main brush	87099 87097	N/C N/C	N/C	N/C N/C
	Polypropylene Window Brush - main brush	370010	\$228.76	\$226.16	\$220.96
	Union Mix Brush - main brush	385947	\$228.76	\$226.16	\$220.96
	Sand Wedge Brush - main brush	370025	\$228.76	\$226.16	\$220.96
	Side Sweep Brushes (Standard with Side Brush Assembly - Pick One)				
	Polypropylene - side brush, std w/side brush assy	59431	N/C	N/C	N/C
	Nylon - side brush, std w/side brush assy	08013N	N/C	N/C	N/C
	Machine Communication (Note IRIS)				
	IRIS Telemetry Module	9009710	\$1,212.05	\$1,198.28	\$1,170.73
	Packaging (Note 18)			*****	4
	Crate (in lieu of std) Skid (in lieu of std)	360381 366031	\$816.60 \$421.16	\$807.32 \$416.37	\$788.77 \$406.80
Custom Salutions	· · · · · · · · · · · · · · · · · · ·	300001	¥.20	÷	+ .00.00
Custom Solutions	Frame Lifting Lugs - Side	325678	\$1,385.83	\$1,370.09	\$1,338.59
	Weatherproof Manual Pouch	9020593	\$193.29	\$191.09	\$186.70

Notes S20

1 Model S20 Continuous Runtime Chart.- Up to: Sweeping Standard Capactiy Package: 420AH Standard Capacity Package: 340AH High Capacity Long Life Package: 340AH High Capacity Long Life Package: 440AH 3 hours 3.5 hours

4 hours

The above runtimes are guidelines. Actual times will vary based on floor conditions, final machine configuration and usage. 340AH Battery is not currently available in California

2 The battery connectors are as follows: Anderson 175Amp Gray at the Charger Connection Anderson 175Amp Orange at the Battery Connection 420AH 9006354, 340AH & 440AH 9006355 Prep Kits when ordering w/o Battery

3 Below is a table that indicates the maximum size each 18 Volt battery that will fit in the compartment.

lbs 19.12 in 11.00 in 0 kg 485 mm 280 mm

4 Sales Rep Charger Kit, PN 1074797, is available for more convenient battery charging. The 115 volt "Smart" charger (also used on Model 235E and 6400) is recommended for occasional use only.

5 To calculate weights with batteries add the following to the product "Net" or "Ship" weights: 340AH Batteries = + 540 lbs each (2 required) 420AH Batteries = + 115 lbs (6 required) 440AH Batteries = + 600 lbs each (2 required)

6 Continental USA orders ONLY.

7 Expected Cycle Life: Cycle life is the number of charge cycles a battery is expected to last.

Type of Battery = Number of Cycles

340AH Batteries = 1500 Cycles

420AH Batteries = 500 Cycles

440AH Batteries = 1500 Cycles

Exide

440AH Batteries = 1500 Cycles

It is essential that the batteries be properly maintained in order to reach these cycle life levels. For proper battery maintenance please advise your customer to refer to the manual.

8 HEPA Dust Filter Package cannot be ordered with the Productivity Package and is not compatible with Water Shield Wet Dust Control. If both the Productivity Package and HEPA Dust Filter Package are required, you must order the HEPA Filter System and Dry Dust Control separately.

HEPA Dust Filter Package cannot be ordered with the Heavy Duty Front Bumper.

HEPA Dust Filter Package for Dual Side Brush does include the Dual Side Brush option.

HEPA Dust Filter Package for RH Side Brush DOES include the RH Side Brush Dust Control option.

Both HEPA Dust Filter Packages are Custom Solutions and may add to the lead time of the machine.

- 9 HEPA Filter Sytem requires Side Brush Dust Control Dry HEPA Filter System is not available with Water Shield Wet Dust Control.
- 10 Includes OHG, Windshield, rear view mirror, windshield wiper, and fan.
- 11 Configuration will request you select a Back Up alarm (choice of flashing or strobe) when ordering Cab w/Alarm.
- 12 Deluxe Seat cannot be ordered with the Soft Side Cab.
- 13 DO NOT ORDER if Outdoor Safety Package (PN 325620 or 325827) are ordered
- 14 The Blue Light requires that either the AV Back Up Alarm and Flashing Light on Engine cover or the AV Back Up Alarm and Strobe Light on Engine cover are selected as well. The Blue Light is not compatible with Warning Lights on the Overhead Guard.
- 15 All main brushes are directly interchangeable with those for a 235, 6400 and S20.
 All side brushes are directly interchangeable with those for a 355, 385, 6400 and S20.
- 16 To demonstrate continued sweeping performance even if brush is worn, order PN 370005 Half-Worn Poly & Wire Demo Brush.
- 17 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.

IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.

IRIS Module is required and NOT included in the price of the IRIS Information Service:

3 Year Pre-Paid IRIS Information Service \$250.00

5 Year Pre-Paid IRIS Information Service \$400.00

A monthly contract can be set up at \$10 per month w 12 month minimum commitment.

IRIS Telemetry Module only covers the price of the hardware.

IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

- 18 Pad wrap available only in the Continental US and is the default packaging method.

 Crate or Skid is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.
- 19 Part numbers beginning with "CP" followed by a 6-digit number, or a 6-digit number with the first three digits "324 & 325" indicate a CUSTOM option or accessory. Please keep in mind that these items may require a longer delivery time.

20 Shipping Weights and Dimentions	Pad Wrap	<u>Crate</u>
Weight	2975 lbs / 1350 Kg	2650 lbs / 1202 Kg
Length	82.3" / 2090 mm	90" / 2286 mm
Width	48.5" / 1230 mm	55" / 1397 mm
Height	49.5" / 1260 mm	52" / 1321 mm

S20

BUILT-IN "TENNANT VALUE" INCLUDES:

BUILT-IN "TENNANT VA

Power Steering
Tit Steering Wheel w/horn
50" (1270mm) Sweep Path
60" (1525 mm) Multi-level Dump
No-Tool Brush Change
SweepSmartTM 3-stage air filtration & dust control
Stage 1: Perma-filter™
Stage 3: Nanofiber, surface loading canister filter
Stage 3: Nanofiber manuface surface load

Tier IV CARB Gas/LP Engine
Tier IV CARB Diesel Engine
SE Hydraulic Filter and Filter Bypass Indicator Light
Retractable Right Hand Side Brush
Wet Sweeping By-Pass
Headlights and Taillights
Hour Meter
Industrial-Grade Radiator
Engine Air filter indicator
Oil Pressure Indicator
Coil Pressure Indicator
Engine Coolant Temperature Indicator
Battery voltage indicator Light
Fuel Level Gauge
T-Beam Super-Structure Frame
Steel-Channel Wraparound Bumper
Hopper skid plate
Main and Sidebrush Select 1 (Standard)

GSA Price Including IFF

Reference Number

Standard Configurations (Not	te 2)	Reference Number	GSA P	rice Including	<u>IFF</u>
\$43,338.00	S20 Rider - Sweeper, LPG, LP tank, 33 ib (15 kg), UL® Type LP, Right Hand Side Brush, Standard Seat, Solid Rubber Front Tires, Soft Ride Solid Non-Marking Rear Tires, Fire Extinguisher Choice of Overhead Guard, Brushes, Operator & Parts Manual and Shipment Pac	S20-1000 kaging available.	\$42,045.82	\$41,568.03	\$40,612.44
\$44,816	S20 Rider - Sweeper, LPG, LP tank, 33 lb (15 kg), UL® Type LP, Right Hand Side Brush, Deluxe Seat w/Armrest, Solid Rubber Front Tires, Soft Ride Solid Non-Marking Rear Tires, AV BU Alarm-Flashing Light on Engine Cover, Fire Extinguisher Choice of Overhead Guard, Brushes, Operator & Parts Manual and Shipment Pac	S20-2000	\$43,486.63	\$42,992.46	\$42,004.13
\$51,960.00	S20 Rider - Sweeper, LPG, LP Tank, 33 lb (15 kg), UL® Type LP, HEPA Dust Filter Package for Right Hand Side Brush, Right Hand Side Brush, Dry Dust Control, Deluxe Seat wArmrest, Solid Rubber Front Tires, Soft Ride Solid Non-Marking Rear Tire, AV BU Alarm w/Flashing Light on Engine Cover, Fire Extinguisher Choice of Overhead Guard, Brushes, Operator & Parts Manual and Shipment Pac	\$20-2003	\$50,420.23	\$49,847.27	\$48,701.36
\$49,750.00	S20 Rider - Sweeper, LPG, LP tank, 33 lb (15 kg), UL® Type LP, Productivity Package, Heavy Duty Front and Rear Bumper, Deluxe Seat w/Armrest, Solid Rubber Front Tires, Soft Ride Solid Non-Marking Rear Tires, AV BU Alarm - Flashing Light on Engine Cover, Tire Extinguisher	\$20-3000	\$48,282.52	\$47,733.85	\$46,636.52

Choice of Overhead Guard, Brushes, Operator & Parts Manual and Shipment Packaging available.

Base Configuration

	Cleaning Type		1 unit	2-5 units	6-8 units
	S20 Gasoline (Petrol) (Note 3)	S20-G	\$41,682.30	\$41,208.63	\$40,261.31
	S20 LPG (Includes LP Tank) (Note 3 and 4)	S20-LP	\$41,682.30	\$41,208.63	\$40,261.31
	S20 Diesel (Note 5)	S20-DSL	\$46,240.56	\$45,715.10	\$44,664.18
	UL Rating				
	UL® Label - Type LPS (in lieu of std)	325613	\$4,640.73	\$4,587.99	\$4,482.52
Packages					
	Heavy Duty Protection Package: 'Steel Hopper, Tower Bumpers (front and rear) & Soft Ride Tires (solid soft-ride rear+hard front) -		\$3,346.22		\$3,232.14
	NOT AVAILABLE W/Dual Side Brush) (Note 6)	325652		\$3,308.19	
	Outdoor Equipment Package: Wide Track Radial Pneumatic Tire		\$1,988.76		\$1,920,96
	Package; Deluxe Suspension Seat.	325609	ψ1,500.70	\$1,966.16	ψ1,520.50
	Outdoor Safety Package w/o OHG or Cab : Strobing light, Audio				
	Visual Backup Alarm, Turn Signals and Brake Lights, Slow Moving	325620	\$2,847.03		\$2,749.97
	Vehicle Sign and Fire Extinguisher.			\$2,814.68	
	Outdoor Safety Package w/OHG or Cab: Strobing light, Audio Visual				
	Backup Alarm, Turn Signals and Brake Lights, Slow Moving Vehicle		\$2,847.03		\$2,749.97
	Sign and Fire Extinguisher.	325827		\$2,814.68	
	Productivity Package: Dual Side Brush & Vac Wand	9006320	\$3,346.22	\$3,308.19	\$3,232.14
	HEPA Dust Filter Package - Right Hand Side Brush (Note 7)		\$6,933.60		\$6.697.23
	Includes: Dry Dust Control (RH), HEPA Filter System	HDR-S20	ψ0,000.00	\$6,854.81	ψ0,001.20
	HEPA Dust Filter Package - Dual Side Brush (Note 7) Includes:		\$7,457.61		\$7.203.38
	Dry Dust Control (Dual), HEPA Filter System	HDD-S20	41,121121	\$7,372.87	**,=====

Cleaning Performance			Reference Number			
· · · · · · · · · · · · · · · · · · ·	Side Brush: Dual		9006037	\$2,771.67	\$2,740.17	\$2,677.18
	Side Brush Dust Control, WaterShield™ Wet, Right Hand		9016720	\$3,001.31	\$2,967.20	\$2,898.99
	Side Brush Dust Control, WaterShield™ Wet, Dual		9016721	\$3,538.62	\$3,498.41	\$3,417.98
	Side Brush Dust Control, Dry, Right Hand		9005851	\$1,001.03	\$989.65	\$966.90
	Side Brush Dust Control, Dry, Dual		9005852	\$1,540.11	\$1,522.61	\$1,487.61
	Vacuum Wand		9005859	\$1,074.62	\$1,062.41	\$1,037.98
	HEPA Filter System (Note 8)		9017878	\$5,934.35	\$5,866.91	\$5,732.04
Machine Protection & Sa	fety					
	Heavy Duty Front Bumpers		325610	\$805.96	\$796.81	\$778.49
	Heavy Duty Rear Bumpers		9005862	\$643.71	\$636.39	\$621.76
	Overhead Guard (incl rear view mirror)		9005853	\$1,488.69	\$1,471.77	\$1,437.93
	Steel Hopper		9005865	\$3,128.99	\$3,093.43	\$3,022.32
	Deluxe Seat w/Armrest (Note 9)		9005861	\$609.13	\$602.21	\$588.36
	Seat Belt (Standard Seat Only, standard on Deluxe Seat)		9006157	\$133.88	\$132.36	\$129.32
	Rearview Mirror Mounted on Lintel (N/A with Cab or OHG)		325614	\$398.11	\$393.58	\$384.53
	Front Tires, Soft Ride Solid, (in lieu of standard)		9011692	\$492.98	\$487.38	\$476.17
	Front Tires, Soft Ride Solid, Non Marking (in lieu of standar	rd)	9011693	\$582.53	\$575.91	\$562.67
	Front Tires, Pneumatic Radial(in lieu of standard)		9011690	\$666.76	\$659.18	\$644.03
	Rear Tire, Soft Ride Solid (in lieu of standard)		9011698	\$290.82	\$287.52	\$280.91
	Rear Tire, Soft Ride Solid Non Marking (in lieu of standard))	9011700	\$225.21	\$222.65	\$217.53
	Rear Tire, Pneumatic Radial (in lieu of standard)		9011697	\$348.45	\$344.49	\$336.57
	AV BU Alarm and Flashing Light on Engine Cover (Note 1)		9005471	\$831.68	\$822.23	\$803.32
	AV BU Alarm and Flashing Light on OHG or Cab (Note 10)		9005545	\$831.68	\$822.23	\$803.32
	AV BU Alarm and Strobe Light on Engine Cover (Note 10)		9005546	\$831.68	\$822.23	\$803.32
	AV BU Alarm and Strobe Light on OHG or Cab (Note 10)		9005547	\$831.68	\$822.23	\$803.32
	Blue Light (Note 11)		9020911	\$983.29	\$972.12	\$949.77
	Turn Signals with 4 Way Flashers		325552	\$1,733.40	\$1,713.70	\$1,674.31
	Fire Extinguisher		9006006	\$138.32	\$136.75	\$133.60
	Winch Hook		9021038	\$522.24	\$516.30	\$504.43
	Slow Moving Vehicle Sign	0	325621	\$354.66	\$350.63	\$342.57
	Low-Oil Pressure Shutdown (G/LPG ONLY)	Custom Solution	325694	\$320.97	\$317.32	\$310.03
	Protect-Seal Fuel Cap	Custom Solution	325605	\$453.96	\$448.81	\$438.49
Brushes (Note 12 & 13	Mata Barrat		Reference Number			
	Main Brush		97000	N/C	NIC	NIC
	Polypropylene Brush - Main Brush		87099 87097	N/C N/C	N/C N/C	N/C N/C
	Polypropylene & Wire Brush - Main Brush Polypropylene Window Brush - Main Brush		370010	\$228.76		
	Union Mix Brush - Main Brush		385947	\$228.76 \$228.76	\$226.16 \$226.16	\$220.96 \$220.96
	Sand Wedge Brush - Main Brush		370025	\$228.76	\$226.16	\$220.96
	· ·		370023	Ψ220.70	Ψ220.10	Ψ220.90
	Side Sweep Brushes (Standard with Side Brush Assem	bly - Pick One)				
	Polypropylene - Side brush		59431	N/C	N/C	N/C
	Nylon - Side brush		08013N	N/C	N/C	N/C
	Machine Communication (Note Iris)		*****		** ***	
	IRIS Telemetry Module		9009709	\$1,212.05	\$1,198.28	\$1,170.73
	Packaging (Note 14)					
	Skid (in lieu of std) Crate (in lieu of std)		366031 360381	\$421.16 \$816.60	\$416.37 \$807.32	\$406.80 \$788.77
	2.2.2 (2. 5. 5.4)		000001	ψ3.5.00	Ψ001.02	ψ. σσ. 11
Custom Solutions	Frame Lifting Lugs - Side		325678	\$1,385,83	\$1,370.09	\$1.338.59
	Weatherproof Manual Pouch		9020593	\$193.29	\$191.09	\$186.70

- 2 Standard Configurations are set configurations as listed and cannot be altered. However, these are partial configurations which require the selection of Overhead Guard, Brushes, Operator Manuals, Service Manual, and Shipment Packaging.
- 3 Both the Gasoline (Petrol) and LPG versions of the S20 are not available in the state of California as they are not CARB certified.
- 4 LP models come equipped with one 33-lb. vertical, liquid-withdrawal tank
- 5 ENGINE EMISSION CERTIFICATION: We cannot certify that engine emissions will meet a particular customer's tolerable limits. Air quality standards are determined by the concentration of exhaust in the air. Concentrations will depend upon the volume of air in the building and ventilation.
- An Oxycatalyst Muffler is available, as a special, to help reduce emission levels.
- 6 The dual side brush option can NOT be ordered with the with Steel Hopper
- 7 HEPA Dust Filter Package cannot be ordered with the Productivity Package and is not compatible with Water Shield Wet Dust Control. If both the Productivity Package and HEPA Dust Filter Package are required, you must order the HEPA Filter System and Dry Dust Control separately.

 HEPA Dust Filter Package cannot be ordered with the Heavy Duty Protection Package or the Heavy Duty Front Bumper. The HEPA Dust Filter Package will ship with 2 extra HEPA filters for a total of 3 filters at the time of deliver. When ordering the HEPA Dust Filter Package, the High Rise Air Intake (326420) is recommended. HEPA Dust Filter Package for Dual Side Brush does include the Dual Side Brush Dust Control option. HEPA Dust Filter Package for RH Side Brush does include the RH Side Brush Dust Control option. Both HEPA Dust Filter Packages are Custom Solutions and may add to the lead time of the machine.
- 8 HEPA Filter Sytem requires Side Brush Dust Control Dry HEPA Filter System is not available with Water Shield Wet Dust Control.
- 9 Deluxe Seat cannot be ordered with the Soft Side Cab.
- 10 DO NOT ORDER if Outdoor Safety Package (PN 325620 or 325827) are ordered
- 11 The Blue Light requires that either the AV Back Up Alarm and Flashing Light on Engine cover or the AV Back Up Alarm and Strobe Light on Engine cover are selected as well The Blue Light is not compatible with Warning Lights on the Overhead Guard.
- 12 All main brushes are directly interchangeable with those for a 235, 6400 and S20. All side brushes are directly interchangeable with those for a 355, 385, 6400 and S20.
- 13 To demonstrate continued sweeping performance even if brush is worn, order PN 370005 Half-Worn Poly & Wire Demo Brush.
- IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.

 IRIS Module is required and NOT included in the price of the IRIS Information Service:

 3 Year Pre-Paid IRIS Information Service

 \$250

 4 monthly contract can be set by at \$10 per month whi 12 month minimum commitment.

 IRIS Telemetry Module only covers the price of the hardware.

 IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package. \$250.00

\$400.00

- 14 Pad wrap available only in the Continental US and is the default packaging method.
 Skid or Crate is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.
- 15 Part numbers beginning with "CP" followed by a 6-digit number, or a 6-digit number with the first three digits "324 & 325" indicate a CUSTOM option or accessory. Please keep in mind that these items may require a longer delivery time.

16 Shipping Weights and Dimensions	Pad Wrap	Crate
Weight	2450 lbs / 1110 Kg	2650 lbs / 1202 Kg
Length	83" / 2090 mm	90" / 2286 mm
Width	49" / 1230 mm	55" / 1397 mm
Height	50" / 1260 mm	64" / 1626 mm

Model S30

BUILT-IN "TENNANT VALUE" INCLUDES:

2.0 L Gas/LP Engine EPA Tier 3 1.5 L Kubota Diesel EPA Tier 4i Engine Catalytic muffler (G/LPG only) Rugged construction:

Rugged construction:

Steel T-beam frame and channel wraparound bumper
Triple accessory pumps
Oversized, industrial hydraulics and oil cooler
21 in (535 mm) Soft ride solid front tires
18 in (460 mm) solid rear tires on 3 wheel models
15.5 in (395 mm) foam-filled rear tires on 4 wheel model Head and Tail Lights
High-Capacity, Duramer™ Multi-Level Dump Hopper
14 ft² (396 L) or 1080 lbs (490 kg) Usable Capacity
60-inch (152 cm) Variable Dump Height
Thermo-Sentry™ Hopper Fire Sensor
Locking Hopper Safety Arm
ErgoSpace™ Operator Compartment:

ErgoSpace™ Operator Compartment:
Tilt Steering Wheel w/ Horn
Adjustable Propel Pedal

1-STEP™ Button Memory Controls (Sweeping)
Built-In Maintenance Diagnostics w/ Service Reminder
Deluxe Suspension Seat w/ retractable belt

Operator and Parts Manual

SweepMax® Plus 3 stage air filtration and dust control Stage 1: Perma-filter™ Stage 2: SweepMax Plus Cyclonic pre-filter Stage 3: Nanofiber, surface loading cannister filter (no tool change) -80 ft² (7.4 m2) Pleated Media - Nanofiber filtration of (up to) .5 micron particles @ 99% efficiency II-Speed™ sweeping system 62.5 in (1590 mm) Sweeping path w/ single side broom No tool brush change Wet sweeping by-pass Damage-resistant, spring loaded recirculation flap S30 Touch-N-Go™ Operation Panel: LCD Screen Display Hour meter

LCD Screen Display
Hour meter
Fuel Level Indicator
Water & Hydraulic Temperature Indicators
Clogged Filter Indicator
Battery Indicator
Battery Indicator
Low Oil Pressure/High Coolant Temp Shutdown (G/LPG only)
Glow plug indicator (Diesel)
Check engine Indicator (G/LPG)
Hopper door open & closed indicator
Standard main brush (Select One)
Retractable standard side brush (Select One)

Underwriters Laboratory (UL®) Certification, G, LP, D

			<u>GSA F</u>	GSA Price Including IFF	
Standard Config (Note 2)			1 unit	2-5 units	6-8 units
	\$30 Rider Sweeper, LPG w/LP tank, 33 lb (15 kg) w/ Outage & Filler valve, UL® Type LP, Indoor Safety Light Package, Right Hand Side Brush, Deluxe Seat w/Armrest, Solid Rubber Front Tire, Solid Non-Marking Rear Tire, Fire Extinquisher Choice of Overhead Guard, Brushes, Operator Manual and Shipment Packaging	S30-1000 available.	\$52,313.23	\$51,718.76	\$50,529.82
	\$30 XP Rider Sweeper, LPG w/LP tank, 33 lb (15 kg) w/ Outage & Filler valve, UL® Type LP, Indoor Safety Light Package, Right Hand Side Brush, Solid Front and Rear Non Marking Tires, Fire Extinguisher Choice of Overhead Guard, Brushes, Operator Manual and Shipment Packaging	S30-2000 available.	\$56,480.48	\$55,838.66	\$54,555.01
	\$30 XP Rider Sweeper, LPG w/LP tank, 33 lb (15 kg) w/ Outage & Filler Valve, UL® Type LP, Indoor Safety Light Package, HEPA Dust Filter Package for Right Hand Side Brush, Right Hand Side Brush, Dry Dust Control, Deluxe Seat w/Armrest, Solid Rubber Front and Rear Non Marking Tires, Fire Extinguisher	\$30-2003	\$65,143.05	\$64,402.79	\$62,922.27
	Choice of Overhead Guard, Brushes, Operator Manual and Shipment Packaging	available.			
Base Configuration		Reference Number	GSA F	Price Including	IFF
	Cleaning Type		1 unit	2-5 units	6-8 units
	S30 Gasoline (Petrol)	S30-G	\$50,366.15	\$49,793.80	\$48,649.12
	S30 LP (Includes LP Tank) (Note 2)	S30-LP	\$50,366.15	\$49,793.80	\$48,649.12
	S30 Diesel	S30-DSL	\$54,862.35	\$54,238.91	\$52,992.04
	Trim Level	VP 000	AF 170 01	AF 110 10	05.004.54
	XP (includes Plastic Hopper, Electronic Controls, Deluxe Seat, Solid Rubber Front and Rear Tires)	XP-S30	\$5,178.04	\$5,119.19	\$5,001.51
	High Rise Air Intake w/Precleaner	325686	\$1,861.08	\$1,839.93	\$1,797.63
	UL Rating				
	UL® Label - Type LPS (in lieu of standard)	325930	\$4.319.76	\$4,270,67	\$4,172,49
	Cas cass. Type at a (in list of challed a)	020000	ψ1,010.10	ψ1,270.07	Ų 1, 1 1 <u>2</u> 1 10
Packages					
	Heavy Duty Protection Package Steel Hopper, Rear Tower Bumpers		A0.040.50	#0 F00 07	*** *** ***
	& Solid Front/Rear Tires (3 Wheel Only) (Note 4)	9004101	\$6,613.52	\$6,538.37	\$6,388.06
	Productivity Package (Left hand side brush & Rear Tower Bumpers -		\$2,104.02	\$2.080.11	\$2.032.29
	XP w/plastic hopper only	9004491	Ψ2,104.02	Ψ2,000.11	\$2,032.25
	Safety Light Package (Flashing Light and A/V Back-up Alarm): Indoor	9003863	\$797.98	\$788.92	\$770.78
	Safety Light Package (StrobeLight, A/V Back-up Alarm Turn Signal/Brake Light): Outdoor	9003803	\$1,336.18	\$1,321.00	\$1,290.63
	HEPA Dust Filter Package - Right Hand Side Brush (Note 5)	9003603			
	Includes: Dry Dust Control (RH), HEPA Filter System	HDR-S30	\$8,662.57	\$8,564.13	\$8,367.25
	HEPA Dust Filter Package - Dual Side Brush (Note 5 & 6) Includes:				
	Dry Dust Control (Dual), HEPA Filter System	HDD-S30	\$9,327.56	\$9,221.56	\$9,009.57
	HEPA Filtered Cab Package (Note 6) Includes: Cab,	1.55 000	********		*******
	AC/Heater/Pressurizer, HEPA Cab Filter	HFC-S30	\$24,979.59	\$24,695.73	\$24,128.01
Cleaning Performance	Cide Develo Divel (VD 8 VA Black's Hannes Only) (Nate C)	Reference Number	\$1.847.78	\$1,826.78	\$1,784,79
	Side Brush: Dual (XP & X4 Plastic Hopper Only) (Note 6) Side Brush Dust Control, WaterShield [™] Wet, Right Hand	9003395	\$1,847.78 \$3,269.08	\$1,826.78	\$1,784.79 \$3.157.63
		9016088			
	Side Brush Dust Control, WaterShield™ Wet, Dual (Note 6)	9016089	\$3,796.63	\$3,753.49	\$3,667.20
	Side Brush Dust Control, Dry, Right Hand	9017880	\$2,334.55	\$2,308.02	\$2,254.96
	Side Brush Dust Control, Dry, Dual (Note 6)	9017881	\$3,001.31	\$2,967.20	\$2,898.99 \$1.340.30
	Vacuum Wand HEPA Filter System (Note 7)	325685 9017879	\$1,387.61 \$6,329.79	\$1,371.84 \$6,257.86	\$1,340.30 \$6,114.01
	TIET AT III O OSSOTI (HOLE !)	3011013	ψυ,υ23.19	ψυ,201.00	ψυ, i i=1.0 l

Machine Protection &	Heavy Duty Front Bumper	Custom Solution	325501	\$742.13	\$733.69	\$716.83
	Heavy Duty Rear Bumpers	Oustoni Colution	9004106	\$727.94	\$719.67	\$703.12
	Overhead Guard (incl rear view mirror)		9003634	\$1,250,18	\$1,235.97	\$1,207.56
	Cab Assy/w Climate Control, AC/Heater/Pressurizer (Gas)		9003860	\$12,670.23	\$12,526.25	\$12,238.29
	Cab Assy/w Climate Control, AC/Heater/Pressurizer (LP)		9003861	\$12,670.23	\$12,526.25	\$12,238.29
	Cab Assy/w Climate Control, AC/Heater/Pressurizer (Diesel)		9003862	\$12,670.23	\$12,526.25	\$12,238.29
	Cab Filter - HEPA (includes Solid/Sealed Cab Windows) (Note 6 & 8)		325647	\$12,567.38	\$12,424.56	\$12,138.94
	Steel Hopper (3 wheel only)		9003628	\$5,549.54	\$5,486.48	\$5,360.35
	Deluxe Seat (Upgrade for S30 Base Model)		9003633	\$666.76	\$659.18	\$644.03
	Seat Belt (S30 base version only, standard on XP and X4)		325542	\$602.04	\$595.19	\$581.51
	Rear Tire, Solid Rubber (in lieu of standard)		9011679	N/C	N/C	N/C
	Rear Tire, Solid Non Marking (in lieu of standard) (Note 9)		325453	\$183.54	\$181.45	\$177.28
	Rear Tire, Foam Filled (in lieu of standard)		9011680 9020921	\$344.02 \$983.29	\$340.11 \$972.12	\$332.29 \$949.77
	Blue Light Side Brush Spotlight		325663	\$963.29 \$458.40	\$453.19	\$949.77
	Fire Extinguisher		9003932	\$138.32	\$136.75	\$133.60
	Winch Hook		9021038	\$522.24	\$516.30	\$504.43
		om Solution	325511	\$2,049.93	\$2,026.64	\$1,980.05
				,	*=,=====	* .,
Brushes						
	Main Brush					
	Polypropylene Brush (main brush)		66019	N/C	N/C	N/C
	Polypropylene & Wire Brush (main brush)		54925	N/C	N/C	N/C
	Polypropylene, Window Brush (main brush)		370009	\$273.09	\$269.98	\$263.78
	Nylon Brush (main brush)		54923	N/C	N/C	N/C
	Nylon Patrol Brush (main brush) Sand Wedge Brush (main brush)		66018 370008	N/C	N/C	N/C \$263.78
	Sand Wedge Brush (main brush)		370008	\$273.09	\$269.98	\$203.70
	Side Sweep Brushes (Standard with Side Brush Assembly - Pick One)				
	Polypropylene (side brush, std w/side brush assy.)		1027380	N/C	N/C	N/C
	Nylon (side brush, std w/side brush assy.)		1041102	N/C	N/C	N/C
Support (note 9)			Reference Number			
	Extended Warranty (note 10)		48851	\$1,937.33	\$1,915.31	\$1,871.28
	Machine Communication (Note Iris)					
	IRIS Telemetry Module		9009673	\$1,212.05	\$1,198.28	\$1,170.73
	Packaging (Note 11)					
	Skid (in lieu of standard)		9004094	\$813.06	\$803.82	\$785.34
Custom Solutions						
	Weatherproof Manual Pouch		325423	\$193.29	\$191.09	\$186.70
	Frame Lifting Lugs - Side		325479	\$1,385.83	\$1,370.09	\$1,338.59
Notes_	2 Standard Configurations are set configurations as listed and cannot be altered.					
	However, these are partial configurations which require the selection of Overhead	Guard				
	Brushes, Operator Manuals, Service Manual, and Shipment Packaging.	i Guaiu,				
	3 LP models come equipped with one 33-lb (15 kg) horizontal, liquid-withdrawal tan	k.				
	A Full I D Tonk connet be chinned to Alcele as Houseii. Orders chinning to those					

A Full LP Tank cannot be shipped to Alaska or Hawaii. Orders shipping to these states will receive an Empty LP Tank.

4 Heavy Duty Protection Package - only available with 3 wheel machines. NOT with Left Hand Side Brush. NOT with Productivity Package.

5 HEPA Dust Filter Package cannot be ordered with the Productivity Package and is not compatible with Water Shield Wet Dust Control.

The Package cannot be ordered with the Plackage and the Package are required, you must order the HEPA Filter System and Dry Dust Control separately.

HEPA Dust Filter Package cannot be ordered with the Heavy Duty Protection Package or the Heavy Duty Front Bumper.

When ordering the HEPA Dust Filter Package, the High Rise Air Intake (325686) is recommended. The HEPA Dust Filter Package will ship with 2 extra HEPA filters for a total of 3 filters at the time of delivery. HEPA Dust Filter Package for Dual Side Brush does not include the Dual Side Brush option.

6 Only available with XP versions. Not compatible with the Steel Hopper

7 HEPA Filter System requires Side Brush Dust Control - Dry HEPA Filter System is not available with Water Shield Wet Dust Control.

8 Cab HEPA Filter requires the standard Cab be ordered.

9 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com

10 Warranty Plus Extended Warranty includes an additional 18 months trip and labor coverage.

IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service

IRIS Module is required and NOT included in the price of the IRIS Information Service:

3 Year Pre-Paid IRIS Information Service

5 Year Pre-Paid IRIS Information Service

\$250.00

A monthly contract can be set up at \$10 per month w/ 12 month minimum commitment.

IRIS Telemetry Module only covers the price of the hardware.
IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

IRIS Telemetry requires an IRIS Telemetry Module and which is the default packaging method.

11 Pad wrap available only in the Continental US and is the default packaging method.

Skid is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.

12 Shipping Weights and Dimensions

Weight

932 Us / 1595 Kg

93" / 2360 mm

62.5" / 1475 mm <u>Skid</u> 3875 lbs / 1758 Kg 116" / 2946 mm 68" / 1727 mm

68" / 1727 mm

Model 800

BUILT-IN "TENNANT VALUE" INCLUDES:

EPA Certified Engine:

Mitsubishi Gas/LP, EPA Tier 4

Kubota 2.4L Diesel, EPA Tier 4F Kubota engine requires using only ultra-low sulfur diesel (ULSD) fuel. (Note 2)

Dual Element SE Type Air Cleaner Catalytic muffler (G/LPG only) Check Engine Light (G/LPG only) Industrial Radiator/Debris Screen

Check Engine Light (G/LPG only)
Industrial Radiator/Debris Screen
Low-Oil/High Water Temperature Shut-down (G/LP Only)
Il-Speed Cleaning System
No-Tool Brush Change
Retractable Sidebrush Assembly
Standard 26" (660 mm) Side Brush (Select One)
Standard Main Sweeping Brush (Select One)
Damage Resistant Recirculation Flap
30 ft* (850 L) Hopper
72" (1830 mm) Multi-Level Dump
Vacuum Shut-off
Thermo-Sentry™
Hydraulic Main and Side Brush Lift
190 ft* (17.7 m*) Quad Filter System:
Stage 1-Debris Deflector
Stage 2- Perma-Filter
Stage 3- Wrap-Around Pre-Screen
Stage 4- Dual Canister Filters

Timed Filter Shaker

UL-Certification (Type G, LP, or D)

Triple, Heavy-Duty Accessory Pumps Hydraulic By-Pass Tow Valve Tilt-Out Hydraulic Oil Cooler

Electronic Instrument Panel: Brush Down-Pressure Indicator Clogged Filter Indicator Fuel Level Indicator Oil Pressure Indicator Engine Water Temp. Indicator Engine Water Temp. Indicated Hour Meter
Amp Gauge
Heavy Duty Alternator (D)
Headlights and Taillights
Circuit Breakers

Power Steering

Tilt Steering Wheel Servo-Assist Adjustable Foot Pedal Luxury, Energy-Absorbing Seat

T-Beam Frame Super-Structure Steel-Channel Wraparound Bumper 23" (585 mm) O. D. Pneumatic Tires

Base Configuration		Reference Number	GSA Price Including IFF			
	Cleaning Type			<u>1 unit</u>	2-5 units	6-8 units
	800 Gasoline (Petrol) Sweeper		800-G	\$88,963.30	\$87,029.32	\$85,095.34
	800 LPG Sweeper (includes LP Tank - Note 1)		800-LP	\$91,620.88		\$87,637.36
	800 Diesel Sweeper (Kubota 2.4, Tier 4F & Stage V - Note 2)		800-DSL	\$107,667.35	\$105,326.75	\$102,986.16
	Neutral Start		70697	\$241.93	\$236.68	\$231.42
Packages (note 4)						
	Roadway Package Inlcudes: RH Side Brush Spotlight, Brake Lights,			\$796.25	\$778.94	\$761.63
	Turn Signals, 4-Way Flashers (note 4)		70694	******	******	********
	Roadway Package w/Dual Spot Light (requires Dual Side Brush)					
	Includes: Dual Side Brush Spot Light, Brake Lights, Turn Signals, 4-			\$1,602.70	\$1,567.86	\$1,533.02
	Way Flashers (Note 4)		70694-CP810081	040.044.00	040 004 00	00 700 05
	HEPA Dust Filter Package - Right Hand Side Brush (Note 5) Dry Dust Control (RH), HEPA Filter System		HDR-800	\$10,244.68	\$10,021.96	\$9,799.25
	HEPA Dust Filter Package - Dual Side Brush (Note 5)		HDD-800	\$12,413.74	\$12,143.88	\$11.874.02
	Dry Dust Control (Dual), HEPA Filter System			¥ · = , · · · · · ·	*,	* ,
	HEPA Filtered Cab Package		HFC-800	\$31,933.50	\$31,239.29	\$30,545.09
	Cab, AC/Heater/Pressurizer, HEPA Cab Filter, Solid Cab Windows,	Sealed Op Station				
Cleaning Performance						
	Side Brush, Dual		77753	\$5,166.83	\$5,054.51	\$4,942.19
	Side Brush Dust Control, Dry, Right Hand (Note 6)		70671	\$2,676.11	\$2,617.93	\$2,559.76
	Side Brush Dust Control, Dry, Dual (Must order Dual Side Brush)		CP810029 & 70671	\$4,859.08	\$4,753.45	\$4,647.82
	Side Brush Dust Control, WaterShield [™] Wet, Right Hand (Note 7) Gas/Diesel	Custom Solution	326626	\$8,087.66	\$7,911.84	\$7,736.02
	Side Brush Dust Control, WaterShield [™] Wet, Right Hand (Note 7) LP	Custom Solution	326678	\$8,087.66	\$7,911.84	\$7,736.02
	Side Brush Dust Control, WaterShield TM Wet, Dual (Note 7)	Custom Solution	326627	\$8,347.20	\$8,165.74	\$7,984.28
	Side Brush Dust Control, WaterShield [™] Wet, Dual (Note 7) LP	Custom Solution	326679	\$8,347.20	\$8,165.74	\$7,984.28
	Vacuum Wand	Custom Solution	70667	\$1,562.84	\$1,528.87	\$1,494.89
	HEPA Filter System (with 2 Extra Filters)		CP810016	\$7,669.60	\$7,520.87	\$7,336.14
	RFS-Regenerative Filter System (Not w/CP810016)		79175	\$2,424.91	\$2,372.19	\$2,319.48
	Dust Control Filter, Extra Fine Media Cannister		375530	\$726.73	\$710.93	\$695.13

Machine Protection & S		Reference Number			
	Heavy Duty Front Bumper without Cab	77546	\$2,939.37	\$2,875.47	\$2,811.
	Heavy Duty Front Bumper with Cab	77547	\$2,939.37	\$2,875.47	\$2,811.
	Overhead Guard	70455	\$2,438.81	\$2,385.79	\$2,332.
	Cab (Assembly Only, Includes Side Brush Mirror)	380713	\$10,772.11	\$10,537.93	\$10,303.
	Reduced Height Cab - 80in / 204 cm (Note 8)	326188	\$14.349.22	\$14.037.28	\$13.725
	Climate Control, AC/Heater/Pressurizer Gas/LP (Note 8)		\$5,230.43	\$5,114	
	Climate Control, AC/Heater/Pressurizer for Diesel (Note 8	380707	\$5,346.66	\$5,230.43	\$5,114
	Solid Cab Windows (Note 9)	324380	\$1,126,25	\$1,101,76	\$1.077
	Sealed Operator Station (Note 9)	324706	\$1,867.81	\$1,827.20	\$1,786
	Cab Filter - HEPA (Note 9)	326383	\$13,150.67	\$12,864.79	\$12,578
	Stainless Steel Hopper Floor	70685	\$1,179.08	\$1,153.45	\$1,127
	Seat Belt	70689	\$147.39	\$144.18	\$140
	West Coast Mirror on Cab (Note 10)	CP810013	\$1,313.49	\$1,284.94	\$1,256
	West Coast Mirror in OHG (Note 10)	324164	\$1,313,49	\$1,284,94	\$1,256
	Rearview Mirror in Cab	CP810028	\$404.15	\$395.37	\$386
	Rearview Mirror in OHG	CP810037	\$404.15	\$395.37	\$386
	Side Brush Mirror - RH (included in cab assembly)	380711	\$314.24	\$307.41	\$300
	Side Brush Mirror - Dual	380711 & 324087	\$961.25	\$940.35	\$919
	Front Tires, Solid Rubber(in lieu of standard pneumatic) (Note 11)	9011664	\$989.06	\$967.56	\$946
	Rear Tire, Solid Rubber (in lieu of standard pneumatic) (Note 11)	9011392	\$495.92	\$485.14	\$474
	Hopper Door Open Light	79182	\$201.15	\$196.78	\$192
	AV BU Alarm - Engine Cover	380605	\$1.131.81	\$1,107.20	\$1.082
	AV BU Alarm - Flashing Light on Engine Cover	380605 & 380700	\$1,714.86	\$1,677.58	\$1,662
	AV BU Alarm - Flashing Light on Cab	380605 & 380700 380605 & 73750	\$1,714.86	\$1,677.58	\$1,640
	AV BU Alarm - Flashing Light on OHG	380605 & 73754	\$1,714.86	\$1,677.58	\$1,640
	Flashing Light on Engine Cover (Note 12)	380700	\$590.47	\$577.63	\$1,040
	Flashing Light on Cab	73750	\$590.47	\$577.63	\$564
	Flashing Light on OHG	73754	\$590.47	\$577.63	\$564
	AV BU Alarm - Strobe Light on Engine Cover	380605 & 380701	\$2.063.40	\$2.018.54	\$1.973
	AV BU Alarm - Strobe Light on Cab	380605 & 380701 380605 & 73752	\$2,063.40	\$2,018.54	\$1,973
	AV BU Alarm - Strobe Light on Cab AV BU Alarm - Strobe Light on OHG	380605 & 73752	\$2,063.40	\$2,018.54	\$1,973
	Strobe Light on Engine Cover (Note 12)	380701	\$940.86	\$920.40	\$899.
	Strobe Light on Cab	73752	\$940.86	\$920.40	\$899
	Strobe Light on OHG	73752 73756	\$940.86	\$920.40	\$899
	Blue Light (Note 13)	9021371	\$1,281.05	\$1,253,20	\$1.225
	Side Brush Spotlight, Right Hand	70698	\$1,261.03	\$189.52	\$1,225
	Side Brush Spotlight, Night Hand	70698-CP810081	\$1,032.62	\$1,010.18	\$987
	Protecto-Seal Fuel Cap	325304	\$493.14	\$482.42	\$471
	Forward Speed Control (5 MPH)	CP810002	\$89.91	\$87.96	\$86
	Fire Extinguisher	70691	\$155.73	\$152.34	\$148
	The Extinguisher	70031	ψ100.70	ψ132.34	φ140
rushes	Mate Parech	Reference Number			
	Main Brush Polypropylene Brush - Main Brush	35326	N/C	N/C	N/C
	Outdoor Polypropylene Brush - Main Brush	35326	N/C N/C	N/C N/C	N/C
	Polypropylene & Wire, 8 DR Brush - Main Brush	35324	N/C	N/C	N/C
	Nylon, 8 DR Brush - Main Brush	66020	N/C N/C	N/C N/C	N/C
	Nylon, Patrol Brush - Main Brush	35336	N/C	N/C	N/C
	Polypropylene, Sand Wedge Brush - Main Brush	370011	\$419.91	\$410.78	\$401
	Old Oncor Brooks (Orandord Wh Old Brook Assembly Birl One)				
	<u>Side Sweep Brushes (Standard with Side Brush Assembly - Pick One)</u> Polypropylene - Side Brush	70649	N/C	N/C	N/C
	Nylon - Side Brush	70649 75011	N/C N/C	N/C N/C	N/C N/C
	Hylon - Olde Brash		14/0	14/0	14/0
Support (Note 14)	Extended Warranty (note 15)	Reference Number 09173	\$2,132.92	\$2,086.55	\$2,040
	Extended Wallanty (110te 13)	09173	φz, 132.92	φ2,000.00	φ ∠ ,040.
	Packaging (Note 165)		****	***	
	Skid (In lieu of standard)	74054	\$892.65	\$873.25	\$853

Notes 800

- 1 LP models come equipped with one 33-lb (15 kg) horizontal, liquid-withdrawal tank, Impco carburetor, Impco vaporizer/regulator, and Sherwood Selipac fittings. Any deviation may void engine warranty.
 A Full LP Tank cannot be shipped to Alaska or Hawaii. Orders shipping to these states will receive an Empty LP Tank.
- 2 The tier 4F & Tier 4F/Stage V diesel engine requires the use of ultra-low sulfur diesel (ULSD) fuel only. Only ultra-low sulfur diesel (ULSD) fuel with <15 ppm should be used (on-highway grade). If any other type of fuel or addidtive is used, severe damage may occur to the diesel particulate filter (DPF). Please reference the operator's manual for more information on owning the 800 diesel. Neutral Start option is standard with the diesel engine.
- 4 P/N 70694 Roadway Lighting Package consists of: Right Hand Side Brush Spotlight, Brake Lights, Turn Signals, and 4-Way Flashers. Addition of the Dual Side Brush Spot Light requires the Dual Side Brush. This will add part # CP810081 (LH Spot Light) to the Package.
- 5 The HEPA Dust Filter Package will ship with 2 extra HEPA filters for a total of 3 filters at the time of delivery. HEPA Dust Filter Package for Dual Side Brush does not include the Dual Side Brush option.
- 6 P/N 70671 Side Brush Dust Control includes custom, non-vacuumized skirting mounted to the side brush and hopper assemblies.
- 7 WaterShield Wet Dust Control is not available with the HEPA Filter System or HEPA Dust Filter Package Cannot be combined with the Dry Dust Control System. Not compatible with the Heavy Duty Bumpers (Front & Rear). WaterShield Wet Dust Control is a Custom Solution option and may increase lead time.
- 8 Please contact CUSTOM SPECIALS Department for customers requiring a cab height less than 89" with pressurizer/heater and or air conditioner option.
- 9 Requires the standard Cab be ordered.
- 10 When ordering both the West Coast Mirror and Rear View Mirror on the same machine, the West Coast Mirror must be added as a Custom Solution option.
- 11 Foam-filled tires are available as a Custom Option.
- 12 P/N 380700 & 380701 make the flashing or strobe light on the overhead guard or cab level with the top of the overhead guard or cab, for applications with limited clearance height. Height to top of light 82". Please note this option is not available with air conditioned or heated cabs.
 - Strobe light or flashing light when ordered with air conditioning and/or heated cab will be mounted on pedestal next to cab.
- 13 The Blue Light requires either the Flashing or Strobe Light (with or without AV BU Alarm) also be ordered with the machine. Blue Light is not available with either the Overhead Guard or Cab options.
- 14 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- 15 Warranty Plus Extended Warranty includes an additional 18 months trip and labor coverage.
- 16 Pad wrap available only in the Continental US and is the default packaging method.

 Skid is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.
- 18 Part numbers beginning with "CP" followed by a 6-digit number, or a 6-digit number with the first three digits "324 & 325" indicate a CUSTOM option or accessory. Please keep in mind that these items may require a longer delivery time.

19 Shipping Weights and Dimensions	Pad Wrap	<u>Skid</u>
Weight	6180 lbs / 2803 Kg	6250 lbs / 2835 Kg
Length	114" / 2,896mm	130" / 3,302mm
Width	79" / 2,007mm	80" / 2,032mm
Height	68" / 1,727mm	68" / 1,727mm

BUILT-IN "TENNANT VALUE" INCLUDES:

VM Motori R754 Diesel, US Tier 4F (Note 1)
Hydrostatic Rear Wheel Drive with Variable Speed Pump
4-Wheel Power Steering
Eco-Mode in Transit and Working modes
3-Position Hydraulic Suspension
Central Brush with Hydraulic Activation and Regulation
R and L Side Brushes with Hydraulic Activation and Regulation
Automatic Brush Pressure Compensation
Polypropylene Main Brush
Polypropylene Main Brush
5-5 yd3 Debris Hopper
Low Dump Debris Hopper (Note 2)
DIN Hydraulic Connections

Two-Stage Air Filtration with Dual Electric Filter Shaker PM2.5 and PM10 4-Star Certification 10-in Touch Screen Display 1-Step Sweeping Onboard Real-Time Diagnostics Fully Glazed Cab Rear View Camera Seat Belts Keyed Door Locks Titl Steering Audio Backup Alarm Headlights & Tailights

CORE	Description	Reference #		Price Including IFF
CORE	Description Z50 Citadel with CORE Package	1272946	1 unit \$215,843.59	2-5 units 6-8 units \$234,612.59 \$234,612.59
	All features included in "Build-In Tennant Value", plus - TwinLift Debris Management System (DMS)		, ,,,	, , , , , , , , , , , , , , , , , , , ,
	CORE PLUS			
	Z50 Citadel with CORE PLUS Package	1275374	\$236,264.34	\$256,809.07 \$256,809.0
	Adds features that enhance the cleaning experience. Package includes CORE features plus			
	High Dump Hopper (Note 3), Wet Sidebrush Dust Control (standard tank) (Note 4), Hopper Full Sensor,			
	Rear Debris Vacuum Hose, Air Conditioning, Rear Axle Locking (two steering wheels), Manual Central			
	Lubrication			
INDUSTRY DRY DUST				
NDOSTRI DRI DOST	Z50 Citadel with INDUSTRY DRY DUST APPLICATION PACKAGE	1274026	\$228,741.20	\$248,631.74 \$248,631.7
	Debris collection and cleaning features oriented towards industrial dry dust and sand sweeping environments.			
	All features included in "Build-in Tennant Value", <i>plus</i>			
	TwinLift Debris Management System (DMS), Side Brush Tilting Kit, Brush Pressure Adjustment Kit, Side			
	Brush Speed Control, Central and Side Brush Booster, Hopper Full Sensor, Rear Debris Vacuum Hose, LED			
	Headlights, Air Conditioning, Heated Rear-View Mirrors, Radio, Automatic Battery Cut-Off Switch, Manual Central Lubrication			
	INDUSTRY DRY DUST PLUS			
	Z50 Citadel with INDUSTRY DRY DUST PLUS APPLICATION PACKAGE	1274029	\$251,956.72	\$273,865.99 \$273,865.9
	INDUSTRY DRY DUST application package plus premium features that enhance the cleaning experience.			
	Package includes CEMENT features plus			
	High Dump Hopper, Stainless Steel Debris Hopper, Remote Hopper Control, Rear Axle Locking (2-wheel steering), Automatic Central Lubrication, Sound Level Adaptive Buzzer			
	steering), Automatic Central Eublication, Sound Level Adaptive Buzzer			
NDUSTRY WET DUST				
	Z50 Citadel with INDUSTRY WET DUST APPLICATION PACKAGE	1274027	\$240,025.91	\$260,897.73 \$260,897.7
	Debris collection and cleaning features oriented towards industrial environments with requirements for wet dust control.			
	All features included in "Build-In Tennant Value", plus			
	TwinLift Debris Management System (DMS), Side Brush Tilting Kit, Brush Pressure Adjustment Kit, Side Brush Speed Control, Wet Sidebrush Dust Control, Wet Hopper Dust Control (high) and Pressure Washer,			
	Oversized Water Tank (Note 5), Automatic Internal Vacuum Duct Cleaning Kit, Hopper Full Sensor, LED			
	Headlights, Air Conditioning, Heated Rearview Camera, Debris Intake Camera, Heated Rearview Mirrors, Radio, Manual Central Lubrication			
	INDUSTRY WET DUST PLUS Z50 Citadel with INDUSTRY WET DUST PLUS APPLICATION PACKAGE	1274030	\$272,700.05	\$296,413.10 \$296,413.1
	INDUSTRY WET DUST application package plus premium features that	1274000	Ψ212,100.00	ψ230,410.10 ψ200,410.1
	enhance the cleaning experience.			
	Package includes INDUSTRY WET DUST features plus: High Dump Hopper, Articulated Front Brush			
	(without incidence), Stainless Steel Debris Hopper, Premium Driver's Seat, Remote Hopper Control, Rear			
	Axle Locking (2-wheel steering), Automatic Central Lubrication, Sound Level Adaptive Buzzer			
MUNICIPAL				
WONICIFAL	Z50 Citadel with MUNICIPAL APPLICATION PACKAGE	1274025	\$245,938.02	\$267,323.93 \$267,323.9
	Debris collection and operator convenience features oriented towards			
	municipal outdoor cleaning.			
	All features included in "Build-In Tennant Value", <i>plus</i>			
	High Dump Hopper, Articulated Front Brush (without incidence), Stainless Steel Debris Hopper, Premium Driver's Seat, Remote Hopper Control, Rear Axle Locking (2-wheel steering), Automatic Central Lubrication,			
	Sound Level Adaptive Buzzer			
MUNICIPAL+		4074000	2050.000.00	***************************************
	Z50 Citadel with MUNICIPAL+ APPLICATION PACKAGE MUNICIPAL application package plus premium features that enhance the	1274028	\$259,909.96	\$282,510.83 \$282,510.8
	cleaning experience.			
	Package includes MUNICIPAL features plus			
	Front Brush Tracking with 2-4 Steering Wheels (Rear Axle Lock), Rear Axle Locking (2-wheel steering),			
	Cruise Control, Remote Hopper Control, Sound Level Adaptive Buzzer			
SPECIAL INFORMATION				
	1 designed to be powere by standard fuels according to UNI EN 590			
	1 designed to be powere by standard fuels according to UNI EN 590 2 Low hopper dump height is 51in / 1.3m			
	1 designed to be powere by standard fuels according to UNI EN 590 2 Low hopper dump height is 51in / 1.3m 3 High hopper dump height is 72in / 1.8m 4 Standard water tank is 26.4 gal / 100L			
SPECIAL INFORMATION Notes	designed to be powere by standard fuels according to UNI EN 590 Low hopper dump height is 51in / 1.3m High hopper dump height is 72in / 1.8m			

<u>M20</u>

BUILT-IN "TENNANT VALUE" INCLUDES:

2.0L Gas/LP Engine EPA Tier 3
1.5 L Kubota Diesel EPA Tier 4i Engine
FloorSmart™ Cleaning Technology -40" (1020 mm) Path
MaxPro2™ Hydraulic Technology
1.5tep™ One Button Operation
Touch-N-Go™ Wheel Mounted Module

Steering Wheel Mounted Horn
Steering Wheel Mounted Water Shut Off
Recovery Tank Full/Solution Tank Empty Indicator
Yellow Maintenance Touch Paint

Recovery Tank Full/Solution Tank Empty Indicator
Yellow Maintenance Touch Points
Low Oil Pressure/High Coolant Temp Shutdown (G/LPG only)
Built-In Maintenance Diagnostics w/ Service Reminder
ErgoSpace™ Operator Compartment
Till Steering Wheel w/ Horn
Deluxe Suspension Seat
Retractable Seat Belt
Fronomic Propel Pedal

Retractable Seat Belt
Ergonomic Propel Pedal
Cup Holder
Operator Video and Interactive DVD
Operator Manual and Parts Manual
Operator Checklist and Wall Chart
Underwriters Laboratory (UL®) Certification

ec-H2OTM Cleaning Solution Includes: Electrically Converted Water Technology System Two Scrubbing Modes: ec-H2OTM & Conventional Scrubbing

Standard Hybrid Scrub/Sweep Brushes (Select type) Hygenic® Solution and Recovery Tanks 56 gal (212 L) Solution Tank

56 gal (212.) Solution Lank
72 gal (272.1) Recovery Tank
16 gal (60 L) Demisting Chamber
Dura-Track™ Parabolic Rear Squeegee
SmartRelease™ Breakaway System
Linatex Squeegees
Reverse and Double Scrubbing Capable

Reverse and Double Scrubbing Capable Variable Drain Valves™ No Tool Squeegee & Brush Change High-Capacity, Duramer™ Multi-Level Dump Hopper 3,9 ft² (110 J. or 390 lbs (177 kg) Usable Capacity 60-inch (152 cm) Variable Dump Height Thermo-Sentry™ Hopper Fire Sensor Multi-Level Locking Hopper Safety Arm InstantAccess™ No Tool Panel Filter Change Dual-seal, Self-locating Synthetic Panel Filter 78 ft² (7.3 m²) Pleated Media with 99 % Efficiency Grip-N-Go™ Corner Rollers Head. Tail and Back-up Lichts

Head, Tail and Back-up Lights

Wet Only Trim Level

* Dry Dust Control System Removed

* Pro-Panel Controls Standard with this Trim Llevel

			<u>GSA</u>	Price Including	<u>(IFF</u>
Standard Configuration	s (Note 1)	Reference Number	<u>1 unit</u>	<u>2-5 units</u>	6-8 units
	M20 Rider - Sweeper-Scrubber , LPG (w/ LP Tank), Membrane Panel, Conventional Cleaning Technology, UL® Type LP, High Traction Front Tire, Solid Rubber Rear Tire, Fire Extinguisher	M20-1000	\$68,765.90	\$67,203.04	\$65,640.18
	Choice of Overhead Guard, Brushes, Operator, Parts, Service Manuals, and Shipment	Packaging available.			
	M20 Rider - Sweeper-Scrubber, LPG (w/LP Tank), Membrane Panel, Conventional Cleaning Technology, UL® Type LP, Scrubbing Side Brush, Heavy Duty Squeegee Protection, High Traction Front Tire, Solid Rubber Rear Tire, AV BU Alarm-Strobe on Tank, Fire Extinguisher, Trailer Transport Kit Choice of Overhead Guard, Brushes, Operator, Parts, Service Manuals, and Shipment	M20-2000	\$75,092.15	\$73,385.51	\$71,678.87
	M20 Rider - Sweeper-Scrubber, LPG (w/ LP Tank), Pro-Panel, ec-H2O™ Cleaning Technology, UL® Type LP, Scrubbing Side Brush, Vacuum Wand, High Pressure Spray, Heavy Duty Squeegee Protection, High Traction Front Tire, Solid Rubber Rear Tire, AV BU Alarm-Strobe on Tank, Fire Extinguisher Choice of Overhead Guard, Brushes, Operator, Parts, Service Manuals, and Shipment	M20-3000	\$87,397.96	\$85,411.65	\$83,425.33
CUSTOM options may a	add 1 week or more to standard lead times.				
Base Configuration		Reference Number	GSA '	Price Including	ı IFF
	Cleaning Type		1 unit	2-5 units	6-8 units
	M20 Gasoline (Petrol) Cylindrical Scrubber-Sweeper Scrubbing M20 LPG Cylindrical (Includes LP Tank) Scrubber-Sweeper Scrubbing M20 Diesel Cylindrical Scrubber-Sweeper Scrubbing	M20-G M20-LP M20-D	\$68,629.36 \$68,629.36 \$73,077.68	\$67,069.60 \$67,069.60 \$71,416.83	\$65,509.84 \$65,509.84 \$69,755.97

Base comigaration		Reference Number	GSA	Price Including	<u>i IFF</u>
	Cleaning Type		1 unit	2-5 units	6-8 units
	M20 Gasoline (Petrol) Cylindrical Scrubber-Sweeper Scrubbing	M20-G	\$68,629.36	\$67,069.60	\$65,509.84
	M20 LPG Cylindrical (Includes LP Tank) Scrubber-Sweeper Scrubbing	M20-LP	\$68,629.36	\$67,069.60	\$65,509.84
	M20 Diesel Cylindrical Scrubber-Sweeper Scrubbing	M20-D	\$73,077.68	\$71,416.83	\$69,755.97
	Trim Level				
	Pro Panel	P-M20	\$2,604.09	\$2,544.91	\$2,485.72
	ProPanel w/ WOC (Note 2)	WOC-M20	\$1,260.82	\$1,232.16	\$1,203.51
	Cleaning Technology: (conventional is standard, ec-H2O can also operate in conventional mode) (note 3)				
	ec-H2O TM	ec-H2O-M20	\$4,739.14	\$4,631.44	\$4,523.73
	ES® Extended Scrub	ES-M20	\$4,416.40	\$4,316.03	\$4,215.66
	Detergent Metering (Note 4)	9021466	\$2,823.98	\$2,759.80	\$2,695.62
	Squeegee Material				
	Urethane (in Lieu of standard Linatex) (Note 5)	9001854	\$742.13	\$725.26	\$708.39
	UL Rating				
	UL® Label - Type LPS (in Lieu of Standard)	325933	\$4,553.83	\$4,450.34	\$4,346.84
Packages		Reference Number			
	Productivity Package - Includes: Side Brush (Select Sweeping or Scrubbing), Vacuum Wand, and Spray Nozzle w/ Hose	PRD-M20	\$5,458.22	\$5,334.17	\$5,210.12
	Heavy Duty Protection Package - Includes: Heavy Duty Squeegee Protection and Overhead Guard	HDP-M20	\$1,926.69	\$1,882.90	\$1,839.11
		WEO			

Cleaning Performance					
-	Side Brush: RH Sweeping OR Scrubbing (Note 7)	9001959	\$4,704.56	\$4,597.64	\$4,490.72
		9001333	\$868.92	\$849.17	\$829.42
		9001309	\$1,108.31	\$1,083.12	\$1,057.93
	Side Brush: RH Sweeping OR Scrubbing (Note 7) Vacuum Wand Spray Nozzle with Hose High Pressure Spray (Note 8) hine Protection & Safety Heavy Duty Squeegee Protection Overhead Guard AV BU Alarm - Flash on Tank AV BU Alarm - Flash on OHG AV BU Alarm - Strobe on Tank Blue Light (Note 9) High Coolant Temperature Shutdown (DIESEL ONLY) Fire Extinguisher Trailer Transport Kit	9016310	\$4,264.79	\$4,167.86	\$4,070.93
Machine Protection & Sa	fety				
		9001337	\$813.94	\$795.45	\$776.95
		9001313	\$1,550.75	\$1,515.51	\$1,480.26
		9003492	\$636.61	\$622.15	\$607.68
	AV BU Alarm - Flash on OHG	9003486	\$636.61	\$622.15	\$607.68
	AV BU Alarm - Strobe on Tank	9003493	\$636.61	\$622.15	\$607.68
	Blue Light (Note 9)	9021234	\$983.29	\$960.95	\$938.60
		325433	\$1,255.50	\$1,226.96	\$1,198.43
	Fire Extinguisher	9001315	\$136.54	\$133.44	\$130.34
	Trailer Transport Kit	9001324	\$171.12	\$167.23	\$163.35
Brushes and Pads		Reference Number			
	Cylindrical Scrubbing Brushes (2 Required)				
	Polypropylene Brush (Cylindrical Scrub Brush, 2 required)	1026223	N/C	N/C	N/C
	Heavy Duty Polypropylene Brush (Cylindrical Scrub Brush, 2 required)	1030969	N/C	N/C	N/C
	Super Abrasive, Stiff Bristle Brush	1252156	\$175.56	\$171.57	\$167.58
	Side Scrub/Sweep Brushes (Standard with Side Brush Assembly - Pick One)				
	Polypropylene Brush (Side Brush, Standard w/Side Brush Assy.)	1220236	N/C	N/C	N/C
	Super Abrasive Brush (Side Brush, Standard w/Side Brush Assy)	1221543	\$175.56	\$171.57	\$167.58
	Polygropylene, Sweeping Brush (Cyl Only) (Side Brush, Standard	1221343			
		1220185	N/C	N/C	N/C
	Machine Communication (Note IRIS)				
		9009396	\$1,212.05	\$1,184.50	\$1,156.96
	Packaging (Note 10)				
		9001840	\$1,392.04	\$1,360.40	\$1,328.77
		9001841	\$738.58	\$721.79	\$705.01

Notes

- 1 Standard Configurations are set configurations as listed and cannot be altered. However, these are partial configurations which require the selection of Overhead Guard, Brushes, Operator Manuals, Service Manual, and Shipment Packaging.
- 2 Wet Only w/ Pro Panel includes the Pro Panel w/ Economy mode (low flow, low pressure, low vac fan) This option remove the dry dust control system to convert the machine to wet only sweeping. Sweeping side brush is not available with this option.
- 3 Cleaning Solutions are available factory installed only; Select only one, none are available combined with another:

ES Extended Scrubbing system ec-H2O™ option with sidebrush ec-H2O™ option without sidebrush ES on M20 includes autofill feature and detergent metering. 9001318 9007127

- ES Extended Scrubbing System is available factory installed only. This option includes autofill feature and detergent metering.
- 4 Detergent Metering is only available with Conventional Scrubbing cleaning technology. This is not available with ES or ec-H2O.
- 5 Dura-Track™ Squeegee Kit contains: one rear and one front blade for the rear squeegee and two blades for the scrub head side squeeges. Side Brush Squeegee Kit contains: one side brush squeegee blade and side brush squeegee hardware
- 7 The Side Brush Assembly is an option for extending the sweeping path from 40" to 56". When choosing this option you **must** also select a Side Scrub/Sweep Brush, from the Brush section above.
- 8 Spay Nozzle w/Hose and High Pressure Spray cannot be ordered together. High Pressure Spray is not available with the Productivity Package or ES.
- 9 The Blue Light requires either the BU Alarm Flashing Light on Tank or BU Alarm Strobe Light on Tank.
- The Blue Light offering is not available when High Pressure Spray is selected.
- 10 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.

 IRIS Module is required and NOT included in the price of the IRIS Information Service:
 3 Year Pre-Paid IRIS Information Service
 \$250.00

A monthly contract can be set up at \$10 per month w/12 month minimum commitment.

IRIS Telemetry Module only covers the price of the hardware.

IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

- 11 Pad wrap available only in the Continental US and is the default packaging method.

 Skid is mandatory when shipping to AK and HI. Packaging is added at No Charge when shipping to these locations.
- Pad Wrap 3300 lbs / 1497 Kg 95" / 2410 mm 58" / 1470 mm 58" / 1470 mm 12 Shipping Weight and Dimensions <u>Crate</u> 3625 lbs / 1644 Kg Weight 116" / 2946 mm 68" / 1727 mm 68" / 1727 mm Length Width Height

M17

BUILT-IN "TENNANT VALUE" INCLUDES:

1-Step ™ One Button Operation
Touch-N-Go™ Wheel Mounted Module
Recover Tank Full & Solution Tank Empty Indicator
Non Marking Drive Wheel
Yellow Maintenance Touch Points
Recovery Tank Debris Tray
In-Line Vacuum Fan Filter
Tracking Rear Parabolic Squeegee
SmartRelease™ Breakaway Rear Squeegee
Underwriters Laboratory (UL®) E Certified
Dual Side Sweeping Brushes
Membrane Panel
Linatex Squeegee
Membrane Panel

Battery Connection Assist Battery Watering System (Note 12)

Battery Exchange System (Note 13-15) Battery Slide Out 3.0 ft3 / 85 L Hopper Volume Capacity
60" / 1525 mm Hopper Dump Height
Onboard Diagnostics
Steering Wheel Mounted Horn
Steering Wheel Mounted Horn
Steering Wheel Mounted Water Shut-Off
Maintenance Free Scrub Brush, Propel, & Dust Control Vac Fan Motors
Duramer" Tanks & Shrouds
Variable Flow Tank Drains
No-Tool Squeegee Change
No-Tool Brush Change
Full Wrap Steel Bumper with Front Cushioned Corner Rollers
Linatex Squeegee
Operator Manual - English

			GSA	Price Including	IFF
Standard Configuration ((Note 1)		1 unit	2-5 units	6-8 units
	M17 Rider - Disk Sweeper-Scrubber, Membrane Panel, Conventional Cleaning Technology, Wet 750AH C/B Battery, UL Type E, Direct Throw Sweep System, Standard Seat, Non-Marking Front and Rear Tires Choice of Charger, Overhead Guard, Fire Extinguisher, Brushes, Operator Manual and Shipn	M17-1000D nent Packaging available.	\$63,219.02	\$61,782.23	\$60,345.43
	M17 Rider - Disk Sweeper-Scrubber, Membrane Panel, ec-H2O w/ S.E. Switch, Wet Tubular 930AH C/6 Battery, UL Type E, Productivity Package, Safety Light Package, Direct Throw Sweep System, Heavy Duty Squeegee Protection, Deluxe Seat w/Armrest, Non-Marking Front Tire, Non-Marking Rear Tire Choice of Charger, Overhead Guard, Fire Extinguisher, Brushes, Operator Manual and Shipn	M17-2000D nent Packaging available.	\$77,017.07	\$75,266.68	\$73,516.29
	M17 Rider - Disk Sweeper-Scrubber, Pro-Panel, ec-H2O w/ S.E. Switch, Wet Tubular 930AH C/6 Battery with Opportunity Charging, Battery Connection Assist, Battery Watering System, UL Type E, Productivity Package, Safety Light Package, Direct Throw Sweep System, Heavy Duty Squeegee Protection, Deluxe Seat with Armrest, Non-Marking Front Tire, High Traction Non- Marking Rear Tire, Clogged Filter Indicator Choice of Charger, Overhead Guard, Fire Extinguisher, Brushes, Operator Manual and Shipn	M17-3000D nent Packaging available.	\$81,189.64	\$79,344.42	\$77,499.20
Dana Canfiguration		Reference Number	684	Price Including	. 155
Base Configuration	Cleaning Type	Reference Number	1 unit	2-5 units	6-8 units
	M17 Disk Conventional Scrubber / Sweeper	M17-D	\$57,030.21	\$55,734.07	\$54,437.92
	M17 Disk Conventional Scrubber / Sweeper M17 Cylindrical Conventional Scrubber / Sweeper (Note 2)	M17-D M17-C	\$57,030.21 \$57,712.93		\$54,437.92
	M17 Cylindrical Conventional Scrubber / Sweeper (Note 2)			\$55,734.07	\$54,437.92
				\$55,734.07	\$54,437.92
	M17 Cylindrical Conventional Scrubber / Sweeper (Note 2) Trim Level Pro-Panel (Note 3) (in lieu of Standard)	M17-C	\$57,712.93	\$55,734.07 \$56,401.27	\$54,437.92 \$55,089.61
	M17 Cylindrical Conventional Scrubber / Sweeper (Note 2) Trim Level Pro-Panel (Note 3) (in lieu of Standard) Cleaning Technology: (conventional is standard, ec-H2O: can also operate in conventional mode)	M17-C P - M17	\$57,712.93	\$55,734.07 \$56,401.27 \$2,570.90	\$54,437.92 \$55,089.61 \$2,511.11
	M17 Cylindrical Conventional Scrubber / Sweeper (Note 2) Trim Level Pro-Panel (Note 3) (in lieu of Standard)	M17-C	\$57,712.93	\$55,734.07 \$56,401.27	\$54,437.92 \$55,089.61
	M17 Cylindrical Conventional Scrubber / Sweeper (Note 2) Trim Level Pro-Panel (Note 3) (in lieu of Standard) Cleaning Technology: (conventional is standard, ec-H2O: can also operate in conventional mode) ES (Note 4)	M17-C P - M17 ES-M17	\$57,712.93 \$2,630.69 \$3,708.86	\$55,734.07 \$56,401.27 \$2,570.90 \$3,624.56	\$54,437.92 \$55,089.61 \$2,511.11 \$3,540.27
	M17 Cylindrical Conventional Scrubber / Sweeper (Note 2) Trim Level Pro-Panel (Note 3) (in lieu of Standard) Cleaning Technology: (conventional is standard, ec-H2O: can also operate in conventional mode) ES (Note 4) ec-H2O w/ S.E. Switch Detergent Metering (Note 5)	M17-C P - M17 ES-M17 ecH2O-M17	\$57,712.93 \$2,630.69 \$3,708.86 \$4,053.76	\$55,734.07 \$56,401.27 \$2,570.90 \$3,624.56 \$3,961.63	\$54,437.92 \$55,089.61 \$2,511.11 \$3,540.27 \$3,869.50
	M17 Cylindrical Conventional Scrubber / Sweeper (Note 2) Trim Level Pro-Panel (Note 3) (in lieu of Standard) Cleaning Technology: (conventional is standard, ec-H2O: can also operate in conventional mode) ES (Note 4) ec-H2O w/ S.E. Switch	M17-C P - M17 ES-M17 ecH2O-M17	\$57,712.93 \$2,630.69 \$3,708.86 \$4,053.76	\$55,734.07 \$56,401.27 \$2,570.90 \$3,624.56 \$3,961.63	\$54,437.92 \$55,089.61 \$2,511.11 \$3,540.27 \$3,869.50
	M17 Cylindrical Conventional Scrubber / Sweeper (Note 2) Trim Level Pro-Panel (Note 3) (in lieu of Standard) Cleaning Technology: (conventional is standard, ec-H2O: can also operate in conventional mode) ES (Note 4) ec-H2O w/ S.E. Switch Detergent Metering (Note 5) Power Source Fuel Cell Prep (Note 6)	M17-C P - M17 ES-M17 ecH2O-M17 9020089	\$57,712.93 \$2,630.69 \$3,708.86 \$4,053.76 \$2,823.98	\$55,734.07 \$56,401.27 \$2,570.90 \$3,624.56 \$3,961.63 \$2,759.80	\$54,437.92 \$55,089.61 \$2,511.11 \$3,540.27 \$3,869.50 \$2,695.62
	M17 Cylindrical Conventional Scrubber / Sweeper (Note 2) Trim Level Pro-Panel (Note 3) (in lieu of Standard) Cleaning Technology: (conventional is standard, ec-H2O: can also operate in conventional mode) ES (Note 4) ec-H2O w/ S.E. Switch Detergent Metering (Note 5) Power Source Fuel Cell Prep (Note 6) Battery (Note 7-10)	M17-C P - M17 ES-M17 ecH2O-M17 9020089 9018412	\$57,712.93 \$2,630.69 \$3,708.86 \$4,053.76 \$2,823.98	\$55,734.07 \$56,401.27 \$2,570.90 \$3,624.56 \$3,961.63 \$2,759.80 \$1,740.80	\$54,437.92 \$55,089.61 \$2,511.11 \$3,540.27 \$3,869.50 \$2,695.62 \$1,700.31
	M17 Cylindrical Conventional Scrubber / Sweeper (Note 2) Trim Level Pro-Panel (Note 3) (in lieu of Standard) Cleaning Technology: (conventional is standard, ec-H2O: can also operate in conventional mode) ES (Note 4) ec-H2O w/ S.E. Switch Detergent Metering (Note 5) Power Source Fuel Cell Prep (Note 6) Battery (Note 7-10) Wet 750AH C/6	M17-C P - M17 ES-M17 ecH2O-M17 9020089	\$57,712.93 \$2,630.69 \$3,708.86 \$4,053.76 \$2,823.98	\$55,734.07 \$56,401.27 \$2,570.90 \$3,624.56 \$3,961.63 \$2,759.80	\$54,437.92 \$55,089.61 \$2,511.11 \$3,540.27 \$3,869.50 \$2,695.62
	M17 Cylindrical Conventional Scrubber / Sweeper (Note 2) Trim Level Pro-Panel (Note 3) (in lieu of Standard) Cleaning Technology: (conventional is standard, ec-H2O: can also operate in conventional mode) ES (Note 4) ec-H2O w/ S.E. Switch Detergent Metering (Note 5) Power Source Fuel Cell Prep (Note 6) Battery (Note 7-10) Wet 750AH C/6	M17-C P - M17 ES-M17 ecH2O-M17 9020089 9018412	\$57,712.93 \$2,630.69 \$3,708.86 \$4,053.76 \$2,823.98 \$1,781.28	\$55,734.07 \$56,401.27 \$2,570.90 \$3,624.56 \$3,961.63 \$2,759.80 \$1,740.80	\$54,437.92 \$55,089.61 \$2,511.11 \$3,540.27 \$3,869.50 \$2,695.62 \$1,700.31

Operator Video

9018414 WTR-M17

9020125

\$328.95 \$659.67

\$1,040.93

\$321.47 \$644.68

\$1,017.27

\$629.68

\$993.61

	Charger (Note 16-18)	Reference Number			
	80A 200-240VAC 50/60Hz 1Ph (for 750AH and 930AH Battery)	1207933	\$2,835.51	\$2,771.06	\$2,706,62
	80A 200-240V AC 50/60 Hz 3Ph, High Frequency (for 510AH Battery)	1207934	\$3,518.23	\$3,438.27	\$3,358.31
	100A 200-240V AC 50/60 Hz 3Ph, High Frequency (for 750AH and 930AH Battery)	1212158	\$3,392.32	\$3,315.22	\$3,238.13
	120A 480V AC 50/60Hz 3Ph, High Frequency (for 750AH and 930AH Battery)	1207936	\$3,798.41	\$3,712.08	\$3,625.75
	240A 480V AC 50/60Hz 3Ph - Opportunity Charger				
	(for 930AH OC or Fast Charge 700AH Battery)	1219396	\$5,322.56	\$5,201.59	\$5,080.62
	, , , , , , , , , , , , , , , , , , , ,				
	UL Rating				
	UL Type ES (in Lieu of Standard)	9017316	\$3,480.10	\$3,401.01	\$3,321.91
	,				
Packages					
	Productivity Package -Scrubbing Side Brush, Spary Nozzle w/Hose,		\$4,599.05	\$4,494.53	\$4,390.01
	and WET Vacuum Wand (Note 19)	PRD-M17			
	Cafata Linkt Dankana LED Handlinkta and AM Dank Ha Alama WCtanka	057/14/7	\$779.37	\$761.65	\$743.94
	Safety Light Package - LED Headlights and AV Back Up Alarm w/Strobe	SFY-M17	\$119.31	\$701.00	\$743.94
Cleaning Performance	Main Courses Contains (Alata 20)				
	Main Sweep System (Note 20)	0047400	NO	NIO	NIO
	Dual Force	9017100	N/C	N/C	N/C
	Direct Throw	9018409	N/C	N/C	N/C
	Scrubbing Side Brush	9017121	\$3,899.49	\$3,810.86	\$3,722.24
	Vacuum Wand	9020079	\$585.19	\$571.89	\$558.59
	Live Wand (Note 21)	9018413	\$3,974.85	\$3,884.51	\$3,794.18
	Spray Nozzle w/Hose	9020075	\$1,112.75	\$1,087.46	\$1,062.17
	High Pressure Spray (Note 22)	9018411	\$5,755.24	\$5,624.44	\$5,493.64
	Recovery Tank Drain - Drain Control Valve (Note 23)	9020092	\$703.11	\$687.13	\$671.15
	Recovery Fallik Dialiti - Dialiti Contitol Valve (Note 23)	9020092	\$703.11	φ007.13	\$671.15
Machine Protection & Saf					
	Heavy Duty Squeegee Protection	9020025	\$659.67	\$644.68	\$629.68
	Overhead Guard	9020028	\$1,894.77	\$1,851.71	\$1,808.64
	Deluxe Seat (in lieu of standard)	9020102	\$512.48	\$500.84	\$489.19
	High Traction, Non-Marking Rear Tires	9020021	\$312.99	\$305.87	\$298.76
	Headlights - LED	9017205	\$357.32	\$349.20	\$341.08
	AV BU Alarm-Strobe on Tank (Note 24)	9020108	\$597.60	\$584.02	\$570.44
	Strobe Light on OHG (Note 24)	9020106	\$420.27	\$410.72	\$401.17
	Clogged Filter Indicator	9017159	\$471.70	\$460.98	\$450.26
	Blue Light (Note 25)	9021202	\$983.29	\$960.95	\$938.60
	Fire Extinguisher	9020138	\$304.12	\$297.21	\$290.30
	Trailer Transport Kit	9017164	\$177.33	\$173.30	\$169.27
Brushes and Pads		Reference Number			
	Scrubbing Brushes/Pads (2 Required)				
	Polypropylene Brush (Main Brush - 2 Required)	1220192	N/C	N/C	N/C
	Super Abrasive Brush (Main Brush - 2 Required)	1220194	\$175.56	\$171.57	\$167.58
	Pad Driver	1220201	N/C	N/C	N/C
	Cylindrical Scrubbing Brushes (2 Required)				
	Polypropylene Brush (Main Brush - 2 Required)	386230	N/C	N/C	N/C
	Super Abrasive Brush (Main Brush - 2 Required)	386240	\$175.56	\$171.57	\$167.58
	Side Scrubbing Brushes/Pads (1 Required)	4000040			
	Polypropylene Brush (Side Brush - 1 Required)	1220240	N/C	N/C	N/C
	Super Abrasive Brush (Side Brush - 1 Required)	1220232	\$175.56	\$171.57	\$167.58
	Side Pad Driver	1220243	N/C	N/C	N/C
	Machine Communication (Note IRIS)	0017310	¢1 212 05	£1 104 F0	©1 1EG 00
	IRIS Telemetry Module	9017310	\$1,212.05	\$1,184.50	\$1,156.96
	Packaging (Note 27)				
	Skid (in Lieu of Standard)	9017320	\$501.84	\$490.44	\$479.03

Notes

- 1 Standard Configurations are set configurations as listed and cannot be altered. However, these are partial configurations which require the selection of Chargers (unless specified), Overhead Guard, Fire Extinguisher, Brushes, Operator Manuals, Service Manual, and Shipment Packaging.
- 2 Standard debris tray on cylindrical unit has a hole in the bottom for water drainage
- 3 Pro-Panel Includes: Pro-ID Operator Login, Pro-Check Pre-Operation Checklists, PerformanceView, Rear View Camera and Clogged Filter Indicator. 28 Languages
- 4 ES® Extended Scrub system is available factory installed only. This option includes Autofill feature and Detergent Metering system
- 5 Detergent Metering is only available with Conventional Cleaning Technology.
- 6 Fuel Cell installs a prep kit to accept a fuel cell system by the customer. This option removes the need and ability to add a battery to the machine. The Fuel Cell kit is designed to accept the Plug Power 2300 Series fuel cells.
 Live Vacuum Wand (9018413) and Pressure Washer (9018411) CAN NOT be ordered with machines prepped for fuel cell. There is an interference

between the hinges, lift cylinder, and the fuel cell itself that prevent this availability.

7 MODEL M17 - USE ONE 36 VOLT BATTERY

Unit has one battery compartment that is available in three sizes: 510AH, 750AH and 930AH and two configurations (Standard and Slide Out). Size below is entire battery compartment. The battery format is an **Upright Forklift Battery** and the overall compartment dimensions are:

Length: Width: Height (WITH slide out system): Maximum Weight:

8 Model M17 Continuous Runtime Chart. (up to)

		M17 USAGE SCENARIOS									
		SWEEP AND SCRUB COMBINED SWEEP ONLY			SWEEP ONLY			SCRUB ONLY			
BATTERY AH AMP HOUR	DP1 ec-H20	DP1/SIDE SCRUB ec-H20	DP3 ec-H20	DP3/SIDE SCRUB ec-H20	DP3/SIDE SCRUB ec-H20 SB DUST	BASE SWEEP	SWEEP W/SB DUST CNRTL	DP1 ec-H20	DP1/SIDE SCRUB ec-H20	DP3 ec- H2O	DP3/SIDE SCRUB ec-H20
930AH	4.0 hr	3.6 hr	3.0 hr	2.8 hr	2.8 hr	11.7 hr	11.7 hr	7.7 hr	6.4 hr	4.3 hr	3.8 hr
750AH	3.0 hr	2.8 hr	2.3 hr	2.1 hr	2.1 hr	8.9 hr	8.9 hr	5.8 hr	4.9 hr	3.3 hr	2.9 hr
510AH	1.9 hr	1.7 hr	1.4 hr	1.3 hr	1.3 hr	5.5 hr	5.5 hr	3.6 hr	3.0 hr	2.0 hr	1.8 hr

The runtimes are guidelines. Actual times will vary based on floor conditions, final machine configuration & usage.

9 To calculate weights with batteries add the following to the product "Net" or "Ship" weights:

500 AH Battery = +1458 lbs / 663 kg 750 AH Battery = +2124 lbs / 965 kg 930 AH Battery = +2178 lbs / 990 kg

10 Expected Cycle Life: Cycle life is the number of charge cycles a battery is expected to last. Type of Battery = Number of Cycles

510 AH Battery = 1200+ Cycles Flat Plate Construction 750 AH Battery = 1200+ Cycles 930 AH Battery = 1500+ Cycles Flat Plate Construction **Tubular Construction**

38.1 inch / 970 mm

16.3 inch / 415 mm

32.6 inch / 830 mm 31.3 inch / 795 mm 2,300 lbs/1,045kg

12 ONLY available with Wet (Lead Acid) batteries.

Each Wet / Lead Acid Batter jis available with and without a battery watering system. Watering System is manufactured on the battery and cannot be added in the field.

- 13 Slide-out battery kit does not include battery extraction device.
- 14 For battery extraction, the height of the battery compartment is 20 inch / 510 mm off the floor
- 15 Model M17 Charge Time Estimates* for Lead Acid Batteries

	<u>510AH</u>	750AH
80A Output Charger	8 Hours	Not Recommended***
100A Output Charger	Not Advised**	9 Hours
120A Output Charger	Not Advised**	8 Hours
240A Output Charger (Opportunity Charger)	Not Advised**	Not Advised**

The 7300 did have a 150AH charger, but it's output was actually equivalent to the 120A charger due to charger

- "These charge times are based on the High Frequency Charger Outputs, match to closest 7300 charger for est.

 "It is not advised because the charger output would overheat the battery causing premature failure.

 "It is not advised because the charger output would overheat the battery causing premature failure.

 "This Charger not recommended for the 750AH and 930AH requires reprogramming the algorithm to work properly with the battery.
- 16 Opportunity Charging for the M17 Offering:

Wet Tubular 930AH C/6 battery is available for the Opportunity Charging system and can only be ordered with the 240A 480V AC 50/60Hz 3Ph Charger 1219396 Opportunity Charger is only available with Wet 930AH Battery, 9017261 Wet Tubular 930AH Battery for Opportunity Charging is standard with battery watering

- 17 The chargers for the M17 may require a local electrician to wire them into the customers electrical system. Only the single phase charger comes with a cord, but the customer's outlet will determine the plug needs
- 18 Sales Rep Charger Kit 223683 is available for more convenient battery charging. The 120 volt "Smart"charger is recommended for occasional use only. An adaptor is available to connect the Anderson 175 on to the charger to the Anderson 350 connectors on the battery 363480 (order this adapter as a Custom Solution).
- 19 Productivity Package includes the standard Vacuum Wand, the Scrubbing Side Brush and the Spray Nozzle & Hose.
- 20 Dual Force Sweep system is standard. Direct Throw changes the pick up style of the sweep system.
- 21 Not available with Fuel Cell or Battery Slide Out. Not available with the Productivity Package. The Battery Watering System is required when selecting the Live Wand Option.
- 22 High Pressure Spray cannot be ordered with: Fuel Cell, Live Wand, Wet Vacuum Wand, Battery Slide Out, ES, or Spray Nozzle w/Hose.

 High Pressure Spray requires a Battery Watering System installed on unit.
- 23 Includes a single drain hose that attaches to the drain valve...provides 10 ft / 3 m reach.
- 24 AV BU Alarm w/ Strobe will be mounted on the tank. Cannot be ordered with the Strobe Light on Overhead Guard.
- 25 Blue Light is only available when configured with the AV BU Alarm Strobe on Tank.
- 26 Additional hard copy Operator and Parts Manuals can be ordered or digital copies can be downloaded from www.Tennantco.com.
- IRIS Pre-Paid and Monthly Packages are available for the IRIS Information Service.
 IRIS Module is required and NOT included in the price of the IRIS Information Service:
 3 Year Pre-Paid IRIS Information Service
 5 Year Pre-Paid IRIS Information Service

A monthly contract can be set up at \$10 per month w/12 month minimum commitment.

IRIS Telemetry Module only covers the price of the hardware.

IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information Service Package.

27 Pad wrap available only in the Continental US and is the default packaging method. Crate or Skid is mandatory when shipping to AK and Hl. Packaging is added at No Charge when shipping to these locations. A Skid is the only packaging option for the Pre-sweep equipped unit, no crate is available

28 Shipping Weights and Dimensions Weight (w/ Wet 750AH Battery) Length Width Pad Wrap 5400 lbs / 2454 Kg 117" / 2970 mm 55.3" / 1405 mm Skid 5700 lbs / 2590 Kg 118" / 3000 mm 79" / 1975 mm 58.25" / 1480 mm Height 68" / 1727 mm

Model M30

BUILT-IN "TENNANT VALUE" INCLUDES:

2.0L Gas/LP Engine EPA Tier 3
1.5 L Kubota Turbo Diesel EPA Tier 4i Engine@2800 RPMs
FloorSmart® Cleaning Technology - 48" (1220 mm) Path
MaxPro2™ Hydraulic Technology

MaXPrO2 *** Hydraunic Technology

1.-Step ** One Button Operation

Touch-N-Go™ Wheel Mounted Module

Steering Wheel Mounted Horn

Steering Wheel Mounted Water Shut Off

Recovery Tank Full/Solution Tank Empty Indicator

Yellow Maintenance Touch Points
Low Oil Pressure/High Coolant Temp Shutdown (G/LPG only)
Built-In Maintenance Diagnostics w/ Service Reminder
ErgoSpace™ Operator Compartment
Tilt Steering Wheel w/ Horn

Operator Video and Interactive DVD

Deluxe Suspension Seat Retractable Seat Belt Ergonomic Propel Pedal Cup Holder

Operator Manual and Parts Manual
Underwriters Laboratory (UL®) Certification ec-H2O[™] Cleaning Solution Includes: Electrically Converted Water Technology System Two Scrubbing Modes: ec-H2O[™] & Conventional Scrubbing

Standard Hybrid Scrub/Sweep Brushes (Select type)
Hygenic® Solution and Recovery Tanks
75 gal (284 L) Solution Tank
95 gal (360 L) Recovery Tank
20 gal (76 L) Demisting Chamber
Dura-Track™ Parabolic Rear Squeegee
SmarRelease™ Breakaway System

Linatex Squeegees
Non-slip, Solid, Non-Marking - Soft Ride Tires

Non-slip, Solid, Non-Marking - Soft Ride Tires Variable Drain Valves™ No Tool Squeegee & Brush Change High-Capacity, Duramer™ Multi-Level Dump Hopper 7 ft³ (198 L) or 650 lbs (295 kg) Usable Capacity 60-inch (152 cm) Variable Dump Height Thermo-Sentry™ Hopper Fire Sensor Multi-Level Locking Hopper Safety Arm InstantAcces™ No Tool Panel Filter Change Dual-seal, Self-locating Synthetic Panel Filter 78 ft² (7.3 m²) Pleated Media with 99 % Efficiency Grip-N-G™ Corner Rollers

Grip-N-Go™ Corner Rollers Cup Holder

Wet Only Trim Level

* Dry Dust Control System Removed * Pro-Panel Controls Standard with this Trim Llevel

Standard Configurations (Note 1)	Reference Number	GSA	Price Includir	ıg IFF
		1 unit	<u>2-5 units</u>	6-8 units
M30 Rider - Sweeper-Scrubber, LPG (w/ LP Tank), Membrane Panel, Conventional Cleaning Technology, UL® Type LP, High Traction Front Tire, Solid Rubber Rear Tire, Fire Extinguisher Choice of Overhead Guard, Brushes, Operator Manual and Shipment Package	M30-1000 ging available.	\$79,903.11	\$78,087.13	\$76,271.15
M30 Rider - Sweeper-Scrubber, LPG (w/ LP Tank), Membrane Panel, Conventional Cleaning Technology, UL® Type LP, Productivity Package, Heavy Duty Squeegee Protection, High Traction Front Tire, Solid Rubber Rear Tire, AV BU Alarm-Strobe on Tank, Fire Extinguisher Choice of Overhead Guard, Brushes, Operator Manual and Shipment Package	M30-2000 ging available.	\$86,811.89	\$84,838.89	\$82,865.89
M30 Rider - Sweeper-Scrubber, LPG (w/ LP Tank), Pro-Panel, ec-H2O™ Cleaning Technology, UL® Type LP, Scrubbing Right Hand Side Brush, Vacuum Wand, High Pressure Spray, Heavy Duty Squeegee Protection, High Traction Front Tire, Solid Rubber Rear Tire, AV BU Alarm-Strobe on Tank, Fire Extinguisher Choice of Overhead Guard, Brushes, Operator Manual and Shipment Packag	M30-3000 ging available.	\$97,944.66	\$95,718.65	\$93,492.63

		Reference Number	GSA	Price Including	IFF
	Cleaning Type	Reference Humber	1 unit	2-5 units	6-8 units
	M30 Gasoline (Petrol) Cylindrical Scrubber-Sweeper Conventional Scrubbing	M30-G	\$79,766.57	\$77,953.69	\$76,140.82
	M30 LPG Cylindrical Scrubber-Sweeper Conventional Scrubbing	M30-LP	\$79,766.57	\$77,953.69	\$76,140.82
	M30 Diesel Cylindrical Scrubber-Sweeper Conventional Scrubbing (Note 2)	M30-DSL-S5	\$97,737.19	\$95,515.89	\$93,294.59
	Trim Level				
	Pro Panel	P-M30	\$2,604.09	\$2,544.91	\$2,485.72
	ProPanel w/ WOC (Note 3)	WOC-M30	\$1,260.82	\$1,232.16	\$1,203.51
	Cleaning Technology: (conventional is standard, ec-H2O can also operate in conventional mod				
	ec-H2O™	ec-H2O-M30	\$4,739.14	\$4,631.44	\$4,523.73
	ES® Extended Scrub	ES-M30	\$4,416.40	\$4,316.03	\$4,215.66
	Detergent Metering (Note 5)	9021390	\$2,823.98	\$2,759.80	\$2,695.62
	Squeegee Material				
	Urethane (Note 6) (In lieu of standard)	9003872	\$742.13	\$725.26	\$708.39
	UL Rating				
	UL® Label - Type LPS (In lieu of standard)	325202	\$4,465.17	\$4,363.69	\$4,262.21
Packages		Reference Number			
	Productivity Package - Includes: Side Brush (Select Sweeping or				
	Scrubbing), Vacuum Wand, and Spray Nozzle w/ Hose	PRD-M30	\$5,458.22	\$5,334.17	\$5,210.12
	Heavy Duty Protection Package - Includes: Heavy Duty Squeegee				
	Protection and Overhead Guard	HDP-M30	\$1,926.69	\$1,882.90	\$1,839.11
Cleaning Performance					
-	Side Brush, RH Sweeping OR Scrubbing (Note 8)	9003873	\$4,704.56	\$4,597.64	\$4,490.72
	Vacuum Wand	9003876	\$868.92	\$849.17	\$829.42
	Spray Nozzle with Hose (Note 9)	9003878	\$1,108.31	\$1,083.12	\$1,057.93
	High Pressure Spray (Note 9)	9003853	\$3,674.28	\$3,590.77	\$3,507.26
Machine Protection & Sa		9003496	\$813.94	\$795.45	\$776.95
	Heavy Duty Squeegee Protection Overhead Guard	9003496	\$1,550.75	\$1,515.51	\$1,480,26
	Soft Side Cab	325384	\$6,966.41	\$6.808.08	\$6,649.75
	AC/Heater (Gas/LP) (must purchase Soft Side Cab) Custom Solution	325385	\$7,380.47	\$7,212.74	\$7,045.00
	AC/Heater (Diesel) (must purchase Soft Side Cab) Custom Solution Custom Solution	325386	\$7,380.47	\$7,212.74	\$7,045.00
		9011351	\$752.77	\$735.66	\$718.55
		9011331			\$607.68
	Rear Tires, High Traction, Non-Marking (in lieu of standard)	0003403			
	BU Alarm - Flash on Tank	9003492	\$636.61 \$636.61	\$622.15 \$622.15	
	BU Alarm - Flash on Tank BU Alarm - Flash on OHG	9003486	\$636.61	\$622.15	\$607.68
	BU Alarm - Flash on Tank BU Alarm - Flash on OHG BU Alarm - Strobe on Tank	9003486 9003493	\$636.61 \$636.61	\$622.15 \$622.15	\$607.68 \$607.68
	BU Alarm - Flash on Tank BU Alarm - Flash on OHG BU Alarm - Strobe on Tank Blue Light (Note 10)	9003486 9003493 9021234	\$636.61 \$636.61 \$983.29	\$622.15 \$622.15 \$960.95	\$607.68 \$607.68 \$938.60
	BU Alarm - Flash on Tank BU Alarm - Flash on OHG BU Alarm - Strobe on Tank	9003486 9003493	\$636.61 \$636.61	\$622.15 \$622.15	\$607.68 \$607.68

Brushes			Reference Number			
	Cylindrical Scrubbing Brushes (2 Required)					
	Polypropylene Brush (Cyl. Brush, 2 required)		1033375	N/C	N/C	N/C
	Heavy Duty Polypropylene Brush (Cyl. Brush, 2 required)		1033374	N/C	N/C	N/C
	Super Abrasive, Stiff Bristle Brush		1252157	\$175.56	\$171.57	\$167.58
	Side Scrub/Sweep Brushes (Standard with Side Brush Assem	bly - Pick One)				
	Polypropylene Brush (Side brush, Standard w/side brush assy.)		1220236	N/C	N/C	N/C
	Polypropylene, Sweeping Brush (Side brush, Standard w/side bru	sh assy.)	1220185	N/C	N/C	N/C
	Super Abrasive Brush (Side brush, Standard w/side brush assy.)		1221543	\$175.56	\$171.57	\$167.58
Support (Note 11)						
	Service Manual		9016104	\$218.12	\$213.16	\$208.20
	Machine Communication (Note IRIS)					
	IRIS Telemetry Module		9009384	\$1,212.05	\$1,184.50	\$1,156.96
	Packaging (Note 12)					
	Non-Stackable Skid (in lieu of standard)		9003623	\$797.98	\$779.85	\$761.71
Custom Solutions						
	Dewatering System		325592	\$3,121.89	\$3,050.94	\$2,979.99
	Head Light Cover		325861	\$211.91	\$207.09	\$202.28
	Seal Kit w/Draw Latch		325982	\$851.18	\$831.84	\$812.49
Notes						
	1 Standard Configurations are set configurations as listed and cannot be a	Itered.				
	However, these are partial configurations which require the selection of					
	Brushes, Operator Manuals, Service Manual, and Shipment Packaging.					
	2 Diesel units are built with a Stage 5 diesel engine.					
	The Stage 5 diesel engine requires the use of ultra-low sulfur diesel (UL:	SD) fuel only				
	Only ultra-low sulfur diesel (ULSD) fuel with <15 ppm should be used (or		or addidtive is used			
	severe damage may occur to the emissions equipment or engine AND n					
	Please reference the operator's manual for more information.	,				
	3 Wet Only w/ Pro Panel includes the Pro Panel w/ Economy mode (low fl					
	This option remove the dry dust control system to convert the machine to	wet only sweeping.				
	Sweeping side brush is not available with this option.					
	4 ES Extended Scrubbing System is available factory installed only. This and detergent metering. ES is not compatible with High Pressure Spray					
	Olamba Oshalian and a shall factors in the last only Oslant and a					
	Cleaning Solutions are available factory installed only; Select only one, r ES Extended Scrubbing system	none are available combined with another: 9002977				
	ec-H2O™ option with sidebrush	9007129				
	ec-H2O™ option without sidebrush	9007130				
	oo neo opaan malaataaanaan	5507.155				
	5 Detergent Metering is only available with Conventional Scrubbing cleani	ng technology. This is not available with E	ES or ec-H2O.			
	6 Dura-Track™ Squeegee Kit contains: one rear and one front blade for th	e rear squeegee and two blades for the se	crub head			
	side squeeges; Side Brush Squeegee Kit contains: one side brush sque	egee blade and side brush squeegee hard	lware.			
	8 The Side Brush Assembly is an option for extending the sweeping path t	rom 40" to 56". When choosing this option	n			
	you must also select a Side Scrub/Sweep Brush, from the Brush section	above.				
	9 Spay Nozzle w/Hose and High Pressure Spray cannot be ordered togeth	ner				
	High Pressure Spray is not available with the Productivity Package.	ы.				
	10 The Plue Light requires either the PLL Alarm. Electing Light on Tank or	BLI Alarm - Straha Light on Tank				
	10 The Blue Light requires either the BU Alarm - Flashing Light on Tank or	BO Alami - Strobe Light on Tank.				
	11 Additional hard copy Operator and Parts Manuals can be ordered or digi	tal copies can be downloaded from www.	Tennantco.com.			
	IRIS Pre-Paid and Monthly Packages are available for the IRIS Information S	ervice.				
	IRIS Module is required and NOT included in the price of the IRIS Inform					
	3 Year Pre-Paid IRIS Information Serv					
	5 Year Pre-Paid IRIS Information Serv					
	A monthly contract can be set up at \$10 per month w/ 12 month minimus	n commitment.				
	IRIS Telemetry Module only covers the price of the hardware. IRIS Telemetry requires an IRIS Telemetry Module and an IRIS Information	ion Service Package.				
	12 Pad wrap available only in the Continental US and is the default packagi					
	Non-Stackable Skid is mandatory when shipping to AK and HI. Packagi to these locations.	ng is added at No Charge when shipping				
	to tricac locations.					
	13 Shipping Weights and Dimensions	Pad Wrap	Non-Stackable Skid			
	144 1 14	4000 Ib - 1404E IC	4200 lbs / 1905 Kg			
	Weight	4000 lbs / 1815 Kg				
	Length	108" / 2724 mm	116" / 2947 mm			

Dual Technology Carpet Maintainer Model R14

BUILT-IN "TENNANT VALUE" INCLUDES:

ReadySpace® cleaning technology and deep extraction 700mm/28" cleaning path 121 l/32-gal. solution & 106 l/28-gal. recovery tanks Hygenio® fully cleanable solution/recovery tanks Solution tank empty indicator Recovery tank full indicator Touch Panel Controls

Featuring on-board diagnostics One-button operation

E-stop, hour meter and horn

Standard (4) 6V 360AH battery pack
Battery Tray
25 Amp Off-board charger
One set of ReadySpace® rollers & extraction brushes
Rugged DuramerTM Tank Construction
Vacuum fan in-line air filter
Virtual DVD manual
Operators manual
CRI certified, Bronze Cleaning Performance

Base Configuration			Reference Number	GSA Price Including IFF		
	Cleaning Type			1 unit	2-5 units	6+ units
	R14 Ride-On Dual Technology Carpet Maintainer 70	00mm/28"	R14-700	\$17,670.83	\$17,398.97	\$17,127.11
	Battery Option					
	Manual Battery Watering Kit (Note 1)		9009619	\$383.78	\$377.87	\$371.97
Machine Protection	& Safety					
	Seat Belt		9018587	\$58.94	\$58.04	\$57.13
	Strobe Light on Tank		9000580	\$481.36	\$473.95	\$466.55
	Packaging					
	Skid w/Carton, Non-Stackable		9002882	\$313.05	\$308.23	\$303.42
	Skid with Stretch Wrap		9007286	\$214.16	\$210.86	\$207.57
Notes						
	1 Only available as factory-installed when batteries are	e ordered with machine.				
	2 Shipping Weights and Dimensions	Pad Wrap	Skid w/ Carton			
	Weight (w/360AH batteries)	590 lbs / 268 Kg	650 lbs / 295 Kg			
	Length	60" / 1,524mm	68" / 1,727mm			
	Width	28" / 711mm	33" / 838mm			
	Height	42" / 1,067mm	48" / 1,219mm			