



INSTRUCTION BULLETIN

No. 340359
Machine: 7300/8300
Published: 12-2009
Rev: 02

NOTE: DO NOT DISCARD the Parts List from the Instruction Bulletin. Place the Parts List in the appropriate place in your machine manual for future reference. Retaining the Parts List will make it easier to reorder individual parts and will save you the cost of ordering an entire kit.

NOTE: Numbers in parenthesis () are reference numbers for parts listed in Bill of Materials.

Installation instructions for kit number 386934 / 9006938

SYNOPSIS:

This kit contains the parts needed to install a 36V (600AH) sealed battery kit on 7300 / 8300 machines. Please follow step-by-step instructions.

SPECIAL TOOLS / CONSIDERATIONS: CHAIN HOIST OR LIFT

(Estimated time to complete: 1 hour)

PREPARATION:

FOR SAFETY: Before leaving or servicing machine, stop on level surface, set parking brake, turn off machine, and remove key.

1. Open the top battery compartment cover, and secure in position with the cover support rod.
2. Open the rear battery compartment door.
3. Disconnect battery pack from the machine.



WARNING: Always disconnect battery cables from machine before working on electrical components.

INSTALLATION: (Refer to FIG. 1)

1. Remove the existing battery pack from battery compartment with chain hoist or lift.

NOTE: When servicing machine, use hoist or lift that will support the weight of the battery pack.

2. Install the right (2) and left (3) hand battery spacers on the sides of the battery compartment with hex screws (5), washers (6) and hex nuts (7). (Refer to FIG. 1)
3. Mount the rear battery spacer (4) in the rear of the battery compartment with hex screws (5), washers (6) and lock nuts (7).
4. Carefully install the new battery pack (1) into the battery compartment.
5. Connect the battery connector to the machine connector. Close the rear battery compartment door and the top battery compartment cover.




FIG. 1 - 600 AH BATTERY KIT

BILL OF MATERIALS FOR 36V, 600AH, SEALED BATTERY KIT 386934

Ref.	TENNANT Part No.	Description	Qty.
1	386334	Battery, 36V, 600AH, Sealed	1
2	386573	Spacer, Battery, RH	1
3	386574	Spacer, Battery, LH	1
4	386575	Spacer, Battery, Rear	1
5	09740	Screw, Hex, M08-1.25 X 20, SS	6
6	01685	Washer, Flat, .31, SS	6
7	08713	Nut, Hex, Lock, M08-1.25, NL, SS	6

BILL OF MATERIALS FOR BATTERY KIT, 36V, 600AH, SEALED, CI 386934

Ref.	TENNANT Part No.	Description	Qty.
6	386334	Battery, 36V, 600AH, Sealed	1
7	1056787	Spacer, Battery, RH, Iron Gray	1
8	1056788	Spacer, Battery, LH, Iron Gray	1
9	1056878	Spacer, Battery, Rear, Iron Gray	1
10	09740	Screw, Hex, M08-1.25 X 20, SS	6
6	01685	Washer, Flat, .31, SS	6
7	08713	Nut, Hex, Lock, M08-1.25, NL, SS	6

TENNANT COMPANY
P. O. Box 1452
Minneapolis, MN 55440-1452