



INSTRUCTION BULLETIN

No. 340420
Machine: 7100
Published: 10-00/00
System: OPTIONS

NOTE: DO NOT DISCARD the Parts List from the Instruction Bulletin. Place the Parts List in the appropriate place in your machine manual for future reference. Retaining the Parts List will make it easier to reorder individual parts and will save you the cost of ordering an entire kit.

NOTE: Numbers in parenthesis () are reference numbers for parts listed in Bill of Materials.

Installation instructions for kit number 391315

SYNOPSIS / PROBLEM:

This kit contains the parts needed to install a fire extinguisher kit on the 7100 model scrubber.

Please follow step-by-step instructions.

SPECIAL TOOLS / CONSIDERATIONS: Hand drill, 1/4 in drill bit

(Estimated time to complete: 1 hour)

PREPARATION:

(Refer to FIG. 1 and 2)

FOR SAFETY: Before leaving or servicing machine, stop on level surface and set parking brake. Then turn off machine and remove key.

1. Disconnect battery cables from machine.



WARNING: Always disconnect battery cables from machine before working on electrical components.

INSTALLATION:

(Refer to FIG. 1 and 2)

1. Remove and set aside the cup holder and mounting hardware from the seat support.
2. Using the fire extinguisher mounting bracket as a template and figure 2 for reference, mark and drill three mounting holes with 1/4 in drill bit. (Refer to FIG. 1 and 2)
3. Install the fire extinguisher mounting bracket in the two rear holes in the seat support, using two hex screws (2), washers (3) and hex nuts (4). (Refer to FIG. 2)
4. Mount the set aside cup holder in the front mounting hole with set aside hardware.
5. Secure the fire extinguisher in the mounting bracket. (Refer to FIG. 2)




FIG. 1 - MOUNTING HOLE LOCATIONS




FIG. 2 - FIRE EXTINGUISHER KIT INSTALLATION

BILL OF MATERIALS FOR FIRE EXTINGUISHER KIT 391315

Ref.	TENNANT Part No.	Description	Qty.
1	25312	Extinguisher, fire	1
2	12312	Screw, hex, M05 X 0.8 X 12, 8.8	2
3	19066	Washer, flt, #10	2
4	06549	Nut, hex, lock, M05 X 0.8, NL	2

TENNANT COMPANY
P. O. Box 1452
Minneapolis, MN 55440-1452