



CREATING A CLEANER, SAFER, HEALTHIER WORLD.



7300

BATTERY-POWERED RIDE-ON SCRUBBER-DRYER

- Cleans up to three times longer using a single tank of water with ec-H₂O™ and FaST® technologies
- Dependable performance delivers a higher quality of cleanliness
- Reduces training time and increases productivity with intuitive controls and low-maintenance design

SUPERIOR PERFORMANCE FOR A CONSISTENTLY CLEAN, SAFE WORKPLACE



The highly productive 7300 scrubber-dryer creates clean, safe environments that meet the highest standards. Even in the harshest industrial conditions, the 7300 delivers legendary Tennant performance.

MAXIMISE SCRUBBING PRODUCTIVITY

Multiple scrub-head widths and powerful, large-capacity batteries deliver hours of productive, scrubbing time, and enable cleaning coverage rates up to 9500 m²/hr.

REACH A HIGHER LEVEL OF CLEANLINESS EVERY DAY

The 7300 tackles tough dirt, grime and grease with three down-pressure settings in addition to a SuperScrub™ mode, delivering the performance you need to meet your daily cleaning challenges.

RELY ON LONG-LASTING, WORRY-FREE OPERATION


Quality engineering and non-corrosive Duramer construction keep the 7300 rust-free and available to scrub day after day, year after year.

THE SAFEST WAY TO CLEAN

Increase safety and cleanliness with ec-H₂O technology or FaST Foam Scrubbing Technology. The 7300 uses up to 70% less water with both technologies. ec-H₂O technology uses no detergent. FaST Foam Scrubbing Technology uses up to 90% less detergent than traditional scrubber-dryers.

INSIDE THE

7300



- A** Reduce training and maximise productivity with optional power steering and one-button, easy-to-operate power control panel.
- B** Maximise cleaning time with best-in-class solution capacity in standard mode. Add ec-H2O, FaST, or ES technology to further enhance productivity.
- C** Customise to meet specific cleaning needs with a choice of cylindrical or disc brushes, multiple path widths, and a wide variety of accessories.

- D** Reduce maintenance with quick, easy brush and squeegee adjustments.
- E** Exceptional pickup of virtually all water and residue using an equal-traction parabolic squeegee.
- F** Increase productivity and extend run time with large capacity batteries housed in an easy-to-access compartment.

EXCLUSIVE TECHNOLOGIES

(optional cleaning innovations)

All technologies increase scrub time up to three times using a single tank of water.



ec-H2O™ technology electrically converts water into an innovative cleaning solution that cleans effectively, saves money, improves safety, and reduces environmental impact compared to daily cleaning floor chemicals.



FaST® Foam Scrubbing Technology uses up to 70% less water and 90% less chemicals to improve floor traction as certified by NFSl, helping reduce the risk of slip and fall accidents.



ES® Extended Scrubbing productivity enhancement system recycles cleaning chemicals to increase uptime and improve productivity by scrubbing floors using 66% less chemicals than traditional cleaning methods.

ENVIRONMENTAL STEWARDSHIP



ec-H2O and FaST technologies are NFSI (National Floor Safety Institute) Certified. NFSI certification ensures a product has passed a 2-phase testing process, proving the floor product helps to reduce potential for slip-and-fall accidents.



ec-H2O and FaST technologies are registered by NSF International. NSF International is an independent, not-for-profit organisation that ensures formulation and labels on these products meet appropriate food safety regulations.



Tennant FaST 365 and FaST 965 detergents have been awarded the European Eco-label.

This proves that our Tennant FaST® detergents have a reduced environmental impact compared to standard detergents



ec-H2O™ technology won the European Business Award 2009 for the Business Innovation of the Year, one of the most prestigious business awards. The European Business Awards (www.businessawardseurope.com) is an independent awards programme designed to recognise and promote excellence, best practice and innovation in the European business community.



Conserve Resources



Reduce Detergents



Increase Safety



Improve Air Quality



Reduce Noise

GENUINE TENNANT PARTS, SUPPLIES AND SERVICE

Tennant Service Offering

- Maximise safety, productivity and uptime
- Control and protect your investment and lower your total cost of ownership
- Benefit from over 200 factory-trained service technicians across Europe

Tennant Parts & Supplies

- Operate your machine with confidence
- Benefit from years of worry-free operation

Tennant Cleaning Solutions

- Further your sustainable cleaning goals
- Choose sustainable benefits your company wants

7300 BATTERY-POWERED RIDE-ON SCRUBBER-DRYER

MAXPRO™ 1000 SCRUB HEAD (STANDARD)

SCRUBBING SYSTEM

Cleaning path	
MaxPro™ scrub head	1020 mm
Edge scrub reach	130 mm
Solution tank	216 L
Productivity (per hour)	
Theoretical max	13067 m²/hr
Estimated coverage* (Conventional)	3400 m²/hr
Estimated coverage* (ec-H2O/FaST)	4532 m²/hr
Disc scrub head	
Speed	320 rpm
Down pressure weight (variable to)	225 kg
Brush diameter (2)	510 mm
Brush diameter (3)	—
Brush motor (2)	0.75 kW
Cylindrical scrub head	
Speed	500 rpm
Down pressure weight (variable to)	225 kg
Brush diameter (2)	230 mm
Brush motor (2)	1.2 kW

RECOVERY SYSTEM

Recovery tank	281 L
Demisting chamber	65 L
Vacuum fan speed	14000 rpm
Vacuum water lift	1655 mm
Vacuum fans (2)	0.65 kW

PROPELLING SYSTEM

Propel speed forward (variable to)	8.8 km/h
Propel speed reverse (variable to)	4.8 km/h
Propel motor	3.5 kW
Gradeability	
Transport at gross weight	8° / 14%
Working (scrubbing)	6° / 10.5%

MACHINE SPECIFICATIONS

Length	2130 mm
Width	1140 mm
Rear squeegee	1295 mm
Height	1445 mm
With overhead guard	2070 mm
Weight	895 kg
With standard 500 Ah battery	1555 kg
Minimum aisle turn	2335 mm

WARRANTY

24 Months (or 2000 running hours) on parts and 12 months (or 1000 running hours) on labour, whichever comes first, excluding wear items.

*Estimated coverage rates use the practical speed and empty/fill time standards from the 2004 ISSA Cleaning Times handbook. Specifications subject to change without notice.

SEEING IS BELIEVING

For a demonstration or additional information contact us:

TENNANT UK CLEANING SOLUTIONS LTD

Gladstone Road
Northampton NN5 7RX
UNITED KINGDOM
Tel: 0800 111 4402 (local rate UK only)
Tel: 01604 583191
Fax: 0845 052 9349
Email: sales.uk@tennantco.com
Email: enquiries@tennantco.com

TENNANT CEE GmbH

Sommerfeld 1
5202 Neumarkt am Wallersee
AUSTRIA
Tel: +43 (0)6216 4524 & 4525
Fax: +43 (0)6216 4524 20
E-mail: office@tennant-cee.com

TENNANT EUROPE NV

Plantin & Moretuslei 220
2018 Antwerp
BELGIUM
Tel: +32 3 217 94 11
Fax: +32 3 217 94 19
E-mail: europe@tennanto.com