

CREATING A CLEANER, SAFER, HEALTHIER WORLD.



Sentinel®

HIGH-PERFORMANCE OUTDOOR SWEEPER

- Deliver excellent sweeping performance in the harshest, most congested environments
- Achieve consistent cleaning results from all-weather sweeping capability
- Ensure a healthy and safe environment with improved air quality from a PM-10 certified dust control system
- Maximise operator comfort and safety with a full-view, cab-forward design

A HIGH-PERFORMANCE, ALL-WEATHER OUTDOOR SWEEPER WITH EXCEPTIONAL DUST CONTROL FOR CLEANING IN HARSH, CONGESTED ENVIRONMENTS.



- Main brush centre-point suspension allows the main broom to follow the contours of uneven surfaces for optimum sweeping and dust control.
- Hydraulic twin-vacuum dust control system meets the most stringent PM-10 environmental air quality requirements.
- Roomy, sealed pressurised cab interior keeps noise and dust out for increased operator safety.
- Separate vacuum fan shut-off allows the operator to easily power off the vacuum fans when sweeping in wet conditions.
- Pneumatic tyres with leaf-spring suspension absorbs many road shocks for less vibration of components and operator comfort.
- Optional Vario Sweeping Brush™ sweeps on both sides of the Sentinel with a 1,420 mm reach from the machine side to the outside tips of the brush.
- Optional rear vision camera with an in-cab monitor helps to provide 360° visibility around the machine for safe maneuvering.
- Optional multi-level dump hopper enables discharge into large roll offs and dump trucks preventing double handling of debris.
- Optional front and rear warning lights provide high visibility for maximum machine awareness.
- Sentinel dust control configurations:
 - Dry Side Brush Dust Control
 - Wet Side Brush Dust Control
 - Wet and Dry Side Brush Dust Control

Sentinel®





Keep costs low with a solid shaft design that increases conveyor life over previous models, reducing cost of ownership.



Protect employees and facilities from potentially harmful dust with the unique, twin-vacuum, all weather dry dust control system with PM-10 certification.

ENHANCE FACILITY IMAGE

Ensure your facilities are always looking great with a robust and proven design that enables you to sweep in any season.

EASY OPERATION & MAINTENANCE

Deliver consistent sweeping results and easily maneuver through congested areas with four wheel power steering.

ENGINEERED FOR PRODUCTIVITY AND VERSATILITY



Optional Vario Sweeping Brush™ allows the Sentinel to collect debris from corners while keeping the sweeper from riding up on curbs; giving the operator the ability to sweep on top of curbs and around fixed obstacles for increased productivity and more effective sweeping.



Optional 2,900 mm multi-level dump, with hopper overload indicator, enables you to easily empty debris in most places you need.



4-Wheel power steering allows easy access to tight spaces by delivering a 3,960 mm turning radius with exceptional maneuverability.



One touch activation simplifies operator training with controls that enable sweeping systems to be activated with a single button.

SENTINEL® HIGH-PERFORMANCE OUTDOOR SWEEPER

SWEEPING SYSTEM

Cleaning path
Single side brush
Dual side brushes
With dual side brushes and
Vario Sweeping Brush™
3,200 mm

1.295 mm

11 kW each

BRUSH DRIVE SYSTEM Main brush length (tubular)

Main brush lift Hydraulic
Main brush diameter 610 mm
Side broom diameter (disk) 810 mm
Vario Sweeping Brush™ diameter 965 mm
Hopper volume capacity 2.6 m³
Hopper weight capacity (stainless steel)
Low dump 3,175 kg

 Low dump
 3,175 kg

 High dump
 1,815 kg

 Hopper dump height
 1,015 mm

 Low dump
 1,015 mm

 High dump
 2,895 mm

PROPELLING SYSTEM

Turbo Diesel, Caterpillar Engine 74 kW
Propel speed forward (variable to) 40 km/h
Propel type Hydrostatic
Gradeability
Full hopper 8° / 14%
Empty hopper 12°/ 21%

DUST CONTROL SYSTEM

Filter system
Filter type
Mildew resistant,
synthetic envelope
style
Filter area
Dust filtration
PM-10 certified,
AQMD-Rule 1186
Certified

MACHINE SPECIFICATIONS

Vacuum fan motor (2)

Length
Standard machine
With Vario Sweeping Brush™
Standard machine
Width
1,780 mm
Height
2,540 mm
Weight - net base machine
5,670 kg
Turning radius
4 m

WARRANTY

See your local representative for warranty information.

Specifications subject to change without notice.

SEEING IS BELIEVING

For a demonstration or additional information, email us at contactus@tennantco.com

Get yours now on Tennant Finance!

Take advantage of a convenient and flexible finance solution to acquire your Tennant machine today.

Sentinel Brochure - AU 3/15 ©2015 The Tennant Company logo and other trademarks designated with the symbol "®" are trademarks of Tennant Company registered in the United States and/or other countries. Tennant Company's products are sold and serviced through subsidiaries of Tennant Company and distributors. All rights reserved.

Tennant New Zealand 103 Cryers Road East Tamaki, Auckland

Phone: +64 9 253 9013

www.tennantco.co.nz contactus@tennantco.com.au Tennant Australia PO Box 116 Regents Park NSW 2143

Phone: 1800 226 843

www.tennantco.com.au contactus@tennantco.com.au