



Wet-Dry Vacuums

WD-27 | WD-62 | WD-72

Reliable in a variety of conditions and applications, Tennant Wet-Dry vacuums are designed to help make clean up easy.

- Made for use in dry, wet, or even flooded conditions
- Convenient design makes it easy to move and empty the vacuums
- Rugged design helps ensure long useful life
- Designed and built in Europe

Wet/Dry Vacuums

Clean away dirt and water with Tennant Wet/Dry vacuums, and choose the size and power level that you need. All machines are equipped with high-speed motors and give you:



Advanced lightweight design, providing workers with a machine they can use without extra strain



Durable construction, offering long use for your investment



Construction with up to 53% recycled plastic, helping promote sustainable cleaning programs



Large tank capacity with drain valve device or tipping trolley (V-WD-62 and V-WD-72)

V-WD-27 Wet/Dry Vacuum

Versatile, maneuverable, and light, removes liquids and dust with a 27 liter capacity tank.

- Compact parking for easy storage
- Reliable locking of flexible hose
- Trolley with on-board tool holder
- Cable hook for cord management



V-WD-62

Wet/Dry Vacuum

Equipped with a user-friendly drain hose, this mid-range wet/dry vacuum is maneuverable and easy to use.

- 2 independent motors for reliable performance
- Easy-to-use drain hose for tank emptying
- Accessories clip for parking in compact spaces
- Trolley with on-board tool holder
- Reliable locking of flexible hose
- Cable hook for cord management
- Optional tool holder



V-WD-72

Wet/Dry Vacuum

Large-capacity wet/dry vacuum with smart features that make it easy to use.

- 3 independent motors
- Compact parking for easy storage
- Reliable locking of flexible hose
- Tipping trolley with on-board tool holder
- Cable hook for cord management
- Requires 15 AMP power socket for use



Tennant Wet-Dry Vacuums **Technical Specifications**



FEATURE	V-WD-27	V-WD-62	V-WD-72
Airflow Rate	55,6 l/s - 200 m³/h	111,1 l/s - 400 m³/h	166,7 l/s - 600 m³/h
Max Power	1300 W	2600 W	3600 W
Voltage	220 - 240 V	221 - 240 V	222 - 240 V
Number of motors	1	2	3
Paper Bag	Optional	Optional	Optional
Microfibre Bag	Optional	Optional	Optional
Pre-Filter	Optional	Optional	Optional
Cloth Main Filter (Sani Filter)	Standard	Standard	Standard
HEPA Filter-Upstream	Optional	Optional	Optional
Dimensions (LxWxH)	392mm x 392mm x 630mm	690mm x 565mm x 920mm	600mm x 585mm x 1020mm
Tool Diameter	36 mm	38 mm	38 mm
Weight	7.8 kg	18.5 kg	23.4 kg
Sounds pressure	70 dBA	74 dBA	76 dBA
Power cord length	8.5 m	8.5 m	8.5 m
Water Lift	2.350 mm	2.380 mm	2.380 mm
Tank Capacity	27 L	62 L	72 L
Required Power	10 AMP (standard)	10 AMP (standard)	15 AMP

Specifications subject to change without notice.

Tennant – Reinvent how the world cleans

With a vision to become a global leader in sustainable cleaning innovation that empowers our customers to create a cleaner, safer and healthier world, Tennant creates solutions that are changing the way the world cleans.



We are where you are

Tennant has the industry's largest direct sales and service organization and a well-supported network of authorized distributors worldwide.



Solutions for your unique needs

Whatever your cleaning needs, Tennant offers a variety of high quality equipment to help you increase your cleaning productivity.



Buying, leasing, renting

We offer flexible options to get you the machines you need, however you need them.



TennantTrue®

Optimize equipment performance and protect your investment with TennantTrue® parts and service.

For a demonstration or additional information, call **1800 226 843** or email **contactus@tennantco.com**

Tennant Australia
Unit 11, 4 Southridge Street
Eastern Creek NSW 2766

Tennant New Zealand
Unit 5, 103 Cryers Road
East Tamaki Auckland 2013

T: 1800 226 843 (FREE CALL)
T: +61 2 9839 9700

T: +64 9 253 9013
F: +64 9 253 9015

www.tennantco.com.au
contactus@tennantco.com

www.tennantco.co.nz
contactus@tennantco.com